Tintometer[®] Group Water Testing



phone: +49 (0)231 94510-0

e-mail: sales@lovibond.com

phone: +44 1980 664800

e-mail: SDS@lovibond.uk

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Silica PR
- · Catalog number: 00513151, 513150BT, 4513150BT, 513151BT, 4513151BT, 00513159BT, 00513570BT, 00513571BT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany

www.lovibond.com

The Tintometer Limited
Lovibond House

Lovibond House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

• Informing department: e-mail: sds@lovibond.com Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1B H360FD May damage fertility. May damage the unborn child.



Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07 GHS08

· Signal word Danger

(Contd. on page 2)

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

Product name: Silica PR

(Contd. of page 1)

· Hazard-determining components of labelling:

boric acid

· Hazard statements

H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection.

P201 Obtain special instructions before use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

· Additional information:

Restricted to professional users.

· 2.3 Other hazards No further relevant information available.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of organic and inorganic compounds

· Dangerous components:				
CAS: 87-69-4 EINECS: 201-766-0 Reg.nr.: 01-2119537204-47-XXXX	(+)-tartaric acid		♠ Eye Irrit. 2, H319	10–20%
CAS: 10043-35-3 EINECS: 233-139-2 Index No: 005-007-00-2 Reg.nr.: 01-2119486683-25-XXXX	boric acid		♣ Repr. 1B, H360FD	2.5–5%
· SVHC				
CAS: 10043-35-3 boric acid				
· SVHC (UK)				

CAS: 10043-35-3 boric acid

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

· After inhalation

Supply fresh air.

Get medical advice/attention.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

Get medical advice/attention.

· After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed:

irritations

absorption

after inhalation:

mucosal irritations, cough, shortness of breath

after swallowing:

thirst

(Contd. on page 3)

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

Product name: Silica PR

(Contd. of page 2)

gastric or intestinal trouble

sickness

vomiting

diarrhoea

after absorption of large amounts:

cardiovascular disorders

CNS disorders

ataxia (impaired locomotor coordination)

· 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Sulphur oxides (SOx)

Sodium oxide

Carbon monoxide (CO) and carbon dioxide (CO₂)

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: Provide suction extractors if dust is formed.
- · Hygiene measures:

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Store protective clothing separately.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: see chapter 10

(Contd. on page 4)

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

Product name: Silica PR

(Contd. of page 3)

· Further information about storage conditions:

Store in a locked cabinet or with access restricted to technical experts or their assistants.

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed containers.

Protect from the effects of light.

Protect from humidity and keep away from water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNFIS

Derived No Effect Level (DNEL)

CAS: 87-69-4 (+)-tartaric acid		
Oral	DNEL	8.1 mg/kg (Consumer / long-term / systemic effects)
Dermal	DNEL	2.9 mg/kg (Worker / long-term /systemic effects)
		1.5 mg/kg (Consumer / long-term / systemic effects)
Inhalative	DNEL	5.2 mg/m³ (Worker / long-term /systemic effects)
		1.3 mg/m³ (Consumer / long-term / systemic effects)
CAS: 10043-35-3 boric acid		
Oral	DNEL	0.98 mg/kg (Consumer / acute / systemic effects)
		0.98 mg/kg (Consumer / long-term / systemic effects)
Dermal	DNEL	392 mg/kg (Worker / long-term /systemic effects)
		196 mg/kg (Consumer / long-term / systemic effects)
Inhalative	DNEL	8.3 mg/m³ (Worker / long-term /systemic effects)
		4.15 mg/m³ (Consumer / long-term / systemic effects)

Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· PNECs

Predicted No Effect Concentration (PNEC)

redicted to Elicot Concentration (11420)			
CAS: 1	CAS: 10043-35-3 boric acid		
PNEC	PNEC 10 mg/l (Sewage treatment plant)		
	2.02 mg/l (Marine water)		
	13.7 mg/l (Aquatic intermittent release)		
	2.02 mg/l (Fresh water)		
PNEC	5.4 mg/kg (Soil)		

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection

Safety glasses

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

· Hand protection

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

(Contd. on page 5)

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

Product name: Silica PR

(Contd. of page 4)

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.11 \text{ mm}$

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not applicable.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P3
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties
Physical state
Form:
Colour:
Odour:
Odour:
Odour threshold:
Melting point/Freezing point:
Boiling point or initial boiling point and boiling range

Not determined.
Not determined.

• Flammability The product is not combustible. • Explosive properties: Product is not explosive.

· Lower and upper explosion limit

Lower:
Upper:
Flash point:
Auto-ignition temperature:
Decomposition temperature:
Not applicable.
Not applicable.
Not applicable (solid).
Not determined.

· pH (12.5 g/l) at 20°C 2.5

· Kinematic viscosity Not applicable (solid).

· Solubility

· Water: Soluble

· Partition coefficient n-octanol/water (log value) Not applicable (mixture).

· Vapour pressure:

· Density and/or relative density

Density at 20°C:
Relative density:
Relative gas density
Particle characteristics

1.9 g/cm³
Not determined.
Not applicable (solid).
Not determined.

9.2 Other information

· Information with regard to physical hazard classes

· Corrosive to metals Void

· Other safety characteristics

· Oxidising properties: none

Additional information

· Solids content: 100 %

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions

Aqueous solution reacts with metals.

Reacts with acids

Reacts with oxidizing agents

- --> forms heat
- · 10.4 Conditions to avoid Strong heating (decomposition)
- · 10.5 Incompatible materials: aluminium, copper, zinc, metal ions

(Contd. on page 6)

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

Product name: Silica PR

· 10.6 Hazardous decomposition products: see section 5

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:			
CAS: 8	CAS: 87-69-4 (+)-tartaric acid		
Oral	LDLo	7500 mg/kg (rat) (RTECS)	
CAS: 10	CAS: 10043-35-3 boric acid		
Oral	LD50	2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant)	
Dermal	LD50.	>2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.)	
	LD₀	1500 mg/kg (child) (MERCK)	
	NOAEL	9.6 mg/kg (rat) (NTP)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.

· Information on components:		
CAS: 10043-35-3 boric acid		
Irritation of skin	OECD 404	(rabbit: no irritation)
		(Registrant, ECHA)
Irritation of eyes	OECD 405	(rabbit: slight irritation)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Information on components:

CAS: 87-69-4 (+)-tartaric acid

Sensitisation OECD 406 (guinea pig: negative)

CAS: 10043-35-3 boric acid

Sensitisation OECD 406 (guinea pig: negative)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity May damage fertility. May damage the unborn child.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

OLOD 471, 474, 470, 407. Cell indiagenous testing			
CAS: 87-69	CAS: 87-69-4 (+)-tartaric acid		
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)		
CAS: 1004	CAS: 10043-35-3 boric acid		
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)		
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test) (mouse lymphomea test)		
	(negative) (oral, rat) (ECHA, registrant: no evidence of developmental toxicity up to 55 mg/kg bw. At 76 mg/kg bw there was reduced fetal bodyweight, short and wavy ribs, and these effects disappeared during the postnatal period.)		
OECD 474	(negative) (in vivo, mice)		

- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

Product name: Silica PR

(Contd. of page 6)

· Information on likely routes of exposure

"Under occupational conditions, the main intake pathway for boric acid (CAS 10043-35-3) proceeds via the respiratory tract. Furthermore, the uptake of the solid or its concentrated solutions should be expected following contact with damaged or inflamed skin." (GESTIS)

· Additional toxicological information:

CAS 10043-35-3: Absorption through gastro-intestinal tract, mucous membranes

CAS: 87-69-4 (+)-tartaric acid

. (source: GESTIS)

Acute / chronic: Irritant to caustic effect on the mucous membranes, low systemic toxicity

A highly diluted and buffered solution (approx. 2.5%, pH 3) caused severe pain in the human eye, but no visible damage. However, an eye-damaging potential must be assumed for concentrated solutions or dust.

Irritation, especially in the area of the upper respiratory tract, should be expected after inhalative exposure to dust or solution aerosols.

CAS: 10043-35-3 boric acid

. (source: GESTIS)

Main toxic effects:

Acute: Slightly irritating to the eyes and skin; gastrointestinal disturbances, CNS-effects and (later) skin damage after massive

poisoning

Chronic: Irritation to the mucous membranes following inhalative exposure, effects to the gastrointestinal tract and CNS

Further Information (Merck):

"Toxicity reported for borates in humans: ingestion or absorption may cause nausea, vomiting, diarrhea, abdominal cramps, anderythematous lesions on the skin and mucous membranes.

Other symptoms include: circulatory collapse, tachycardia, cyanosis, delirium, convulsions, and coma.

Death has been reported to occur in infants from less than 5 grams and in adults from 5 to 20 grams."

"Liver - Irregularities - Based on Human Evidence"

· 11.2 Information on other hazards

• Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 87-69-4 (+)-tartaric acid

EC50 135 mg/l/24h (Daphnia magna)

CAS: 10043-35-3 boric acid

EC50 133 mg/l/48h (Daphnia magna)

(ECOTOX)

LC50 50-100 mg/l/96h (rainbow trout)

(ECOTOX)

Bacterial toxicity: sulphates toxic > 2.5 g/l

Other information:

Toxic for fish:

Sulphates > 7 g/l

· 12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 87-69-4 (+)-tartaric acid

log Pow -1 (.) (calculated)

(Merck)

CAS: 10043-35-3 boric acid

log Pow -1.09 (.) (OECD 107, 22°C)

(Merck)

(Contd. on page 8)

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

Product name: Silica PR

(Contd. of page 7)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMC instruments) Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

(Contd. on page 9)

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

Product name: Silica PR

(Contd. of page 8)

- Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- · Substances of very high concern (SVHC) according to REACH, Article 57 see item 3 SVHC
- · Substances of very high concern (SVHC) according to UK REACH see item 3 SVHC
- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed (94/33/EC).

Employment restrictions concerning pregnant and lactating women must be observed (92/85/EEC).

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints Provide adequate information, instruction and training for operators.

Relevant phrases

H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

(Contd. on page 10)

Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2023 Version number 20 (replaces version 19) Revision: 13.11.2023

Product name: Silica PR

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Repr. 1B: Reproductive toxicity – Category 1B

Data arise from safety data sheets, reference works and literature.

ECHA: European Chemicals Agency http://echa.europa.eu

GESTIS- Stoffdatenbank (Substance Database, Germany)

ECOTOX Database

IUCLID (International Uniform Chemical Information Database)

RTECS (Registry of Toxic Effects of Chemical Substances)

* * Data compared to the previous version altered.

(Contd. of page 9)

GB -