

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 33 (replaces version 32)

Revision: 10.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Product name: Acidifying SE**

· **Catalog number:** 00515971, 515970BT, 4515970BT, 00515979BT

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the preparation:** Reagent for water analysis

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**

Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com

phone: +49 (0)231 94510-0
e-mail: sales@lovibond.com

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

phone : +44 1980 664800
e-mail: SDS@lovibond.uk

· **Informing department:**

e-mail: sds@lovibond.com
Product Safety Department

· **1.4 Emergency telephone number:**

+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 33 (replaces version 32)

Revision: 10.11.2023

Product name: Acidifying SE

(Contd. of page 1)

- **Signal word** Danger
- **Hazard-determining components of labelling:**
sodium bisulfate
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P280 Wear protective gloves / eye protection.
P273 Avoid release to the environment.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P362 Take off contaminated clothing.
P302+P352 IF ON SKIN: Wash with plenty of water.
- **2.3 Other hazards** No further relevant information available.
- **Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- **Determination of endocrine-disrupting properties**
The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of organic and inorganic compounds

· Dangerous components:		
CAS: 5329-14-6 EINECS: 226-218-8 Index No: 016-026-00-0 Reg.nr.: 01-2119846728-XXXX	sulfamic acid ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	40–50%
CAS: 7681-38-1 EINECS: 231-665-7 Index No: 016-046-00-X Reg.nr.: 01-2119552465-36-XXXX	sodium bisulfate ⚠ Eye Dam. 1, H318	20–30%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air and call for doctor for safety reasons.
- **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
- **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed:**
burns
after swallowing of large amounts:
mucous membrane irritation
breathing difficulty
irritations
after absorption:
gastric or intestinal trouble
coughing
vomiting

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 33 (replaces version 32)

Revision: 10.11.2023

Product name: Acidifying SE

(Contd. of page 2)

fatigue
 ataxia (impaired locomotor coordination)
 drop in temperature
 cramps

· **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
 - **5.2 Special hazards arising from the substance or mixture**
 Formation of toxic gases is possible during heating or in case of fire.
 Nitrogen oxides (NO_x)
 Sulphur oxides (SO_x)
 - **5.3 Advice for firefighters**
 - **Protective equipment:** Wear self-contained breathing apparatus.
 - **Additional information**
 Collect contaminated fire fighting water separately. It must not enter drains.
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
-

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 Wear protective equipment. Keep unprotected persons away.
 - **Advice for non-emergency personnel:**
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 Avoid causing dust.
 - **Advice for emergency responders:** Protective equipment: see section 8
 - **6.2 Environmental precautions:**
 Do not allow product to reach sewage system or water bodies.
 Inform respective authorities in case product reaches water or sewage system.
 - **6.3 Methods and material for containment and cleaning up:**
 Ensure adequate ventilation.
 Collect mechanically.
 Dispose of contaminated material as waste according to item 13.
 - **6.4 Reference to other sections**
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for information on disposal.
-

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- **Advice on safe handling:**
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
- **Hygiene measures:**
 Avoid contact with the skin.
 Avoid contact with the eyes.
 Take off immediately all contaminated clothing.
 Wash hands during breaks and at the end of the work.
 Do not eat, drink or smoke when using this product.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:**
 Do not store together with alkalis (caustic solutions).
 Store away from oxidising agents.
 Store away from water.
- **Further information about storage conditions:**
 Store in cool, dry conditions in well sealed containers.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 33 (replaces version 32)

Revision: 10.11.2023

Product name: Acidifying SE

(Contd. of page 3)

- Protect from heat and direct sunlight.
- Protect from the effects of light.
- Store under dry conditions.
- Protect from humidity and keep away from water.
- This product is hygroscopic.
- **Recommended storage temperature:** 20°C +/- 5°C
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 9004-34-6 cellulose

WEL (Great Britain)	Short-term value: 20* mg/m ³ Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable
---------------------	---

- **Regulatory information** WEL (Great Britain): EH40/2020
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Engineering measures:** See item 7.
- **Individual protection measures, such as personal protective equipment**
- **Eye/face protection**
Tightly sealed safety glasses.
use against the effects of fumes / dust
- **Hand protection** After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
- **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Other skin protection (body protection):** Protective work clothing.
- **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Filter P2
- **Environmental exposure controls** No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- **Physical state** Solid.
- **Form:** Tablets
- **Colour:** White
- **Odour:** Odourless
- **Odour threshold:** Not applicable.
- **Melting point/Freezing point:** Not determined.
- **Boiling point or initial boiling point and boiling range** Not determined.
- **Flammability** mixture with combustible ingredients
- **Explosive properties:** Product is not explosive.
- **Lower and upper explosion limit**
- **Lower:** Not applicable.
- **Upper:** Not applicable.
- **Flash point:** 260°C (CAS: 9004-34-6 cellulose)
- **Auto-ignition temperature:** Not applicable (solid).
- **Decomposition temperature:** Not determined.
- **pH (37.9 g/l) at 20°C** 1.3
- **Kinematic viscosity** Not applicable (solid).
- **Solubility**
- **Water:** Partly soluble

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 33 (replaces version 32)

Revision: 10.11.2023

Product name: Acidifying SE

(Contd. of page 4)

· Partition coefficient n-octanol/water (log value)	Not applicable.
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density:	Not determined.
· Relative density:	Not determined.
· Relative gas density	Not applicable (solid).
· Particle characteristics	Not determined.
· 9.2 Other information	
· Information with regard to physical hazard classes	
· Corrosive to metals	Void
· Other safety characteristics	
· Oxidising properties:	none
· Additional information	
· Solids content:	100.0 %
· Solvent content:	
· Organic solvents:	0.0 %

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**
 Aqueous solution reacts acidic.
 Reacts with water.
 Forms hydrogen in aqueous solution with metals
 Aqueous solution reacts with metals.
 Liberates acid in contact with water or alcohol.
 Reacts with acids, alkalis and oxidizing agents
 Reacts with halogenated compounds
 Hydrogen is formed in the presence of aluminum or zinc.
 Reacts with strong alkalis and oxidizing agents.
 Violent reactions possible with:
 nitrates
 chlorine
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
 metals
 alcohols
 alkalis
- **10.6 Hazardous decomposition products:** see section 5

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:**
 The following statements refer to the individual components.

CAS: 5329-14-6 sulfamic acid		
Oral	LD50	3160 mg/kg (rat) (GESTIS)
CAS: 7681-38-1 sodium bisulfate		
Oral	LD50	2490 mg/kg (rat) (IUCLID)
Dermal	LD50.	>2000 mg/kg (rabbit)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation**
 Causes serious eye damage.
 Risk of corneal clouding.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 33 (replaces version 32)

Revision: 10.11.2023

Product name: Acidifying SE

(Contd. of page 5)

Information on components:		
CAS: 5329-14-6 sulfamic acid		
Irritation of skin	OECD 404	(rabbit: irritation)
Irritation of eyes	OECD 492	(rabbit: irritation)
CAS: 7681-38-1 sodium bisulfate		
Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 492	(rabbit: severe irritations)

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

Information on components:	
CAS: 5329-14-6 sulfamic acid	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test) (Salmonella typhimurium)
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test)
OECD 474	(negative) (mouse, oral)
OECD 487	(negative) (In Vitro Mammalian Cell Micronucleus Test)

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.

· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

Additional toxicological information:	
CAS: 5329-14-6 sulfamic acid	
·	(source: GESTIS) Main toxic effects Acute: Irritative through to corrosive effects to the mucous membranes and skin; insufficient information available on systemic effects Chronic: No information available

· **11.2 Information on other hazards**

· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

· **Other information**

Other dangerous properties can not be excluded.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· **12.1 Toxicity**

Aquatic toxicity:	
CAS: 5329-14-6 sulfamic acid	
EC50	71.6 mg/l/48h (Daphnia magna) (OECD 202)
EC50	14.2 mg/l/96h (fish) (GESTIS)
LC50	70.3 mg/l/96h (fathhead minnow) (OECD 203) (Merck)
CAS: 7681-38-1 sodium bisulfate	
EC50	190 mg/l/48h (Daphnia magna) (IUCLID)

· **Bacterial toxicity:**

sulphates toxic > 2.5 g/l

CAS: 5329-14-6 sulfamic acid	
EC10	≥1000 mg/l (Pseudomonas putida) (16h) (IUCLID)

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 33 (replaces version 32)

Revision: 10.11.2023

Product name: Acidifying SE

(Contd. of page 6)

CAS: 7681-38-1 sodium bisulfateEC10 >1000 mg/l (*Pseudomonas putida*) (16 h)

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** Quantitative data on the ecological effect of this product are not available.

· **12.3 Bioaccumulative potential****CAS: 5329-14-6 sulfamic acid**log Pow 0.1 (.) (experimental)
(Merck)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
Avoid transfer into the environment.
Forms corrosive mixtures with water even if diluted.
Harmful effect due to pH shift.
- **Water hazard:**
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

16 05 07* discarded inorganic chemicals consisting of or containing hazardous substances

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- **14.1 UN number or ID number**
· **ADR, IMDG, IATA** UN2967
- **14.2 UN proper shipping name**
· **ADR** 2967 SULPHAMIC ACID mixture
· **IMDG, IATA** SULPHAMIC ACID mixture

· **14.3 Transport hazard class(es)**· **ADR**

- **Class** 8 (C2) Corrosive substances.
- **Label** 8

· **IMDG, IATA**

- **Class** 8 Corrosive substances.
- **Label** 8

(Contd. on page 8)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 33 (replaces version 32)

Revision: 10.11.2023

Product name: **Acidifying SE**

(Contd. of page 7)

· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups · Stowage Category	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids A
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category · Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

* SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Poisons Act UK**· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients is listed.

· **Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.11.2023

Version number 33 (replaces version 32)

Revision: 10.11.2023

Product name: Acidifying SE

(Contd. of page 8)

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

· Substances of very high concern (SVHC) according to REACH, Article 57This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).**· Substances of very high concern (SVHC) according to UK REACH**This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).**· Directive 2012/18/EU (SEVESO III):****· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· Information about limitation of use:** Not required.**· 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints Provide adequate information, instruction and training for operators.**· Relevant phrases**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo)

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· Sources

Data arise from safety data sheets, reference works and literature.

IUCLID (International Uniform Chemical Information Database)

GESTIS- Stoffdatenbank (Substance Database, Germany)

· * Data compared to the previous version altered.