Lovibond[®] Water Testing

Tintometer® Group



Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 11/04/2020

1 Identification

- · Product identifier
- · Trade name: As 1 Reagent
- · Catalogue number: 400710
- · Application of the substance / the mixture: Reagent for water analysis
- Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany
- · Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Repr. 2	H361 Suspected of damaging fertility or the unborn child.
STOT RE 2	H373 May cause damage to the brain through prolonged or repeated exposure. Route of exposure: Inhalation.

GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2AH319 Causes serious eye irritation.


· Label elements

· GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:
- potassium permanganate
- Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to the brain through prolonged or repeated exposure. Route of exposure: Inhalation.
- H411 Toxic to aquatic life with long lasting effects.



Printing date 11/04/2020

Reviewed on 11/04/2020

Trade name: As 1 Reagent

		(Contd. of page 1)	
•	Precautionary sta	tements	
	P201	Obtain special instructions before use.	
	P280	Wear protective gloves/protective clothing/eye protection.	
	P302+P352	If on skin: Wash with plenty of water.	
	P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	
		Continue rinsing.	
	P308+P313	IF exposed or concerned: Get medical advice/attention.	
	P405	Store locked up.	

· Other hazards No further relevant information available.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: aqueous solution

· Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

0	•	
CAS: 7722-64-7	potassium permanganate	1–<2.5%
EINECS: 231-760-3	🚸 Ox. Sol. 2, H272; 🚸 Repr. 2, H361; STOT RE 2, H373; 🔶 Skin Corr. 1C, H314;	
Index number: 025-002-00-9	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); 🔿 Acute Tox. 4,	
RTECS: SD 6475000	H302	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air. Call a doctor.
- · After skin contact:
- Immediately rinse with plenty of water.
- Seek medical advice.
- After eye contact: Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink 1-2 glasses of water.
- Seek medical treatment.
- \cdot Most important symptoms and effects, both acute and delayed
- irritations

after swallowing of large amounts:

sickness

vomiting

- Danger: Risk of corneal clouding.
- · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- The product is not combustible.
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device. Wear fully protective suit.
- · Additional information
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

Printing date 11/04/2020

Trade name: As 1 Reagent

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away. Do not breathe vapors/spray. Ensure adequate ventilation Avoid formation of dust. · Advice for emergency responders: Protective equipment: see section 8 · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. · Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, universal binders). Dispose contaminated material as waste according to item 13. Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: No special precautions are necessary if used correctly.
- · Hygiene measures:
- Do not get in eyes, on skin, or on clothing.
- Take off immediately all contaminated clothing.
- Store protective clothing separately.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only.

- Protect from heat and direct sunlight.
- Protect from exposure to the light.

Protect from humidity and water.

• Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7722-6	4-7 potassium permanganate
PEL (USA)	Ceiling limit value: 5 mg/m ³ as Mn
REL (USA)	Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ as Mn
TLV (USA)	Long-term value: 0.02* 0.1** mg/m ³ as Mn; *respirable **inhalable fraction
EL (Canada)	Long-term value: 0.2; 0.02* mg/m³ as Mn; R, *respirable

• Additional information: The lists that were valid during the creation were used as basis.

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. (Contd. on page 4)

Reviewed on 11/04/2020

(Contd. of page 2)

Printing date 11/04/2020

Trade name: As 1 Reagent

See item 7.

- · Personal protective equipment:
- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- Recommended filter device for short term use: Filter ABEK
- · Protection of hands:
- Protective gloves Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves
- Nitrile rubber, NBR
- Recommended thickness of the material: \geq 0.11 mm

Penetration time of glove material

- Breakthrough time: > 480 min
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Safety glasses
- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

 Information on basic physical and che Appearance: 	emical properties
Form / Physical state: Color:	Fluid Violet
· Odor: · Odor threshold:	Recognizable Not determined.
· pH-value:	Not determined.
 Melting point/freezing point: Initial boiling point and boiling range: 	Not determined. Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
 Danger of explosion: Flammability or explosive limits: 	Product does not present an explosion hazard.
Lower: Upper:	Not applicable. Not applicable.
 Oxidizing properties: 	none
 Vapor Pressure: Density at 20°C (68°F): Relative density: Vapor density: Evaporation rate: 	Not determined. ~ 1 g/cm ³ (~ 8.35 lbs/gal) Not determined. Not determined. Not determined.
· Solubility(ies) Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	Not determined.
 Solvent content: Organic solvents: Water: Solids content: 	0.0 % > 97 % < 2.5 %
	(Contd. on page 5) US —

Reviewed on 11/04/2020

(Contd. of page 3)

(Contd. of page 4)

Reviewed on 11/04/2020

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/04/2020

Trade name: As 1 Reagent

Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity see section "Possibility of hazardous reactions"

· Chemical stability

Stable at ambient temperature (room temperature). sensitivity to light

• Possibility of hazardous reactions Violent reactions possible with:

The generally known reaction partners of water.

- Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: see section 5

11 Toxicological information

· Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· Acute t	oxicity	estimate (ATE _(MIX)) - Calculation method:
Oral GI	HS ATE	_{MIX} >5000 mg/kg (.)
· LD/LC5	0 value	s that are relevant for classification:
CAS: 77	722-64-	7 potassium permanganate
Oral	LD50	750 mg/kg (rat) (RTECS)
	LDLo	100 mg/kg (human) (IUCLID)
Dermal	LD50.	>2000 mg/kg (rat) (OECD 402) (ECHA; No death of animals at this concentration, limit test)
· Primary	/ irritan	t offect:

- Primary irritant effect:
- · on the skin: Causes skin irritation.
- on the eye:
- Causes serious eye irritation.

Risk of corneal clouding.

Information on components:

CAS: 7722-64-7 potassium permanganate

Irritation of skin OECD 404 (rabbit: burns)

(Merck / Burns after prolonged exposure.)

· Sensitization: No sensitizing effects known.

· Information on components:

CAS: 7722-64-7 potassium permanganate

Sensitization OECD 406 (guinea pig: negative)

· Carcinogenic categories

 IARC (International Agency for Research on Cancer) 	
None of the ingredients is listed.	
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

· Other information: see section 8 / 15

· Synergistic Products: None

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:

Printing date 11/04/2020

Trade name: As 1 Reagent

Reviewed on 11/04/2020

(Contd. of page 5)

Repr. 2

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Suspected of damaging fertility or the unborn child.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure
- May cause damage to the brain through prolonged or repeated exposure. Route of exposure: Inhalation.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Information on components:

- OECD 414: Teratogenicity testing
- OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 7722	-64-7 potassium permanganate
	(negative) (Bacterial Reverse Mutation Test - Ames test) (Escherichia col i/ Salmonella typhimurium)
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test)
	(negative) (Mammalian Erythrocyte Micronucleus Test) (Merck: rat, male and female, oral, bone marrow)

2 Ecological information

· Toxici	ty	
· Aquat	· Aquatic toxicity:	
	7722-64-7 potassium permanganate	
	0.056 mg/l/48h (Daphnia magna) (ECOTOX)	
	0.41 mg/l/72 h (Algeal toxicity) (ECOTOX)	
	0.1 mg/l/96h (fish) (Ictalurus catus / ECOTOX)	
· Other	· Other information:	

The following applies to manganese ions: toxic to water organisms.

In flowing waters, depending on the mixture, moderate to high toxic effect.

- · Persistence and degradability .
- · Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 7722-64-7 potassium permanganate

log Pow -1.73 (.) (calculated) (Merck)

· Mobility in soil No further relevant information available. · Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

(Contd. of page 6)

Reviewed on 11/04/2020

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/04/2020

Trade name: As 1 Reagent

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT none · IMDG, IATA UN3082 · UN proper shipping name · DOT none · IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POTASSIUM PERMANGANATE), MARINE POLLUTANT · IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POTASSIUM PERMANGANATE) · Transport hazard class(es) · DOT · Class none · IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles · Label 9 · Packing group · DOT none · IMDG, IATA Ш · Environmental hazards: Product contains environmentally hazardous substances: potassium permanganate · Marine pollutant: Yes Symbol (fish and tree) · Special marking (IATA): Symbol (fish and tree) Special precautions for user Warning: Miscellaneous dangerous substances and articles · Hazard identification number (Kemler code): 90 F-A,S-F EMS Number: Segregation groups Permanganates Stowage Category А · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Not dangerous according to the above specifications. · IMDG · Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

CAS: 7722-64-7 potassium permanganate

(Contd. on page 8)

Printing date 11/04/2020

Trade name: As 1 Reagent

Reviewed on 11/04/2020

	(Contd. of page 7)
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
CAS: 7722-64-7 potassium permanganate	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
CAS: 7722-64-7 potassium permanganate	
· New Jersey Special Hazardous Substance List:	
None of the ingredients is listed.	
· Pennsylvania Right-to-Know List:	
CAS: 7722-64-7 potassium permanganate	
· Pennsylvania Special Hazardous Substance List:	
CAS: 7722-64-7 potassium permanganate	E
· EPA (Environmental Protection Agency)	
CAS: 7722-64-7 potassium permanganate	D
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning young persons must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Date of preparation / last revision 11/04/2020 / 6

Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo)

OECD: Organisation for Economic Co-operation and Development

- STOT: specific target organ toxicity
- SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration ACGIH[®] - American Conference of Governmental Industrial Hygienists •A1 - Confirmed human carcinogen

- •A2 Suspected human carcinogen
- •A3 Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer

Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

Printing date 11/04/2020

Trade name: As 1 Reagent

Reviewed on 11/04/2020

	 •Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans •Group 4 - Probably not carcinogenic to humans NTP - National Toxicology Program, U.S. Department of Health and Human Services •Group K - Known to be Human Carcinogens •Group R - Reasonably Anticipated to be Human Carcinogens •Group R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Group R - Reasonably Anticipated to be Human Carcinogens •Group R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated to be Human Carcinogens •Oroup R - Reasonably Anticipated Sciences •Oroup R - Reasonably Anticipated Sciences •Oroup R - Reasonably Anticipated Sciences •Oroup R - Reasonable Anticipated Sciences
•	Sources Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu ECOTOX Database IUCLID (International Uniform Chemical Information Database) RTECS (Registry of Toxic Effects of Chemical Substances)

 \cdot * Data compared to the previous version altered.

(Contd. of page 8)

US —