Tintometer[®] Group Water Testing



Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 9 (replaces version 8)

Revision: 27.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Product name: COD / CSB Mercury Free, 0-150 mg/l
- · Catalog number: 420710, 2420710
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond[®]House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

- Informing department: e-mail: sds@lovibond.com Product Safety Department
- **1.4 Emergency telephone number:** +44 1235 239670 Languages: English

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 Skin Corr. 1A Eve Dam. 1

H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone : +44 1980 664800 e-mail: SDS@lovibond.uk

Version number 9 (replaces version 8)

Product name: COD / CSB Mercury Free, 0-150 mg/l

· Hazard pictograms

Printing date 27.10.2023



- · Signal word Danger
- Hazard-determining components of labelling:
- sulphuric acid 82 %
- · Hazard statements
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements
- P260 Do not breathe mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P310 IF exposed or concerned: Immediately call a POISON CENTER/doctor.

· 2.3 Other hazards

Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.

Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. **Determination of endocrine-disrupting properties**

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- **Description:** sulfuric acid solution
- · Dangerous components:

The percent content of the chromium compound mentioned below refers to the amount of chromate ions dissolved in water.

CAS: 7664-93-9	sulphuric acid	80-90%
EINECS: 231-639-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
Index No: 016-020-00-8	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 15 %	
Reg.nr.: 01-2119458838-20-XXXX	Skin Irrit. 2; H315: 5 % ≤ C < 15 %	
	Eye Dam. 1; H318: C ≥ 15 %	
	Eye Irrit. 2; H319: 5 % ≤ C < 15 %	
CAS: 10294-26-5	disilver(1+) sulfate	0.1-1.0%
EINECS: 233-653-7	♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100)	
CAS: 7778-50-9	potassium dichromate	≤ 0.1%
EINECS: 231-906-6 Index No: 024-002-00-6 Reg.nr.: 01-2119454792-32-XXXX	♦ Ox. Sol. 2, H272; ♦ Acute Tox. 3, H301; Acute Tox. 2, H330; ♦ Resp. Sens. 1, H334; Muta. 1B, H340; Carc. 1B, H350; Repr. 1B, H360FD; STOT RE 1, H372; ♦ Skin Corr. 1B, H314; ♦ Aquatic Acute 1, H400 (M=1); Aquatic Chronic	
0	1, H410 (M=1);	
· Additional information For the wo	Inding of the listed bazard phrases refer to section 16	•

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Personal protection for the First Aider! Instantly remove any clothing soiled by the product. Revision: 27.10.2023

Version number 9 (replaces version 8)

Revision: 27.10.2023

(Contd. of page 2)

Product name: COD / CSB Mercury Free, 0-150 mg/l

Printing date 27.10.2023

· After inhalation Supply fresh air or oxygen; call for doctor. In case of unconsciousness bring patient into stable side position for transport. After skin contact Wash with polyethylene glycol 400 and then rinse with copious amounts of water. Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing. After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Call a doctor immediately. · After swallowing Rinse out mouth and then drink 1-2 glasses of water. Do not induce vomiting; instantly call for medical help. 4.2 Most important symptoms and effects, both acute and delayed: burns absorption after inhalation: coughing breathing difficulty asthma attacks damage to the affected mucous membranes after swallowing: strong caustic effect. sickness vomiting diarrhoea pain Danger Danger of system failure. Danger of gastric perforation. Danger of pulmonary oedema. 4.3 Indication of any immediate medical attention and special treatment needed: If swallowed or in case of vomiting, danger of entering the lungs Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- **Suitable extinguishing agents** CO₂, sand, extinguishing powder. Water spray jet
- For safety reasons unsuitable extinguishing agents Water with a full water iet.
- --> exothermic reaction

· 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire. Can be released in case of fire:

- Sulphur oxides (SOx)
- 5.3 Advice for firefighters
- Protective equipment:
- Wear self-contained breathing apparatus. Wear full protective suit.
- · Additional information
- Collect contaminated fire fighting water separately. It must not enter drains.
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
- Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away. Avoid substance contact.

Version number 9 (replaces version 8)

Revision: 27.10.2023

Printing date 27.10.2023

	(Contd. of page 3
Ensure adequate ventilation Use breathing protection against the effects of fumes/dust/aerosol.	
Advice for emergency responders: Protective equipment: see section 8	
• 6.2 Environmental precautions:	
Do not allow product to reach sewage system or water bodies. Prevent material from reaching sewage system, holes and cellars.	
6.3 Methods and material for containment and cleaning up:	
Ensure adequate ventilation. Use neutralising agent.	
Neutralize with diluted sodium hydroxide solution.	
Absorb with liquid-binding material (sand, diatomite, universal binders). Dispose of contaminated material as waste according to item 13.	
• 6.4 Reference to other sections	
See Section 8 for information on personal protection equipment.	
See Section 13 for information on disposal.	
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	
• Advice on safe handling: Ensure good ventilation/exhaustion at the workplace.	
Work only in fume cupboard.	
Prevent formation of aerosols.	
• Hygiene measures: Do not inhale gases / fumes / aerosols.	
Do not get in eyes, on skin, or on clothing.	
Take off immediately all contaminated clothing. Wash hands during breaks and at the end of the work.	
Do not eat, drink or smoke when using this product.	
7.2 Conditions for safe storage, including any incompatibilities	
• Requirements to be met by storerooms and containers: Store in cool location.	
Keep only in original packaging.	
Information about storage in one common storage facility:	
Store away from metals. Do not store together with alkalis (caustic solutions).	
Store away from flammable substances.	
Further information about storage conditions:	
Keep container tightly sealed. Protect from heat and direct sunlight.	
Protect from the effects of light.	
Protect from humidity and keep away from water. Recommended storage temperature: 20°C +/- 5°C	
7.3 Specific end use(s) No further relevant information available.	

[•] 8.1 Control parameters		
· Components with limit values that require monitoring at the workplace:		
CAS: 7664-93-9 sulphur	ic acid	
WEL (Great Britain)	Long-term value: 0.05* mg/m³ *mist: defined as thoracic fraction	
IOELV (European Union)	Long-term value: 0.05 mg/m³	
CAS: 10294-26-5 disilve	r(1+) sulfate	
WEL (Great Britain)	Long-term value: 0.01 mg/m³ as Ag	
Regulatory information		
WEL (Great Britain): EH40/2020		

IOELV (European Únion): (EU) 2019/1831

(Contd. on page 5)

Version number 9 (replaces version 8)

Revision: 27.10.2023

Product name: COD / CSB Mercury Free, 0-150 mg/l

Printing date 27.10.2023

Additional information: IOELV - Indicative Occupational Experience Limit	(Contd. of page 4)
Additional information: IOELV = Indicative Occupational Exposure Limit	
· DNELs Derived No Effect Level (DNEL)	
CAS: 7664-93-9 sulphuric acid	
Inhalative DNEL 0.1 mg/m³ (Worker / acute / local effects)	
0.05 mg/m³ (Worker / acute / systemic effects)	
Recommended monitoring procedures: Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN DIN EN 689.	EN 482 and
· PNECs Predicted No Effect Concentration (PNEC)	
CAS: 7664-93-9 sulphuric acid	
PNEC 8.8 mg/l (Sewage treatment plant)	
0.00025 mg/l (Marine water)	
0.0025 mg/l (Fresh water)	
PNEC 0.002 mg/kg (Marine sediment)	
0.002 mg/kg (Fresh water sediment)	
• Additional information: The lists that were valid during the compilation were used as basis.	
· 8.2 Exposure controls	
• Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal prote See item 7.	ective equipment.
 Individual protection measures, such as personal protective equipment Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of substances handled. Eye/face protection Tightly sealed safety glasses. Face protection Use safety glasses that have been tested and approved in accordance with government standards such as EN Hand protection Acid resistant gloves Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Butyl rubber, BR Fluorocarbon rubber (Viton) 	
nitrile rubber, NBR	
Recommended thickness of the material: ≥ 0.3 mm	
• Penetration time of glove material Value for the permeation: Level = 1 (< 10 min)	
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be ob	served.
• Other skin protection (body protection): Acid resistant protective clothing	
Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.	
· Recommended filter device for short term use: Combination filter B-P2	
• Environmental exposure controls Do not allow product to reach sewage system or water bodies.	
SECTION 9: Physical and chemical properties	
• 9.1 Information on basic physical and chemical properties	
• Physical state Fluid • Form: Solution	
• Colour: Solution	
· Odour: Recognisable	
· Odour threshold: Not determined.	
Melting point/Freezing point: Not determined.	
Boiling point or initial boiling point and boiling range Not determined. Flammability Not applicable.	
Not applicable	

Version number 9 (replaces version 8)

Revision: 27.10.2023

Product name: COD / CSB Mercury Free, 0-150 mg/l

Printing date 27.10.2023

	(Contd. of page :
· Explosive properties:	Product is not explosive.
 Lower and upper explosion limit 	
Lower:	Not applicable.
Upper:	Not applicable.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20°C	1
	Strongly acidic
· Kinematic viscosity	Not determined.
Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not applicable (mixture).
· Vapour pressure:	Not determined.
Density and/or relative density	
· Density at 20°C:	1.76 g/cm ³
· Relative density:	Not determined.
· Relative gas density	Not determined.
· Particle characteristics	Not applicable (liquid).
· 9.2 Other information	
· Information with regard to physical hazard classes	5
· Corrosive to metals	May be corrosive to metals.
 Metals that are corroded by the substance or mixt 	ure Information on incompatible materials can be found in Sections 7 and
	10.
 Other safety characteristics 	
· Oxidising properties:	CAS 7664-93-9 :
	Oxidising potential
· Additional information	
· Solids content:	0.25 - 1 %
· Solvent content:	
· Organic solvents:	0 %
· Water:	< 20 %

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions
- Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!) Corrosive action on metals When diluting, always add acid to water, never vice versa Diluting or dissolving in water always causes rapid heating Reacts with acids, alkalis and oxidizing agents Reacts with reducing agents Reacts with peroxides Reacts with halogenated compounds Reacts with ammonia (NH₃). · 10.4 Conditions to avoid strong heating · 10.5 Incompatible materials: metals combustible substances organic solvents organic substances • 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

Version number 9 (replaces version 8)

Revision: 27.10.2023

Product name: COD / CSB Mercury Free, 0-150 mg/l

		(Contd. of page 6)
		that are relevant for classification:
	<u> </u>	tements refer to the individual components. sulphuric acid
Oral		2140 mg/kg (rat)
		(IUCLID)
Inhalative	LC 50	510 mg/m³/2h (rat)
		i disilver(1+) sulfate
Oral	LD50	>5000 mg/kg (rat) (OECD 401) (Registrant, ECHA)
		rritation Causes severe skin burns and eye damage.
		nage/irritation
Risk of bli		ye damage. I
		components:
		i disilver(1+) sulfate
		OECD 404 (rabbit: no irritation)
		OECD 405 (rabbit: burns)
	-	
		kin sensitisation Based on available data, the classification criteria are not met. components:
		Sensitizing effect by inhalation and skin contact is possible by prolonged exposure.
· Germ cell	mutag	genicity Based on available data, the classification criteria are not met.
		Based on available data, the classification criteria are not met.
· Reproduc	tive to	xicity Based on available data, the classification criteria are not met.
		arget organ toxicity) -single exposure Based on available data, the classification criteria are not met. arget organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
· Aspiratio	n hazaı	rd Based on available data, the classification criteria are not met.
· Informatio	on on l	ikely routes of exposure
The intake	e of sulf	furic acid is mainly to be expected via the inhalative pathway in the form of aerosols. No studies on absorbability
are availal		eastions source the main offsets
		eactions cause the main effects. to the skin strong local effects are the main issue. There is no indication of absorption of relevant amounts of S.
via the inta		
Absorbabi	lity via	the gastrointestinal tract is assumed. However, no studies on the kinetics of uptake are available. [GESTIS]
		ological information:
The aeros	ol is co	ad to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. rrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema.
		sulphuric acid
. (source Main tox		
		up to chemical burns to the mucous membranes and skin, danger of serious damage to the eyes and lungs
		on to the eyes and airways, erosion of the teeth, damage to the skin
E unthe e u		
Further Concent		B. differs considerably from dilute Sulfuric acid with regard to chemical properties and effects. With increased
		acid acts less aggressively.
		on other hazards pting properties The product does not contain substances with endocrine disrupting properties.
· Other info		
		properties can not be excluded.
		information available to us, the chemical, physical and toxicological properties of the substances mentioned in ot been thoroughly investigated.
Unapter 3		GB — GB —

Version number 9 (replaces version 8)

Revision: 27.10.2023

Product name: COD / CSB Mercury Free, 0-150 mg/l

(Contd. of page 7)

12.1 T	oxicity
Aquat	ic toxicity:
	7664-93-9 sulphuric acid
EC50	>100 mg/l/48h (Daphnia magna) (OECD 202) (ECHA)
LC50	16–29 mg/l/96h (bluegill) (Merck)
CAS:	10294-26-5 disilver(1+) sulfate
EC50	0.00022 mg/l/48h (Daphnia magna) (ECHA)
EC10	0.00214 mg/l (Daphnia magna) (ASTM) (ECHA: 21d, test substance: AgNO₃)
	0.00017 mg/l (rainbow trout) ECHA
	0.00039 mg/l (fathhead minnow) (ASTM E1241-98) (28d, test substance: AgNO ₃ , result in mg/l Ag)
	0.00041 mg/l /24h (Pseudokirchneriella subcapitata) ECHA
LC50	0.0012 mg/l/96h (fathhead minnow) US-EPA
Other Toxic 1 Sulpha	rial toxicity: sulphates toxic > 2.5 g/l information: for fish: ates > 7 g/l
Other Toxic 1 Sulpha 12.2 P Other Mixtur Metho	rial toxicity: sulphates toxic > 2.5 g/l information: for fish: ates > 7 g/l Persistence and degradability . information: e of inorganic compounds. ds for the determination of biodegradability are not applicable to inorganic substances.
Other Toxic f Sulpha 12.2 P Other Mixture Metho 12.3 B	rial toxicity: sulphates toxic > 2.5 g/l information: for fish: ates > 7 g/l Persistence and degradability . information: e of inorganic compounds. ds for the determination of biodegradability are not applicable to inorganic substances. Bioaccumulative potential No further relevant information available.
Other Toxic 1 Sulpha 12.2 P Other Mixtur Metho 12.3 B Bioco	rial toxicity: sulphates toxic > 2.5 g/l information: for fish: ates > 7 g/l Persistence and degradability . information: e of inorganic compounds. ds for the determination of biodegradability are not applicable to inorganic substances. Bioaccumulative potential No further relevant information available. ncentration factor (BCF)
Other Toxic 1 Sulpha 12.2 P Other Mixtur Metho 12.3 B Bioco CAS:	rial toxicity: sulphates toxic > 2.5 g/l information: for fish: ates > 7 g/l Persistence and degradability . information: e of inorganic compounds. ds for the determination of biodegradability are not applicable to inorganic substances. Bioaccumulative potential No further relevant information available.
Other Toxic 1 Sulpha 12.2 P Other Mixtur Metho 12.3 B Bioco CAS: (rial toxicity: sulphates toxic > 2.5 g/l information: for fish: ates > 7 g/l Persistence and degradability . information: e of inorganic compounds. ds for the determination of biodegradability are not applicable to inorganic substances. Bioaccumulative potential No further relevant information available. Incentration factor (BCF) 10294-26-5 disilver(1+) sulfate 2.5 (rainbow trout) (8d, 15°C, test substance: AgNO ₃)
Other Toxic 1 Sulpha 12.2 P Other Mixtur Metho 12.3 B Bioco CAS: BCF 2 (12.4 M 12.5 R This m persist 12.6 E	rial toxicity: sulphates toxic > 2.5 g/l information: for fish: ates > 7 g/l Versistence and degradability . information: e of inorganic compounds. ds for the determination of biodegradability are not applicable to inorganic substances. Bioaccumulative potential No further relevant information available. ncentration factor (BCF) 10294-26-5 disilver(1+) sulfate 2.5 (rainbow trout) (8d, 15°C, test substance: AgNO ₃) Mobility in soil No further relevant information available. tesults of PBT and vPvB assessment initure does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very tent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. indocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
Other Toxic 1 Sulpha 12.2 P Other Mixtur Metho 12.3 B Bioco CAS: BCF 2 (12.4 M 12.5 R This m persist 12.6 E 12.7 C Harmf	rial toxicity: sulphates toxic > 2.5 g/l information: for fish: ates > 7 g/l 'ersistence and degradability . information: e of inorganic compounds. ds for the determination of biodegradability are not applicable to inorganic substances. Bioaccumulative potential No further relevant information available. Incentration factor (BCF) 10294-26-5 disilver(1+) sulfate 2.5 (rainbow trout) (8d, 15°C, test substance: AgNO ₃) Robility in soil No further relevant information available. Results of PBT and vPvB assessment hixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very tent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. indocrine disrupting properties The product does not contain substances with endocrine disrupting properties. Dither adverse effects ul effect due to pH shift.
Other Toxic 1 Sulpha 12.2 P Other Mixtur Metho 12.3 B Bioco CAS: BCF 2 (12.4 M 12.5 R This m persist 12.6 E 12.7 C Harmf Forms Avoid	rial toxicity: sulphates toxic > 2.5 g/l information: for fish: ates > 7 g/l Persistence and degradability . information: e of inorganic compounds. ds for the determination of biodegradability are not applicable to inorganic substances. Bioaccumulative potential No further relevant information available. ncentration factor (BCF) 10294-26-5 disilver(1+) sulfate 2.5 (rainbow trout) (8d, 15°C, test substance: AgNO ₃) Mobility in soil No further relevant information available. Results of PBT and vPvB assessment hixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very tent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. indocrine disrupting properties The product does not contain substances with endocrine disrupting properties. Other adverse effects

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 07* discarded inorganic chemicals consisting of or containing dangerous substances

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

Version number 9 (replaces version 8)

Revision: 27.10.2023

Product name: COD / CSB Mercury Free, 0-150 mg/l

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
· 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN1830
· 14.2 UN proper shipping name	
ADR	1830 SULPHURIC ACID, ENVIRONMENTALLY HAZARDOUS
· IMDG · IATA	SULPHURIC ACID, MARINE POLLUTANT
	SULPHURIC ACID
· 14.3 Transport hazard class(es)	
ADR	
· Class · Label	8 (C1) Corrosive substances. 8
· IMDG	
ES AV	
· Class	8 Corrosive substances.
Label	8
· IATA	
~	
<u>F</u>	
Class	8 Corrosive substances.
·Label	8
· 14.4 Packing group	
· ADR, IMDG, IATA	<u> </u>
 14.5 Environmental hazards: 	Product contains environmentally hazardous substances: disilver(1+)
Marina nallutanti	sulfate Symbol (fish and tree)
 Marine pollutant: Special marking (ADR): 	Symbol (fish and tree)
• 14.6 Special precautions for user	Warning: Corrosive substances.
· Kemler Number:	· · · · · ·
· Kemler Number: · EMS Number:	80 F-A,S-B
· EMS Number: · Segregation groups	80
· EMS Number: · Segregation groups · Stowage Category	80 F-A,S-B (SGG1) Acids E
 EMS Number: Segregation groups Stowage Category Stowage Code 	80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B.
 EMS Number: Segregation groups Stowage Category Stowage Code 14.7 Maritime transport in bulk according to IMC 	80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B. D
 EMS Number: Segregation groups Stowage Category Stowage Code 14.7 Maritime transport in bulk according to IMC instruments 	80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B.
 EMS Number: Segregation groups Stowage Category Stowage Code 14.7 Maritime transport in bulk according to IMC 	80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B. D
 EMS Number: Segregation groups Stowage Category Stowage Code 14.7 Maritime transport in bulk according to IMC instruments Transport/Additional information: ADR 	80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B. D Not applicable.
 EMS Number: Segregation groups Stowage Category Stowage Code 14.7 Maritime transport in bulk according to IMC instruments Transport/Additional information: ADR Limited quantities (LQ) 	80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B. 0 Not applicable.
 EMS Number: Segregation groups Stowage Category Stowage Code 14.7 Maritime transport in bulk according to IMC instruments Transport/Additional information: ADR 	80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B. 0 Not applicable.
 EMS Number: Segregation groups Stowage Category Stowage Code 14.7 Maritime transport in bulk according to IMC instruments Transport/Additional information: ADR Limited quantities (LQ) 	80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B. 0 Not applicable. 1L Code: E2 Maximum net quantity per inner packaging: 30 ml
 EMS Number: Segregation groups Stowage Category Stowage Code 14.7 Maritime transport in bulk according to IMC instruments Transport/Additional information: ADR Limited quantities (LQ) 	80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B. 0 Not applicable.

Printing date 27.10.2023

(Contd. of page 8)

Version number 9 (replaces version 8)

Revision: 27.10.2023

(Contd. of page 9)

Product name: COD / CSB Mercury Free, 0-150 mg/l

·IMDG

Limited quantities (LQ)

Printing date 27.10.2023

· Excepted quantities (EQ)

1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act UK

- Regulated explosives precursors
- The substance falls under regulated explosive precursors due to the fact that the concentration is greater than/equal ($c \ge x\%$) the stated mass percentage:
- CAS: 7664-93-9
 sulphuric acid
 15%

 Regulated poisons

 None of the ingredients is listed.

 Reportable explosives precursors

 None of the ingredients is listed.

 Reportable poisons

 None of the ingredients is listed.

 Reportable poisons

 None of the ingredients is listed.

· Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated: article

· explosives precursors - ANNEX I

CAS: 7664-93-9 sulphuric acid

• Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

· Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

CAS: 7664-93-9 sulphuric acid

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 7664-93-9 sulphuric acid

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

 \cdot LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) c < 0.1%

CAS: 7778-50-9 potassium dichromate

· Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).

Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).

Directive 2012/18/EU (SEVESO III):

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• Seveso category E1 Hazardous to the Aquatic Environment

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements $100\ t$

· Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 29, 30

· Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).

(Contd. on page 11)

3

3

Version number 9 (replaces version 8)

Revision: 27.10.2023

Product name: COD / CSB Mercury Free, 0-150 mg/l

(Contd. of page 10)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

• Training hints Provide adequate information, instruction and training for operators.

Relevant phrases

- H272 May intensify fire; oxidiser.
- May be corrosive to metals. H290
- H301 Toxic if swallowed.
- H312 Harmful in contact with skin.
- Causes severe skin burns and eye damage. H314
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334
- May cause genetic defects. H340
- H350 May cause cancer.
- H360FD May damage fertility. May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

- STOT: specific target organ toxicity
- SE: single exposure
- RE: repeated exposure
- EC50: half maximal effective concentration IC50: half maximal inhibitory concentration
- NOEL or NOEC: No Observed Effect Level or Concentration
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Ox. Sol. 2: Oxidizing solids Category 2
- Met. Corr.1: Corrosive to metals Category 1
- Acute Tox. 3: Acute toxicity Category 3 Acute Tox. 4: Acute toxicity Category 4
- Acute Tox. 2: Acute toxicity Category 2
- Skin Corr. 1A: Skin corrosion/irritation Category 1A Skin Corr. 1B: Skin corrosion/irritation Category 1B
- Eye Dam. 1: Serious eye damage/eye irritation Category 1 Resp. Sens. 1: Respiratory sensitisation Category 1
- Skin Sens. 1: Skin sensitisation Category 1
- Muta. 1B: Germ cell mutagenicity Category 1B

- Carc. 1B: Carcinogenicity Category 1B Repr. 1B: Reproductive toxicity Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1 Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1

Sources

Data arise from safety data sheets, reference works and literature. ECHA: European CHemicals Agency http://echa.europa.eu GESTIS- Stoffdatenbank (Substance Database, Germany) IUCLID (International Uniform Chemical Information Database)

* * Data compared to the previous version altered.