

Disaster Water Care



You are

- Expert or volunteer of a Non Governmental Organisation
- working in difficult environments

The Water Safety Kits from Lovibond® guarantee

- mobility in all situations
- potable water testing according to WHO standards
- combinations of kits for each water testing challenge
- microbiological & chemical water tests
- accurate & repeatable results
- · easy handling & sterilisable equipment

Heating & Cooling

as standard in our incubator giving you the most accurate results possible in the field



Water Safety Kit Combined

Get the complete equipment for testing potable water quality in two cases: Water Safety Kits Microbiology & Water Safety Kit Chemical with optional backback for enhanced mobility. Combined Kit with one Incubator or Combined Duo Kit with two Incubators for simultaneous measurement.

Water Safety Kit Combined

(includes 1 case Water Safety Kit Microbiology & 1 case Water Safety Kit Chemical)

Code: 56K681251

Water Safety Kit Combined Duo

(includes 1 case Water Safety Kit Microbiology Duo & 1 case Water Safety Kit Chemical)

Code: 56K681252



Water Safety Kit Microbiology

- Testing coliforms and E. coli bacteria according to WHO standards
- Complete potable water quality testing equipment in conjunction with Water Safety Kit Chemical
- No further test equipment required

The equipment

- DI 20 incubator with heating & cooling function
- Filtration equipment with bailer, filter flask & vacuum pump

Total weight: 14.75 kg

Dimensions: 487 x 386 x 229 mm

Water Safety Kit Microbiology

also available separately: Code: 56K681254

Filtration device

Vocuum pump

Water Safety Kit Microbiology Duo

Same features as the Water Safety Kit Microbiology but 2 Incubators

Additional:

Simultaneous measurement of thermotolerant and non thermotolerant bacteria at different incubation temperatures with **2 incubators** – one at 37° C and one at 44° C.

Total weight: 18.75 kg

Dimensions: 487 x 386 x 229 mm

Water Safety Kit Microbiology Duo also available separately: **Code: 56K681255**

Lovibond® Water Testing





SD 50 pH & SD 70 Con

Water Safety Kit Chemical

- Analysis of most important chemical parameters
- Complete equipment in conjunction with Water Safety Kits Microbiology
- No further test equipment required

The equipment

- MD 600 photometer (90 more tests possible)
- TB 211 IR turbidimeter
- Pocket Tester SD 50 pH & SD 70 Con
- Reagents for ammonium, chlorine, nitrate & nitrite

Total weight: 4.5 kg

Dimensions: 411 x 322 x 168 mm

Water Safety Kit Chemical

also available separately: Code: 56K681253

Tests & Ranges

Analysis	Range	Measuring Instrument	No. of tests	Key Features
Water Safety Kit Chemical				
Ammonia Chlorine Conductivity Nitrate pH value Turbidity	0.02 - 1 mg/l N 0 - 4 mg/l Cl 0.01- 20.00 mS 0.08 - 1 mg/l N 0 - 14 0.01-1100 NTU	Photometer MD 600 Photometer MD 600 Pocket Tester SD 70 Con Photometer MD 600 Pocket Tester SD 50 pH Turbidimeter TB 211 IR	270 250 250 250 250 270 > 250	Chemical Constituent Kit for potable water Contains accurate Indicative Tests
Water Safety Kit Microbiology Coliform E.Coli	>1 CFU / 100 ml >1 CFU / 100 ml	DI 20 Incubator (1 Incubator) Plate Count Plate Count	200 200	Microbiological testing in a single case Simple pictographic design of DI 20
Water Safety Kit Microbiology Duo		DI 20 Incubator (2 Incubators)		
Coliform E. Coli	>1 CFU / 100 ml >1 CFU / 100 ml	Plate Count Plate Count	200 200	Microbiological testing in a single case Simple pictographic design of DI 20 Allows simultaneous measurement of different bacteria species



durable backpack can be used for easy transport in difficult terrain

 $\textbf{Note:} \ \mathsf{Kits} \ \mathsf{do} \ \mathsf{not} \ \mathsf{include} \ \mathsf{sterilisation} \ \mathsf{equipment} \ \mathsf{necessary} \ \mathsf{for} \ \mathsf{microbiological} \ \mathsf{analysis:}$

- Pressure cookers or portable sterilizer or access to autoclave (nearby hospital or laboratory)
- Methanol (at least 1 -2 ml per test)
- Distilled water



DI 20 Incubator

Performance directly on site with heating & cooling as standard

The advantages

- Easy to use: Pictograms even for non-experts
- E. coli and coliform bacteria measurement
- Rechargeable battery for independent power supply
- Low voltage operation with 12 V
- USB for firmware updates
- Ambient temperature 5° C 50° C



_		
Tec	hnıcal	Data

Voltage input	12 V DC, 4 Amps
Power leads	UK, EU, USA Battery
Ambient temperature	5° C - 50° C
Incubation temperature	20° C - 47° C
Temperature resolution	0.1° C
Temperature accuracy	+/- 0.5° C
Dimensions	116 x 165 x 116 mm
Weight	approx. 600 g
Time to reach temperature	30 min. max

Accessoires

Code	Item
197139	Petri Dish Holder
400855	Petri Dishes, 10 pc.
19803550	Power Pack, 12 V, 48 W
136300	Power Cable Set
190630	USB Cable
192340	Lead Acid Battery
197259	Battery Cable

Code: 56B000714

(DI 20, power leads, 50 petri dishes, power supply)

Incubator also available separately

Optional

Accessories / Replacements	Quantity	Code:		Quantity	Code:
Nitrate Test Powder	15 g	465230	Media pads & dispenser	200 рс	56A016330
Nitrate Test Tablet	250 pc	502810	Petri dishes	50 pc	400855
Free & Total Chlorine (DPD No.1) Tablet	250 pc	511051BT	Membrane lauryl sulphate broth	40 g	56P069740
Free & Total Chlorine (DPD No.3) Tablet	250 pc	511081BT	Filters	600 pc	56A023800
Phenol Red	250 pc	511771 BT	KS3 - pH 10 Buffer Solution	65 ml	56L000365
Nitite LR Tablet	250 pc	512311BT	KS6 - pH 4 Buffer Solution	65 ml	56L000665
Ammonium NR.1 Tablet	250 pc	512581BT	KS9 - pH 7 Buffer Solution	65 ml	56L000965
Ammonium NR.2 Tablet	250 pc	512591BT	1413 µS Standard Conductivity Solution	65 ml	56L001665



Optional: durable backpack for easy transport in difficult terrain: leaves hands free

Code: 56A014000



Also available Kit:
Water Safety Kit Basic
Code: 56K681250

