Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 05/31/2023 Reviewed on 05/31/2023

1 Identification

- · Product identifier
- · Trade name: Vario Chlorine Free DPD F5 ml, F10 ml, F25 ml, PD 250
- · Catalogue number:

00530099, 00530189, 00530119, 005301459, 530110, 530113, 530090, 570118, 530180, 530183, 530182, 530145, 530093, 00570189, 00570184, 00570114, 00570188, 00570099, 00570094, 00570098, 00570119, 00570118, 570090, 570094, 570098, 570180, 570184, 570188, 570110, 570114

- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified as hazardous.
- · Label elements
- · GHS label elements none
- · Hazard pictograms none
- Signal word none
- · Hazard statements none
- · Other hazards No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of organic and inorganic compounds
- Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 7757-82-6 EINECS: 231-820-9	sodium sulphate	2.5–5%
CAS: 139-33-3 EINECS: 205-358-3	Disodium dihydrogen ethylenediaminetetraacetate •• Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≤2.5%
EINECS: 228-500-6	N,N-Diethyl-p-phenylenediamine sulfate (1:1) ••• Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≤2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 2)

Printing date 05/31/2023 Reviewed on 05/31/2023

Trade name: Vario Chlorine Free - DPD F5 ml, F10 ml, F25 ml, PD 250

(Contd. of page 1)

· After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed

irritating effect possible

allergic reactions

after swallowing of large amounts:

sickness

vomitina

diarrhoea

after resorption:

thirst

methaemoglobinaemia

abdominal pain

general feeling of sickness

disorder of electrolyte balance

· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Phosphorus oxides (PxOx)

Potassium oxide

Carbon monoxide (CO) and carbon dioxide (CO2)

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel: No special measures required.
- · Advice for emergency responders: Protective equipment: see section 8
- \cdot **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

· Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: No special precautions are necessary if used correctly.
- · Hygiene measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

(Contd. on page 3)

Printing date 05/31/2023 Reviewed on 05/31/2023

Trade name: Vario Chlorine Free - DPD F5 ml, F10 ml, F25 ml, PD 250

(Contd. of page 2)

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

CAS: 7757-82-6 sodium sulphate

TLV (USA) Short-term value: NIC-0.2 mg/m³

thoracic fraction of aerosol

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- Recommended filter device for short term use: Filter P2
- Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

use against the effects of fumes / dust

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

 \cdot Information on basic physical and chemical properties

· Appearance:

Form / Physical state:
Color:
Odor:
Odorless
Odor threshold:
Powder
White
Odorless
Not applicable.

· pH-value (10 g/l) at 20°C (68°F): 6.3

Melting point/freezing point:
 Initial boiling point and boiling range:
 Not determined.
 Not determined.

(Contd. on page 4)

Printing date 05/31/2023 Reviewed on 05/31/2023

Trade name: Vario Chlorine Free - DPD F5 ml, F10 ml, F25 ml, PD 250

(Contd. of page 3)

· Flash point: Not applicable.

· Flammability (solid, gas): The product is not combustible.

• Auto igniting: Not applicable. • Decomposition temperature: Not determined.

· **Auto-ignition temperature:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

Flammability or explosive limits:

Lower: Not applicable.

Upper: Not applicable.

Oxidizing properties: none

Vapor Pressure:
Density:
Relative density:
Vapor density:
Evaporation rate:
Not applicable.
Not applicable.
Not applicable.

Solubility(ies)

Water: Soluble.

· Partition coefficient (n-octanol/water): Not applicable (mixture).

· Viscosity:

· **Kinematic:** Not applicable (solid).

· Other information

· Solids content: 100 %

· Information with regard to physical hazard classes

· Corrosive to metals none

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- · Possibility of hazardous reactions

Reacts with acids, alkalis and oxidizing agents.

- --> Forms heat.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values that are relevant for classification:				
CAS: 77	CAS: 7757-82-6 sodium sulphate				
Oral	LD50.	>2000 mg/kg (rat) (OECD 423) (Registrant, ECHA, limit test)			
Dermal	LD50.	>2000 mg/kg (rat)			
CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate					
Oral	LD50	2000 mg/kg (rat) (GESTIS)			
CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate					
		(1:1)			
Oral	LD50	497 mg/kg (rat) (MERCK)			
Dermal	LD50	1100 mg/kg (ATE)			

- · Primary irritant effect:
- · on the skin: Based on available data, the classification criteria are not met.
- on the eye: Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 05/31/2023 Reviewed on 05/31/2023

Trade name: Vario Chlorine Free - DPD F5 ml, F10 ml, F25 ml, PD 250

(Contd. of page 4)

· Information on components:

CAS 6283-63-2: DPD may cause allergic skin reaction

	CAS: 7757-82-6 sodium sulphate				
Irritation of skin	OECD 404	(rabbit: no irritation)			
Irritation of eyes	OECD 405	(rabbit: slight irritation)			
CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate					
		(rabbit: no irritation)			
Irritation of eyes	OECD 405	(rabbit: no irritation)			

- · Sensitization: Based on available data, the classification criteria are not met.
- · Information on components:

CAS 6283-63-2: Sensitization possible in predisposed persons.

CAS: 7757-82-6 sodium sulphate		
Sensitization OECD 406 (guinea pig: negative)		
CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate		
Sensitization OECD 406 (guinea pig: negative) (EPA OPP 81-6: Guinea pig maximisation test)		

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 139-05-9 sodium cyclamate	3	
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

- · Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate (1:1) . (source: GESTIS) Main toxic effects of CAS 93-05-0 4-Amino-N,N-diethylaniline: Acute: Irritative effects to the mucosae and the skin, sensitising effects; Chronic: Skin diseases. Only insufficient information available on the systemic effects.

· Other information No further relevant information available.

12 Ecological information

· Toxicity

· Aquatic toxicity:			
CAS: 775	CAS: 7757-82-6 sodium sulphate		
EC50	2564 mg/l/48h (Daphnia magna) (IUCLID)		
LC50	120 mg/l/96h (mosquitofish) (IUCLID) 13500–14500 mg/l/96h (fathhead minnow)		
		td an naga C)	

(Contd. on page 6)

Printing date 05/31/2023 Reviewed on 05/31/2023

Trade name: Vario Chlorine Free - DPD F5 ml, F10 ml, F25 ml, PD 250

(Contd. of page 5)

CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate

EC50 (static) >100 mg/l/48h (Daphnia magna) (DIN 38412 Teil 11)

(BASF)

NOEC ≥36.9 mg/l (zebrafish) (35d, OECD 210)

(BASF; read across)

EC50 >100 mg/l/72h (Scenedesmus subspicatus) (88/302/EWG, part C)

(BASF; read across)

LC50 (static) >100 mg/l/96h (bluegill)

(BASF, read across)

· Bacterial toxicity:

sulfates toxic > 2.5 g/l

CAS: 7757-82-6 sodium sulphate

EC10 >1000 mg/l (Pseudomonas putida) (16h)

(IUCLID)

Other information:

Toxic for fish:

Sulfates > 7 g/l

· Persistence and degradability No further relevant information available.

Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow 1-3 = Not worth-mentioning accumulating in organisms.

log Pow < 1 = Does not accumulate in organisms.

CAS: 139-33-3 Disodium dihydrogen ethylenediaminetetraacetate

log Pow -4.3 (.)

(BASF)

CAS: 6283-63-2 N,N-Diethyl-p-phenylenediamine sulfate

(1:1)

log Pow 2.24 (.) (calculated)

· Mobility in soil No further relevant information available.

Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	none
· UN proper shipping name · DOT, IMDG, IATA	none
· Transport hazard class(es)	
· DOT, IMDG, IATA · Class	none
· Packing group · DOT, IMDG, IATA	none
· Environmental hazards:	Not applicable.

(Contd. on page 7)

Printing date 05/31/2023 Reviewed on 05/31/2023

Trade name: Vario Chlorine Free - DPD F5 ml, F10 ml, F25 ml, PD 250

(Contd. of page 6)

· Special precautions for user

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

· Transport/Additional information:

Not applicable.

Not dangerous according to the above specifications.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS No. 6283-63-2 is listed under CAS No. 6065-27-6

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

CAS: 7558-79-4 disodium hydrogenorthophosphate

New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

CAS: 7757-82-6 sodium sulphate

CAS: 7558-79-4 disodium hydrogenorthophosphate

· Pennsylvania Special Hazardous Substance List:

CAS: 7757-82-6 sodium sulphate

CAS: 7558-79-4 disodium hydrogenorthophosphate

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Information about limitation of use: Not required.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

Ε

Ε

Printing date 05/31/2023 Reviewed on 05/31/2023

Trade name: Vario Chlorine Free - DPD F5 ml, F10 ml, F25 ml, PD 250

(Contd. of page 7)

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Version number / date of revision: 5 / 05/31/2023

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans •Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Data arise from safety data sheets, reference works and literature.

GESTIS- Stoffdatenbank (Substance Database, Germany)

ECHA: European CHemicals Agency http://echa.europa.eu

* Data compared to the previous version altered.