# Tintometer<sup>®</sup> Group Water Testing



Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 2 (replaces version 1)

Revision: 14.11.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Product name: Vario Nitri NT-2 F10
- · Catalog number: 00530289, 00530281, 530280
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond<sup>®</sup>House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

- Informing department: e-mail: sds@lovibond.com Product Safety Department
- **1.4 Emergency telephone number:** +44 1235 239670 Languages: English

# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

#### · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1BH314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

 2.2 Label elements
 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
 Hazard pictograms



· Signal word Danger

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone : +44 1980 664800 e-mail: SDS@lovibond.uk

Version number 2 (replaces version 1)

Revision: 14.11.2023

### Product name: Vario Nitri NT-2 F10

Printing date 14.11.2023

	(Contd. of page 1	)
	nining components of labelling:	
potassium hydr	<b>0</b>	
<ul> <li>Hazard statem</li> </ul>	ients	
H314 Causes s	severe skin burns and eye damage.	
H335 May caus	se respiratory irritation.	
<ul> <li>Precautionary</li> </ul>	statements	
P261	Avoid breathing dust.	
P280	Wear protective gloves/protective clothing/eye protection.	
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to	
	do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
<sup>.</sup> 2.3 Other haza	Irds No further relevant information available.	
· Results of PB	T and vPvB assessment	

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. **Determination of endocrine-disrupting properties** 

The product does not contain substances with endocrine disrupting properties.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of inorganic compounds.

#### Dangerous components:

CAS: 7646-93-7	potassium hydrogensulphate	♦ Skin Corr. 1B, H314; ♦ STOT SE 3, H335	25–35%
EINECS: 231-594-1	. , , , , , , , , , , , , , , , , , , ,		
Index No: 016-056-00-4			
Additional information	The state of the state of the state of the second values of		

• Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

- · After inhalation
- Supply fresh air.

Call a doctor immediately.

· After skin contact

Instantly rinse with water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

#### · After eye contact

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

• After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed:

burns

Possible damages: damage of respiratory tract

after inhalation:

mucosal irritations, cough, shortness of breath

after swallowing:

strong caustic effect.

• **Danger** Risk of serious damage to eyes.

• 4.3 Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

(Contd. on page 3)

GB

Version number 2 (replaces version 1)

Revision: 14.11.2023

### Product name: Vario Nitri NT-2 F10

(Contd. of page 2)

# **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- The product is not combustible.
- Formation of toxic gases is possible during heating or in case of fire.
- Can be released in case of fire:
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus.

- Wear full protective suit.
- Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Ambient fire may liberate hazardous vapours.

# **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

· Advice for emergency responders: Protective equipment: see section 8

- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

Collect mechanically. Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling
- · Advice on safe handling: Prevent formation of dust.
- · Hygiene measures:
- Do not inhale dust / smoke / mist.
- Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and containers:
- Store in cool location.

Store only in the original container.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

Recommended storage temperature: 20°C +/- 5°C

· 7.3 Specific end use(s) No further relevant information available.

Printing date 14.11.2023

Version number 2 (replaces version 1)

Revision: 14.11.2023

### Product name: Vario Nitri NT-2 F10

Printing date 14.11.2023

(Contd. of page 3)

# **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Recommended monitoring procedures: Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and **DIN EN 689.** · Additional information: The lists that were valid during the compilation were used as basis. · 8.2 Exposure controls Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7. · Individual protection measures, such as personal protective equipment Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. Eye/face protection Tightly sealed safety glasses. Hand protection Protective aloves. Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves nitrile rubber, NBR Recommended thickness of the material: $\geq 0.11$ mm · Penetration time of glove material Value for the permeation: Level = 1 ( < 10 min ) The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Other skin protection (body protection): Protective work clothing. · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol. · Recommended filter device for short term use: Filter P2 · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

# **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical pro	operties
<sup>·</sup> Physical state	Solid.
· Form:	Powder
· Colour:	Light green
· Odour:	Odourless
· Odour threshold:	Not applicable.
<ul> <li>Melting point/Freezing point:</li> </ul>	Not determined.
<ul> <li>Boiling point or initial boiling point and boiling ran</li> </ul>	ge Not determined.
<sup>·</sup> Flammability	The product is not combustible.
<ul> <li>Explosive properties:</li> </ul>	Product is not explosive.
• Lower and upper explosion limit	
Lower:	Not applicable.
Upper:	Not applicable.
· Flash point:	Not applicable.
<ul> <li>Auto-ignition temperature:</li> </ul>	Not applicable.
<ul> <li>Decomposition temperature:</li> </ul>	>190°C (CAS 7783-85-9)
· pH (46 g/l) at 20°C	1.6
Kinematic viscosity	Not applicable (solid).
· Solubility	
· Water:	Soluble
<ul> <li>Partition coefficient n-octanol/water (log value)</li> </ul>	Not applicable (mixture).
· Vapour pressure:	Not applicable (solid).
<ul> <li>Density and/or relative density</li> </ul>	
· Density:	Not determined.
Relative density:	Not determined.
Relative gas density	Not applicable (solid).
	(Contid on porce)

Version number 2 (replaces version 1)

Revision: 14.11.2023

#### Product name: Vario Nitri NT-2 F10

	(Contd. of page 4)
· Particle characteristics	Not determined.
· 9.2 Other information	
<ul> <li>Information with regard to physical hazard classes</li> <li>Corrosive to metals</li> </ul>	Void
· Other safety characteristics	Void
• Oxidising properties: • Additional information	none
· Solids content:	100.0 %

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity see section 10.3
- 10.2 Chemical stability
- Stable at ambient temperature (room temperature).
- sensitive to moisture
- 10.3 Possibility of hazardous reactions
- Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!)
- Reacts with strong alkalis and oxidizing agents.
- Reacts with alcohols
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: metals
- · 10.6 Hazardous decomposition products: see section 5

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

# · LD/LC50 values that are relevant for classification:

CAS: 7646-93-7 potassium hydrogensulphate		
Oral	LD50	2340 mg/kg (rat) (RTECS)
Inhalative	LC50	1310 mg/l/1h (dap)

 $\cdot$  Skin corrosion/irritation Causes severe skin burns and eye damage.

#### · Serious eye damage/irritation

Causes serious eye damage.

Risk of blindness!

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure May cause respiratory irritation.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- $\cdot$  Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- The following applies to soluble iron compounds: nausea and vomiting after swallowing. The absorption of large quantities is followed by cardiovascular disorders. Toxic effect on liver and kidneys.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. Other dangerous properties can not be excluded.

#### · 11.2 Information on other hazards

· Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)

GB

Version number 2 (replaces version 1)

Revision: 14.11.2023

#### Product name: Vario Nitri NT-2 F10

(Contd. of page 5)

# **SECTION 12: Ecological information**

12.1 Toxicity

Printing date 14.11.2023

- · Aquatic toxicity: No further relevant information available.
- · Bacterial toxicity: sulphates toxic > 2.5 g/l
- · Other information:
- Toxic for fish:
- Sulphates > 7 g/l
- Magnesium compounds: 100 400 mg/l
- NH₄<sup>+</sup> > 0.3 mg/l

the following applies to dissolved iron compounds in general:

toxic as from 0.9 mg/l at pH 6.5 - 7.5

lethal as from 1.0 mg/l at pH 5.5 - 6.7

- 12.2 Persistence and degradability
- · Other information:
- Mixture of inorganic compounds.
- Methods for the determination of biodegradability are not applicable to inorganic substances.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:
- Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.
- **SECTION 13: Disposal considerations**
- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

European waste catalogue

16 05 07\* discarded inorganic chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport informat	ion	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN2509	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> </ul>	2509 POTASSIUM HYDROGEN SULPHATE mixture POTASSIUM HYDROGEN SULPHATE mixture	
· 14.3 Transport hazard class(es)		
ADR		
A CONTRACTOR OF		
· Class	8 (C2) Corrosive substances.	
		(Contd. on page

Printing date 14.11.2023

Version number 2 (replaces version 1)

Revision: 14.11.2023

### Product name: Vario Nitri NT-2 F10

	(Contd. of page
· Label	8
· IMDG, IATA	
· Class · Label	8 Corrosive substances. 8
	0
· 14.4 Packing group	
· ADR, IMDG, IATA	ll
· 14.5 Environmental hazards:	Not applicable.
<ul> <li>14.6 Special precautions for user</li> </ul>	Warning: Corrosive substances.
· Kemler Number:	80
· EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A
Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
14.7 Maritime transport in bulk according	
instruments	Not applicable.
· Transport/Additional information:	
ADR	
<ul> <li>Limited quantities (LQ)</li> </ul>	1 kg
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
Transport category	2
· Tunnel restriction code	Е
·IMDG	
Limited quantities (LQ)	1 kg
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act UK

<ul> <li>Regulated explosives precursors</li> </ul>	
None of the ingredients is listed.	

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated

· Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

• Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

(Contd. on page 8)

Version number 2 (replaces version 1)

Revision: 14.11.2023

Product name: Vario Nitri NT-2 F10

·	Regulation (EC) No 273/2004 on drug precursors
	None of the ingredients is listed.
	Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
	None of the ingredients is listed.
•	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:
	None of the ingredients is listed.
•	REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)
	None of the ingredients is listed.
•	LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
	None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57 This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w). Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

Directive 2012/18/EU (SEVESO III):

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints Provide adequate information, instruction and training for operators.

#### Relevant phrases

H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

#### Abbreviations and acronyms:

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative


Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

#### Sources

Data arise from safety data sheets, reference works and literature. RTECS (Registry of Toxic Effects of Chemical Substances)

\*\* Data compared to the previous version altered.



(Contd. of page 7)

GB