### Lovibond® Water Testing

### Tintometer® Group



### Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 08/13/2020 Reviewed on 08/13/2020

#### 1 Identification

- · Product identifier
- · Trade name: Vario Molybdenum HR1 F10 / F25
- · Catalogue number: 00530759, 00530789, 530750, 4530750, 530752, 530780, 4530780
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

#### 2 Hazard(s) identification

· Classification of the substance or mixture



**GHS05 Corrosion** 

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



GHS05

- Signal word Danger
- · Hazard-determining components of labeling:

succinic acid

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection. P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a doctor.

· Other hazards No further relevant information available.

– US –

Printing date 08/13/2020 Reviewed on 08/13/2020

Trade name: Vario Molybdenum HR1 F10 / F25

(Contd. of page 1)

#### 3 Composition/information on ingredients

- Chemical characterization: Mixtures
- · Description: mixture of organic compounds
- · Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

ſ	CAS: 110-15-6 succinic acid		50-60%
		🥎 Eye Dam. 1, H318	
	RTECS: WM 4900000		
		Glycine, N,N'-1,2-cyclohexanediylbis(N-(carboxymethyl))-, trisodium salt	10–20%
	EC number: 682-316-4	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

If symptoms persist consult doctor.

· Most important symptoms and effects, both acute and delayed

Irritation and corrosion

after inhalation:

mucosal irritations, cough, breathing difficulty

after swallowing:

mucous membrane irritation

sickness

vomiting

diarrhoea

- Danger: Risk of serious damage to eyes.
- · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Water, Carbon dioxide (CO2), Foam, Fire-extinguishing powder
- · For safety reasons unsuitable extinguishing agents:

For this substance / mixture no limitations of extinguishing agents are given.

· Special hazards arising from the substance or mixture

mixture with combustible ingredients

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>)

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

Printing date 08/13/2020 Reviewed on 08/13/2020

Trade name: Vario Molybdenum HR1 F10 / F25

(Contd. of page 2)

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: Prevent formation of dust.
- · Hygiene measures:

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

Printing date 08/13/2020 Reviewed on 08/13/2020

#### Trade name: Vario Molybdenum HR1 F10 / F25

(Contd. of page 3)

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Tightly sealed goggles
- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

#### 9 Physical and chemical properties

Information on basic physical and che Appearance: Form / Physical state:	Powder		
Color:	White		
· Odor:	Acidic		
· Odor threshold:	Not determined.		
- II - I - (44.0 - /l) - ( 0000 (000E)			
· pH-value (11.6 g/l) at 20°C (68°F):	4.4		
Melting point/freezing point:     Initial boiling point and boiling range:	Not determined. Not determined.		
· Flash point:	206°C (402.8°F) (CAS: 110-15-6 succinic acid)		
· Flammability (solid, gas):	Not applicable.		
· Decomposition temperature:	235°C (455°F) (CAS 110-15-6)		
· Auto-ignition temperature:	Product is not self-igniting.		
<ul> <li>Danger of explosion:</li> <li>Flammability or explosive limits:</li> </ul>	Risk of dust explosion if enriched with fine dust in the presence of air.		
Lower:	200 g/m³ (CAS: 110-15-6 succinic acid)		
Upper:	1000 g/m³ (CAS: 110-15-6 succinic acid)		
· Oxidizing properties:	none		
· Vapor Pressure:	Not applicable.		
· Density:	Not determined.		
· Relative density:	Not determined.		
· Vapor density:	Not applicable.		
· Evaporation rate:	Not applicable.		
· Solubility(ies)			
Water:	Soluble.		
Partition coefficient (n-octanol/water): Not applicable.			
· Viscosity:	Not applicable.		
· Solvent content:			
Solids content:	100.0 %		
· Other information	No further relevant information available.		

#### 10 Stability and reactivity

- · Reactivity Dust can combine with air to form an explosive mixture.
- · Chemical stability Stable at ambient temperature (room temperature).
- Possibility of hazardous reactions Reacts with acids, alkalis and oxidizing agents.
- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: see section 5

Printing date 08/13/2020 Reviewed on 08/13/2020

Trade name: Vario Molybdenum HR1 F10 / F25

(Contd. of page 4)

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

· Acute toxicity estimate (ATE<sub>(MIX)</sub>) - Calculation method:

Oral GHS ATE<sub>MIX</sub> 4449 mg/kg (.)

· LD/LC50 values that are relevant for classification:

CAS: 110-15-6 succinic acid

Oral LD50 2260 mg/kg (rat) (RTECS)

- · Primary irritant effect:
- on the skin: Causes skin irritation.
- · on the eye:

Causes serious eye damage. Risk of corneal clouding.

· Information on components:

· information on components

CAS: 110-15-6 succinic acid

Irritation of skin | OECD 404 | (rabbi

Irritation of skin OECD 404 (rabbit: no irritation) (Registrant, ECHA)

Irritation of eyes OECD 405 (rabbit: severe irritations) (Registrant, ECHA)

· Sensitization: Based on available data, the classification criteria are not met.

Information on components:

CAS: 110-15-6 succinic acid

Sensitization OECD 406 (guinea pig: negative) (Registrant, ECHA)
OECD 429 (negative) (LLNA-Test) (Registrant, ECHA)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 110-15-6 succinic acid

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)

(Registrant, ECHA, Salmonella typhimurium)

Printing date 08/13/2020 Reviewed on 08/13/2020

Trade name: Vario Molybdenum HR1 F10 / F25

(Contd. of page 5)

#### 12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 110-15-6 succinic acid

EC50 >100 mg/l/48h (Daphnia magna) (OECD 202)

(Registrant, ECHA)

EC50 >100 mg/l/72 h (Pseudokirchneriella subcapitata) (OECD 201)

(Registrant, ECHA)

LC50 >100 mg/l/96h (zebrafish) (OECD 203)

· Bacterial toxicity:

CAS: 110-15-6 succinic acid

EC50 >300 mg/l /3h (activated sludge) (OECD 209)

(Registrant, ECHA)

· Persistence and degradability

CAS: 110-15-6 succinic acid

OECD 301 C 78 % / 14 d (readily biodegradable) (Modified MITI Test)

OECD 301 E 96.55 % / 28 d, aerob (readily biodegradable) (Modified OECD Screening Test)

· Bioaccumulative potential

BCF = Bioconcentration factor

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 110-15-6 succinic acid

log Pow -0.59 (.) (experimental)

(Merck)

BCF 3 (.)

- · Mobility in soil No further relevant information available.
- · Other adverse effects

Harmful effect due to pH shift.

Avoid transfer into the environment.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport information

	U	N-	٠N١	um	ber
--	---	----	-----	----	-----

· DOT, IMDG, IATA none

· UN proper shipping name

· DOT, IMDG, IATA none

· Transport hazard class(es)

· DOT, IMDG, IATA

· Class none

· Packing group

· DOT, IMDG, IATA

• Environmental hazards: Not applicable.

(Contd. on page 7)

Printing date 08/13/2020 Reviewed on 08/13/2020

Trade name: Vario Molybdenum HR1 F10 / F25

(Contd. of page 6)

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

• Transport/Additional information: Not dangerous according to the above specifications.

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS No. 36679-96-6 listed as CAS No. 482-54-2

All remaining ingredients are listed.

Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Information about limitation of use: Not required.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

· Date of preparation / last revision 08/13/2020 / -

Printing date 08/13/2020 Reviewed on 08/13/2020

#### Trade name: Vario Molybdenum HR1 F10 / F25

(Contd. of page 7)

#### · Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen •A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer •Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to carcinogenicity to humans
 Group 4 - Probably not carcinogenic to humans
 NTP - National Toxicology Program, U.S. Department of Health and Human Services
 Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

RTECS (Registry of Toxic Effects of Chemical Substances)