Lovibond[®] Water Testing

Tintometer® Group



Reviewed on 09/18/2017

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2017

1 Identification

- · Product identifier
- Trade name: Vario Ammonia Salicylate F5 ml
- · Catalogue number: 00531169, 531160, 4531160
- · Application of the substance / the mixture: Reagent for water analysis

Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labeling:
- sodium salicylate

sodium nitroprusside dihydrate

Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

• Precautionary statements

P280 Wear protective gloves / eye protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

 \cdot Other hazards No further relevant information available.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of organic and inorganic compounds

(Contd. on page 2)

Printing date 09/18/2017

Reviewed on 09/18/2017

Trade name: Vario Ammonia Salicylate F5 ml

•	formation on Ingredients: sed due to the confidential product information.		(Contd. of page 1)		
CAS: 54-21-7 EINECS: 200-198-0 RTECS: VO5075000	sodium salicylate	Acute Tox. 4, H302; Eye Irrit. 2A, H319	40–50%		
CAS: 13755-38-9 EINECS: 238-373-9 RTECS: LJ 8925000	sodium nitroprusside dihydrate	♦ Acute Tox. 3, H301	0.1–≤2.5%		
Additional information: For the wording of the listed hazard phrases refer to section 16.					

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with plenty of water.
- After eye contact: Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
- After swallowing:
- Rinse out mouth and then drink 1-2 glasses of water.
- Seek medical treatment.
- $^{\rm \cdot}$ Most important symptoms and effects, both acute and delayed
- irritations
- resorption after inhalation: mucous membrane irritation coughing breathing difficulty after swallowing: sickness vomiting diarrhoea after swallowing of large amounts: tinnitus (ringing in the ears) headache dizziness coma fever disorientation drop in blood pressure disorder of electrolyte balance cramps · Danger: Danger of circulatory collapse.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

· Extinguishing media · Suitable extinguishing agents: Use fire fighting measures that suit the environment. · Special hazards arising from the substance or mixture The product is not combustible. Formation of toxic gases is possible during heating or in case of fire. Hydrogen chloride (HCI) nitrous gases Nitrogen oxides (NOx) Sulfur oxides (SOx) cyanide compounds, sodium monoxide Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

Printing date 09/18/2017

Reviewed on 09/18/2017

Trade name: Vario Ammonia Salicylate F5 ml

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Ambient fire may liberate hazardous vapours. (Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

- Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling
- · Advice on safe handling:
- Use only in well ventilated areas.
- Prevent formation of dust.
- · Hygiene measures:
- Avoid contact with the eyes. Take off immediately all contaminated clothing. Wash hands before breaks and at the end of work. Do not eat, drink or smoke when using this product.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from exposure to the light.
- Store in dry conditions.
- Protect from humidity and water.
- This product is hygroscopic.
- Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- \cdot Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment:
- Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P2
- · Protection of hands:
- Protective gloves

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2017

Reviewed on 09/18/2017

Trade name: Vario Ammonia Salicylate F5 ml

Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves
- Nitrile rubber, NBR
- Recommended thickness of the material: $\geq 0.11 \text{ mm}$
- · Penetration time of glove material
- Value for the permeation: Level \leq 1 (10 min)
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses
- **Body protection:** Protective work clothing

· Limitation and supervision of exposure into the environment: Avoid release to the environment.

9 Physical and chemical properties

· Information on basic physical and chemical properties · Appearance: Form / Physical state: Powder Color: Whitish · Odor: Odorless · Odor threshold: Not applicable. [.] pH-value (50 g/l) at 20°C (68 °F): 8,1 · Melting point/freezing point: Not determined. · Initial boiling point and boiling range: Not determined. · Flash point: Not applicable. · Flammability (solid, gas): The product is not combustible. · Ignition temperature: Not determined. · Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not self-igniting. · Danger of explosion: Product does not present an explosion hazard. Flammability or explosive limits: Lower: Not applicable. Upper: Not applicable. · Oxidizing properties: none · Vapor Pressure: Not applicable. Density at 20°C (68 °F): 1,25g/cm³ (10.43 lbs/gal) Relative density: Not determined. · Vapor density: Not applicable. · Evaporation rate: Not applicable. · Solubility(ies) Water: Soluble. · Partition coefficient (n-octanol/water): Not applicable. · Viscosity: Not applicable. · Solvent content: Organic solvents: 0,0% Solids content: 100,0% · Other information No further relevant information available

10 Stability and reactivity

- \cdot Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- · Possibility of hazardous reactions
- Contact with acids releases toxic gases.

Printing date 09/18/2017

Reviewed on 09/18/2017

Trade name: Vario Ammonia Salicylate F5 ml

Reacts with acids, alkalis and oxidizing agents. Reacts with oxidizing agents. --> Forms heat.

- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:
- Hydrogen cyanide (prussic acid HCN)

see section 5

11 Toxicological information

Information on toxicological effects

· Acute toxicity: Classification according to calculation procedure.

Acute toxicity estimate (ATE_(MIX)) - Calculation method:

Oral GHS ATE_(MIX) 1266 mg/kg (.)

· LD/LC50 values that are relevant for classification:

CAS: 54-21-7 sodium salicylate

Oral LD50 930 mg/kg (rat)

(RTECS) LDLo 700 mg/kg (human)

(RTECS)

CAS: 13755-38-9 sodium nitroprusside dihydrate

Oral LD50 99 mg/kg (rat)

(RTECS, anhydrous substance)

· Primary irritant effect:

- on the skin: Based on available data, the classification criteria are not met.
- · on the eye: Causes serious eye irritation.
- · Information on components: CAS 54-21-7: chronic: dermatitis
- · Sensitization: Based on available data, the classification criteria are not met.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
None of the ingredients is listed.		
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

· Other information: see section 8 / 15

· Synergistic Products: None

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- \cdot $\mbox{Carcinogenicity}$ Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.

STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

The following complies to cyanogen compounds / nitriles in general:

Utmost caution! Release of hydrocyanic acid is possible - blockade of cellular respiration.

The following applies to soluble iron compounds: nausea and vomiting after swallowing. The absorption of large quantities is followed by cardiovascular disorders. Toxic effect on liver and kidneys.

CAS 54-21-7: skin resorption (effects similar to those of ingestion)

CAS 54-21-7: chronic: central nervous system effects

(Contd. of page 4)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 09/18/2017

Reviewed on 09/18/2017

Trade name: Vario Ammonia Salicylate F5 ml

12 Ecological information

· Toxic	· Toxicity				
· Aquatic toxicity:					
CAS: 54-21-7 sodium salicylate					
EC10	304 mg/l (Daphnia magna) (24) (ECOTOX)				
LC50	1370 mg/l/96h (fathhead minnow) (ECOTOX)				
CAS: 13755-38-9 sodium nitroprusside dihydrate					
EC50	1 mg/l/24h (Daphnia magna)				
LC50	0.05 mg/l (fish)				
 Other information: Toxic for fish: the following applies to dissolved iron compounds in general: toxic as from 0.9 mg/l at pH 6.5 - 7.5 lethal as from 1.0 mg/l at pH 5.5 - 6.7 Persistence and degradability No further relevant information available. Bioaccumulative potential Pow = n-octanol/wasser partition coefficient log Pow < 1 = Does not accumulate in organisms. 					
	CAS: 54-21-7 sodium salicylate				
-	log Pow -1.43 (.) (calculated)				
 Mobility in soil No further relevant information available. Other adverse effects Avoid transfer into the environment. 					

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	none	
 · UN proper shipping name · DOT, IMDG, IATA 	none	
· Transport hazard class(es)		
· DOT, IMDG, IATA · Class	none	
· Packing group · DOT, IMDG, IATA	none	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	

- US -

(Contd. on page 7)

Printing date 09/18/2017

Reviewed on 09/18/2017

Trade name: Vario Ammonia Salicylate F5 ml

(Contd. of page 6)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355	(Extremely	hazardous	substances):
---------------	------------	-----------	--------------

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed. • TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

Chemicals known to cause cancer: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. New Jersey Right-to-Know List: None of the ingredients is listed. New Jersey Special Hazardous Substance List: None of the ingredients is listed Pennsylvania Right-to-Know List: None of the ingredients is listed. Pennsylvania Special Hazardous Substance List: None of the ingredients is listed. EPA (Environmental Protection Agency) None of the ingredients is listed. NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning young persons must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H319 Causes serious eye irritation. • Date of preparation / last revision 09/18/2017 / 26

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: half maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

Printing date 09/18/2017

Reviewed on 09/18/2017

Trade name: Vario Ammonia Salicylate F5 ml

ACGIH[®] - American Conference of Governmental Industrial Hygienists •A1 - Confirmed human carcinogen •A2 - Suspected human carcinogen •A3 - Confirmed animal carcinogen with unknown relevance to humans •A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer •Group 1 - Carcinogenic to humans •Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans •Group 2 - Probably calcinogenic to numars •Group 4 - Probably not carcinogenic to humans NTP - National Toxicology Program, U.S. Department of Health and Human Services •Group K - Known to be Human Carcinogens •Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

· Sources

Data arise from safety data sheets, reference works and literature. **ECOTOX** Database RTECS (Registry of Toxic Effects of Chemical Substances)

• * Data compared to the previous version altered.

(Contd. of page 7)

US -