Tintometer[®] Group Water Testing



Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.11.2023

Version number 27 (replaces version 26)

Revision: 14.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Product name: Vario Aluminium ECR F20
- · Catalog number: 00531629, 531620, 00531621
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond[®]House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

- Informing department:
 e-mail: sds@lovibond.com
 Product Safety Department
- **1.4 Emergency telephone number:** +44 1235 239670 Languages: English

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
 The product is not classified as hazardous according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- EUH210 Safety data sheet available on request.
- · 2.3 Other hazards The following applies to Mercaptane in general: offensive odour
- · Results of PBT and vPvB assessment
- This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006. • Determination of endocrine-disrupting properties
- The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of organic and inorganic compounds

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone : +44 1980 664800 e-mail: SDS@lovibond.uk

Version number 27 (replaces version 26)

Product name: Vario Aluminium ECR F20

Dangerous components:

Printing date 14.11.2023

- CAS: 70-49-5 mercaptosuccinic acid
- EINECS: 200-736-4 🚯 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.
- After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.
- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed: after inhalation:

mucosal irritations, cough, shortness of breath after swallowing: sickness vomiting diarrhoea after swallowing of large amounts: drop in blood pressure CNS disorders respiratory paralysis narcotic conditions cramps 4 3 Indication of any immediate medical attention and

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire: Nitrogen oxides (NOx)

Sulphur oxides (SOx)

- 5.3 Advice for firefighters
- · Protective equipment:
- Wear self-contained breathing apparatus.
- Wear full protective suit.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter drains. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:
- Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

(Contd. of page 1)

5-<10%

Version number 27 (replaces version 26)

Product name: Vario Aluminium ECR F20

Revision: 14.11.2023

(Contd. of page 2)

Collect mechanically.

Printing date 14.11.2023

Dispose of contaminated material as waste according to item 13. **6.4 Reference to other sections** See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: Provide suction extractors if dust is formed.
- · Hygiene measures:

The usual precautionary measures should be adhered to general rules for handling chemicals. Do not eat, drink or smoke when using this product.

Wash hands during breaks and at the end of the work.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed containers.

Protect from the effects of light.

Protect from humidity and keep away from water.

This product is hygroscopic.

• Recommended storage temperature: 20°C +/- 5°C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- Eye/face protection
- Safety glasses

use against the effects of fumes / dust

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

- After use of gloves apply skin-cleaning agents and skin cosmetics.
- Material of gloves
- nitrile rubber, NBR
- Recommended thickness of the material: \geq 0.11 mm
- Penetration time of glove material
- Value for the permeation: Level = 1 (< 10 min)
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Other skin protection (body protection): Protective work clothing.
- Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Filter P1

· Environmental exposure controls Do not allow product to reach sewage system or water bodies.

GB

Version number 27 (replaces version 26)

Revision: 14.11.2023

Product name: Vario Aluminium ECR F20

Printing date 14.11.2023

(Contd. of page 3)

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical and chemical pro	operties	
Physical state	Solid.	
· Form:	Powder	
· Colour:	Orange	
· Odour:	Sulphurous	
· Odour threshold:	Not determined.	
 Melting point/Freezing point: 	Not determined.	
Boiling point or initial boiling point and boiling rar	nge Not determined.	
Flammability	The product is not combustible.	
Explosive properties:	Product is not explosive.	
Lower and upper explosion limit		
Lower:	Not applicable.	
Upper:	Not applicable.	
Flash point:	Not applicable.	
Auto-ignition temperature:	Not applicable (solid).	
Decomposition temperature:	Not determined.	
pH (22 g/l) at 20°C	2.8	
Kinematic viscosity	Not applicable (solid).	
Solubility		
· Water:	Soluble	
 Partition coefficient n-octanol/water (log value) 	Not applicable (mixture).	
Vapour pressure:	Not applicable.	
Density and/or relative density		
Density at 20°C:	1.7 g/cm ³	
· Relative density:	Not determined.	
Relative gas density	Not applicable (solid).	
· Particle characteristics	Not determined.	
· 9.2 Other information		
· Information with regard to physical hazard classes	 }	
· Corrosive to metals	Void	
 Other safety characteristics 		
· Oxidising properties:	none	
Additional information		
· Solids content:	100 %	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- 10.2 Chemical stability
- Stable at ambient temperature (room temperature).
- sensitive to moisture sensitivity to light
- sensitive to air
- 10.3 Possibility of hazardous reactions
- Reacts with alkalis releasing ammonia
- Reacts with strong oxidizing agents
- 10.4 Conditions to avoid Strong heating (decomposition)
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 70-49-5 mercaptosuccinic acid

Oral LD50 800 mg/kg (rat)

Version number 27 (replaces version 26)

Revision: 14.11.2023

Product name: Vario Aluminium ECR F20

LD50 IVN >1 mg/kg (rabbit) LD50 IPR 200 mg/kg (mouse)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

- · 11.2 Information on other hazards
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Bacterial toxicity: sulphates toxic > 2.5 g/l
- Other information:
- Toxic for fish:
- Sulphates > 7 g/l NH_4^+ > 0.3 mg/l
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential
- Pow = n-octanol/wasser partition coefficient
- log Pow < 1 = Does not accumulate in organisms.

CAS: 70-49-5 mercaptosuccinic acid

log Pow -0.88 (.) (calculated)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Avoid transfer into the environment.

Water hazard:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.



Version number 27 (replaces version 26)

Revision: 14.11.2023

Product name: Vario Aluminium ECR F20

 \cdot Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
 14.1 UN number or ID number ADR, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user 	Not applicable.
 14.7 Maritime transport in bulk according to IM instruments 	O Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act UK	
· Regulated explosives precursors	
None of the ingredients is listed.	
· Regulated poisons	
None of the ingredients is listed.	
· Reportable explosives precursors	
None of the ingredients is listed.	
· Reportable poisons	
None of the ingredients is listed.	
• Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated	
· Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)	
None of the ingredients is listed.	
 Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology: 	
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 on drug precursors	
None of the ingredients is listed.	
 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors 	
None of the ingredients is listed.	
· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:	
None of the ingredients is listed.	
· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)	
None of the ingredients is listed.	
· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)	
None of the ingredients is listed.	

Substances of very high concern (SVHC) according to REACH, Article 57
 This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
 (Contd. on page 7)

(Contd. of page 5)

Version number 27 (replaces version 26)

Revision: 14.11.2023

Product name: Vario Aluminium ECR F20

• Substances of very high concern (SVHC) according to UK REACH

(Contd. of page 6)

GB

- This product does not contain any substances of very high concern above the legal concentration limit of $\ge 0.1\%$ (w / w). • Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 65
- · Information about limitation of use: Not required.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

• Training hints Provide adequate information, instruction and training for operators.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Abbreviations and acronyms:

STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: half maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern VPVB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

• Sources Data arise from safety data sheets, reference works and literature.

** Data compared to the previous version altered.