Lovibond[®] Water Testing

Tintometer® Group



Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 09/13/2017

1 Identification

· Product identifier

- · Trade name: Vario Aluminum ECR F20 ml
- · Catalogue number: 00531629, 531620, 4531620
- · Application of the substance / the mixture: Reagent for water analysis
- Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany
- · Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

- Classification of the substance or mixture The product is not classified as hazardous.
- · Label elements
- · GHS label elements none
- · Hazard pictograms none
- · Signal word none
- · Hazard statements none
- · Other hazards The following applie to Mercaptane in genreal: offensive odour

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of organic and inorganic compounds
- · Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 70-49-5	mercaptosuccinic acid	5–10%
EINECS: 200-736-4	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
RTECS: WM 8225000		
• Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor. After swallowing:
- Rinse out mouth and then drink 1-2 glasses of water.
- If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed after inhalation: irritations coughing
- breathing difficulty

Reviewed on 09/13/2017

Printing date 09/13/2017

Reviewed on 09/13/2017

Trade name: Vario Aluminum ECR F20 ml

after swallowing: sickness vomiting diarrhoea after swallowing of large amounts: drop in blood pressure CNS disorders respiratory paralysis narcotic conditions cramps

· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- The product is not combustible. Formation of toxic gases is possible during heating or in case of fire. Nitrogen oxides (NOx) Sulfur oxides (SOx)
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

· Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

• **Reference to other sections** See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- · Advice on safe handling:
- Thorough dedusting.

Prevent formation of dust.

· Hygiene measures:

The usual precautionary measures for handling chemicals should be followed. Wash hands before breaks and at the end of work. Do not eat, drink or smoke when using this product.

- \cdot Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. of page 1)

Printing date 09/13/2017

Reviewed on 09/13/2017

Trade name: Vario Aluminum ECR F20 ml

· Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Protect from exposure to the light. Store in dry conditions. Protect from humidity and water. This product is hygroscopic. Recommended storage temperature: 20°C +/- 5°C (approx. 68°F) · Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Control parameters · Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: The lists that were valid during the creation were used as basis. · Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. · Personal protective equipment: · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol. · Recommended filter device for short term use: Filter P1

· Protection of hands:

See item 7.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- · Penetration time of glove material
- Value for the permeation: Level \leq 1 (10 min)
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:
- Safety glasses

use against the effects of fumes / dust

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

 Information on basic physical and chemical properties 			
· Appearance:			
Form / Physical state:	Powder		
Color:	Orange		
· Odor:	Sulphurous		
· Odor threshold:	Not determined.		
· pH-value (22 g/l) at 20°C (68 °F):	2,8		
· Melting point/freezing point:	Not determined.		
 Initial boiling point and boiling range: 	Not determined.		
· Flash point:	Not applicable.		
· Flammability (solid, gas):	The product is not combustible.		
· Ignition temperature:	Not applicable.		
· Decomposition temperature:	Not determined.		
· Auto-ignition temperature:	Product is not self-igniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
	(Contd on page 4)		

(Contd. of page 2)

(Contd. on page 4) US-

Printing date 09/13/2017

Reviewed on 09/13/2017

Trade name: Vario Aluminum ECR F20 ml

	(Contd. of	page 3
 Flammability or explosive limits: Lower: Upper: 	Not applicable. Not applicable.	
· Oxidizing properties:	none	
 Vapor Pressure: Density at 20°C (68 °F): Relative density: Vapor density: Evaporation rate: 	Not applicable. 1,7g/cm ³ (14.19 lbs/gal) Not determined. Not applicable. Not applicable.	
· Solubility(ies) Water:	Soluble.	
· Partition coefficient (n-octanol/wate	er): Not applicable.	
· Viscosity:	Not applicable.	
 Solvent content: Organic solvents: Solids content: 	0,0% 100,0%	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability
- Stable at ambient temperature (room temperature).
- sensitive to moisture
- sensitivity to light
- sensitive to air
- Possibility of hazardous reactions
- Reacts with alkalis releasing ammonia.
- Reacts with strong oxidizing agents.
- Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: see section 5

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity: Based on available data, the classification criteria are not met.
- Acute toxicity estimate (ATE_(MIX)) Calculation method:
- Oral GHS ATE_(MIX) 2610 mg/kg (.)
- LD/LC50 values that are relevant for classification: The following statements refer to the individual components.

CAS: 70-49-5 mercaptosuccinic acid			
		800 mg/kg (rat)	
	LD50 IVN	>1 mg/kg (rabbit)	
	LD50 IPR	200 mg/kg (mouse)	

· Primary irritant effect:

- on the skin: Based on available data, the classification criteria are not met.
- \cdot on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.

	<u> </u>			
•	Carcin	ogenic	categorie	S

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 09/13/2017

Reviewed on 09/13/2017

Trade name: Vario Aluminum ECR F20 ml

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• Other information: see section 8 / 15

- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- \cdot Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Bacterial toxicity: sulfates toxic > 2.5 g/l
- Other information:
- Toxic for fish:
- sulfates > 7 g/l
- NH4⁺ > 0.3 mg/l
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential
- Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 70-49-5 mercaptosuccinic acid

log Pow -0.88 (.) (calculated)

· Mobility in soil No further relevant information available.

· Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies. Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, IMDG, IATA	none	
 UN proper shipping name DOT, IMDG, IATA 	none	
		(Contd. on page 6)

Printing date 09/13/2017

Reviewed on 09/13/2017

Trade name: Vario Aluminum ECR F20 ml

	(Contd. of page 5)
· Transport hazard class(es)	
· DOT, IMDG, IATA · Class	none
 Packing group DOT, IMDG, IATA 	none
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

\cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara	
Sara Section 355 (Extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 7783-20-2 ammonium sulphate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
None of the ingredients is listed.	
· New Jersey Special Hazardous Substance List:	
None of the ingredients is listed.	
· Pennsylvania Right-to-Know List:	
CAS: 7783-20-2 ammonium sulphate	
· Pennsylvania Special Hazardous Substance List:	
CAS: 7783-20-2 ammonium sulphate	E
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Information shout limitation of user Not required	

· Information about limitation of use: Not required.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 09/13/2017

Reviewed on 09/13/2017

Trade name: Vario Aluminum ECR F20 ml

(Contd. of page 6)

· Relevant phrases	
H302 Harmful if swallowed.	
H315 Causes skin irritation.	
H319 Causes serious eye irritation.	
H335 May cause respiratory irritation.	
Date of preparation / last revision 09/13/2017 / 22	
· Abbreviations and acronyms:	
STOT: specific target organ toxicity	
SE: single exposure	
RE: repeated exposure	
EC50: half maximal effective concentration	
IC50: hallf maximal inhibitory concentration	
NOEL or NOEC: No Observed Effect Level or Concentration	
ACGIH [®] - American Conference of Governmental Industrial Hygienists	
•A1 - Confirmed human carcinogen	
•A2 - Suspected human carcinogen	
•A3 - Confirmed animal carcinogen with unknown relevance to humans	
 A4 - Not classifiable as a human carcinogen A5 - Not suspected as a human carcinogen 	
IARC - International Agency for Research on Cancer	
Group 1 - Carcinogenic to humans	
Group 2A - Probably carcinogenic to humans	
Group 2B - Possibly carcinogenic to humans	
•Group 3 - Not classifiable as to carcinogenicity to humans	
Group 4 - Probably not carcinogenic to humans	
NTP - National Toxicology Program, U.S. Department of Health and Human Services	
Group K - Known to be Human Carcinogens	
•Group R - Reasonably Anticipated to be Human Carcinogens	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods	
by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of	
Dangerous Goods by Rail)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eve Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
 Sources Data arise from safety data sheets, reference works and literature. 	
US	