# Lovibond<sup>®</sup> Water Testing

# **Tintometer® Group**



# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 04/09/2018

#### **1** Identification

- · Product identifier
- Trade name: Reference Standard Gardner Colour 5 / 8
- · Catalogue number: 134210, 134220
- · Application of the substance / the mixture: Coloured Standard Solution for calibration purposes
- **Manufacturer/Supplier:** Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in UK
- · Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling:
- paraffin highly liquid (white mineral oil)
- · Hazard statements
- H304 May be fatal if swallowed and enters airways.
- Precautionary statements
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P331 Do NOT induce vomiting. P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Other hazards No further relevant information available.

# **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- $\cdot$  **Description:** mixture of organic compounds
- Composition and Information on Ingredients:
- Percent ranges are used due to the confidential product information.
- CAS: 8042-47-5 paraffin highly liquid (white mineral oil)

EINECS: 232-455-8

& Asp. Tox. 1, H304 80-100%

Reviewed on 04/09/2018

Printing date 04/09/2018

Reviewed on 04/09/2018

#### Trade name: Reference Standard Gardner Colour 5 / 8

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

#### **4 First-aid measures**

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air or oxygen.
- Call a doctor immediately.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water.

- Seek medical treatment.
- After swallowing:
- Rinse out mouth and then drink 1-2 glasses of water.
- Do not induce vomiting; immediately call for medical help.
- · Most important symptoms and effects, both acute and delayed
- irritating effect possible

after swallowing and inhalation:

gastric or intestinal disorders

- Danger of pulmonary edema.
- **Danger:** Danger of pneumonia.
- Indication of any immediate medical attention and special treatment needed:
- If swallowed or in case of vomiting, danger of entering the lungs.

#### **5 Fire-fighting measures**

· Extinguishing media

#### · Suitable extinguishing agents:

- CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- Can burn in fire.

Formation of toxic gases is possible during heating or in case of fire.

- In case of fire, the following can be released:
- Carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>)
- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

- · Advice for non-emergency personnel:
- Wear protective equipment. Keep unprotected persons away.
- Avoid substance contact.
- Ensure adequate ventilation
- Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:
- Ensure adequate ventilation.
- Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

- Reference to other sections
- See Section 8 for information on personal protection equipment.

Printing date 04/09/2018

Reviewed on 04/09/2018

#### Trade name: Reference Standard Gardner Colour 5 / 8

See Section 13 for disposal information.

(Contd. of page 2)

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- · Advice on safe handling:
- Ensure good ventilation/exhaustion at the workplace.
- Keep ignition sources away Do not smoke.
- Hygiene measures:

Do not inhale gases / fumes / aerosols. Take off immediately all contaminated clothing. Wash hands before breaks and at the end of work. Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:
- Protect from heat and direct sunlight. Protect from exposure to the light.
- Protect from humidity and water.
- Recommended storage temperature: 23°C +/- 5°C (65 82°F)
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

#### · Control parameters

- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment:
- Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- Recommended filter device for short term use: Combination filter A-P1
- · Protection of hands:
- Preventive skin protection by use of skin-protecting agents is recommended.
- After use of gloves apply skin-cleaning agents and skin cosmetics.
- · Material of gloves
- Nitrile rubber, NBR
- Recommended thickness of the material:  $\geq$  0.11 mm
- Penetration time of glove material
- Value for the permeation: Level  $\leq$  1 (10 min)
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses
- · Body protection: Protective work clothing
- $\cdot$  Limitation and supervision of exposure into the environment:
- Do not allow product to reach sewage system or any water course.

· Appearance:		
	1 invite	
Form / Physical state:	Liquid	
Color:	According to product specification	

Printing date 04/09/2018

Reviewed on 04/09/2018

#### Trade name: Reference Standard Gardner Colour 5 / 8

	(Contd. of page 3)
· Odor: · Odor threshold:	Characteristic Not determined.
· pH-value:	Not determined.
<ul> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling range:</li> </ul>	Not determined. >200 °C (>392 °F)
· Flash point:	> 93 °C (>199.4 °F)
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
<ul> <li>Flammability or explosive limits: Lower: Upper:</li> </ul>	Not determined. Not determined.
· Oxidizing properties:	none
<ul> <li>Vapor Pressure:</li> <li>Density:</li> <li>Relative density:</li> <li>Vapor density:</li> <li>Evaporation rate:</li> </ul>	Not determined. Not determined. Not determined. Not determined. Not determined.
<sup>·</sup> Solubility(ies) Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
<ul> <li>Viscosity: Kinematic at 40 °C (104 °F):</li> </ul>	<20.5 mm²/s
· Other information	No further relevant information available.

# 10 Stability and reactivity

- **Reactivity** Fumes can combine with air to form an explosive mixture.
- · Chemical stability Stable at ambient temperature (room temperature).
- · Possibility of hazardous reactions Reacts with oxidizing agents.
- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: see section 5

#### 11 Toxicological information

· Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

	-	paraffin highly liquid (white mineral oil)
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50.	>5000 mg/kg (rat) >2000 mg/kg (rabbit)
Inhalative	LC50.	>5 mg/l/4h (rat)

#### · Primary irritant effect:

- on the skin: Based on available data, the classification criteria are not met.
- · on the eye: Based on available data, the classification criteria are not met.

#### · Information on components:

#### CAS: 8042-47-5 paraffin highly liquid (white mineral oil)

Irritation of skin OECD 404 (rabbit: no irritation)

(Contd. on page 5)

Printing date 04/09/2018

Reviewed on 04/09/2018

#### Trade name: Reference Standard Gardner Colour 5 / 8

	(Contd. of page 4)
Irritation of eyes OECD 405 (rabbit: no irritation)	
· Sensitization: Based on available data, the classification criteria are not met.	
· Information on components:	
CAS: 8042-47-5 paraffin highly liquid (white mineral oil)	
Sensitization OECD 406 (guinea pig: negative) (Magnusson / Klingman)	
Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
CAS: 1330-20-7 xylene, mixed isomers, pure	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Other information: see section 8 / 15	

· Synergistic Products: None

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.

Information on components:

CAS: 8042-47-5 paraffin highly liquid (white mineral oil)

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)

OECD 474 (negative) (Mammalian Erythrocyte Micronucleus Test)

· Additional toxicological information: Other dangerous properties can not be excluded.

#### 12 Ecological information

Aquatic toxicity:	
CAS: 8042-47-5 paraffin highly liquid (white mineral oil)	
EC50 >100 mg/l/48h (Daphnia magna) (OECD 202)	
IC50 ≥100 mg/l/72h (Pseudokirchneriella subcapitata) (OECD 201)	
LC50 >1000 mg/l/96h (gold orfe) (OECD 203)	
Persistence and degradability	
CAS: 8042-47-5 paraffin highly liquid (white mineral oil)	
OECD 301 F 31.3 % / 28 d (.)	

Bioaccumulative potential No further relevant information available.

• Mobility in soil No further relevant information available.

· Other adverse effects Avoid transfer into the environment.

#### 13 Disposal considerations

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

(Contd. of page 5)

# Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 04/09/2018

Reviewed on 04/09/2018

#### Trade name: Reference Standard Gardner Colour 5 / 8

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, IMDG, IATA	none
· UN proper shipping name · DOT, IMDG, IATA	none
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	none
· Packing group	
· DOT, IMDG, IATA	none
· Environmental hazards:	Not applicable.
<ul> <li>Special precautions for user</li> </ul>	Not applicable.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/</li> </ul>	78
and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

# 15 Regulatory information

$^\circ$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^\circ$ Sara	
· Section 355 (Extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
CAS: 1330-20-7 xylene, mixed isomers, pure	
· New Jersey Special Hazardous Substance List:	
CAS: 1330-20-7 xylene, mixed isomers, pure	F3
· Pennsylvania Right-to-Know List:	
CAS: 1330-20-7 xylene, mixed isomers, pure	
· Pennsylvania Special Hazardous Substance List:	
CAS: 1330-20-7 xylene, mixed isomers, pure	E
· EPA (Environmental Protection Agency)	
CAS: 1330-20-7 xylene, mixed isomers, pure	1
	(Contd. on page 7)

Printing date 04/09/2018

Reviewed on 04/09/2018

Trade name: Reference Standard Gardner Colour 5 / 8

(Contd. of page 6)

US.

<ul> <li>NIOSH-Ca (National Institute for </li> </ul>	Occupational Safety and Health)
---	---------------------------------

None of the ingredients is listed.

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H304 May be fatal if swallowed and enters airways.
- Date of preparation / last revision 04/09/2018 / -

#### · Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ACGIH<sup>®</sup> - American Conference of Governmental Industrial Hygienists •A1 - Confirmed human carcinogen •A2 - Suspected human carcinogen •A3 - Confirmed animal carcinogen with unknown relevance to humans •A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer •Group 1 - Carcinogenic to humans •Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans •Group 4 - Probably not carcinogenic to humans NTP - National Toxicology Program, U.S. Department of Health and Human Services •Group K - Known to be Human Carcinogens •Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Asp. Tox. 1: Aspiration hazard - Category 1

· Sources Data arise from safety data sheets, reference works and literature.