# Lovibond<sup>®</sup> Water Testing

# **Tintometer® Group**



# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 07/13/2017

#### **1 Identification**

#### · Product identifier

- Trade name: Verification Standard 580 nm
- · Catalogue number: 215655, 215650-580
- · Application of the substance / the mixture: Coloured Standard Solution for calibration purposes
- Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany
- · Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

#### 2 Hazard(s) identification

- Classification of the substance or mixture The product is not classified as hazardous.
- · Label elements
- · GHS label elements none
- · Hazard pictograms none
- · Signal word none
- · Hazard statements none
- · Other hazards No further relevant information available.

#### **3 Composition/information on ingredients**

#### · Chemical characterization: Mixtures

- **Description:** aqueous solution
- · Composition and Information on Ingredients: none
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **4 First-aid measures**

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor. After swallowing:
- Rinse out mouth and then drink 1-2 glasses of water.
- If symptoms persist consult doctor.
- $\cdot$  Most important symptoms and effects, both acute and delayed
- Causes mild skin irritation. after resorption:
- headache
- sickness
- fatigue
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

115

Reviewed on 07/13/2017

Printing date 07/13/2017

Reviewed on 07/13/2017

#### Trade name: Verification Standard 580 nm

(Contd. of page 1)

#### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- $\cdot$  Special hazards arising from the substance or mixture
- The product is not combustible. Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- · Additional information
- Collect contaminated fire fighting water separately. It must not enter the sewage system.
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
- Ambient fire may liberate hazardous vapours.

#### **6 Accidental release measures**

- Personal precautions, protective equipment and emergency procedures
   Advice for non-emergency personnel:
- Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- · Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course. Dilute with plenty of water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
   Absorb with liquid-binding material (sand, diatomite, universal binders).
   Dispose contaminated material as waste according to item 13.
- Reference to other sections
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- · Advice on safe handling: No special precautions are necessary if used correctly.
- · Hygiene measures:
- The usual precautionary measures for handling chemicals should be followed. Avoid contact with the skin.
- Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from frost.
- Protect from heat and direct sunlight.
- Protect from exposure to the light.
- Store in the dark.
- Protect from humidity and water.
- Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- Specific end use(s) No further relevant information available.

(Contd. on page 3)

Printing date 07/13/2017

Reviewed on 07/13/2017

#### Trade name: Verification Standard 580 nm

(Contd. of page 2)

#### 8 Exposure controls/personal protection Control parameters · Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: The lists that were valid during the creation were used as basis. · Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7. · Personal protective equipment: · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol. · Recommended filter device for short term use: Filter A · Protection of hands: Avoid direct contact with the chemical/ the product/ the preparation by organizational measures. Wear gloves in case of breakage / leakage. After use of gloves apply skin-cleaning agents and skin cosmetics. · Material of gloves Chloroprene rubber, CR Recommended thickness of the material: $\geq 0.5$ mm · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · As protection from splashes gloves made of the following materials are suitable: Natural rubber, NR Recommended thickness of the material: $\geq 0.11$ mm Value for the permeation: Level $\leq 1$ (10 min) The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Wear safety glasses in case of breakage / leakage. · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment: No further relevant information available.

9 Physical and chemical properties				
Information on basic physical and che	emical properties			
<ul> <li>Appearance: Form / Physical state:</li> </ul>	Fluid			
Color:	Blue			
· Odor:	Odorless			
· Odor threshold:	Not applicable.			
· pH-value at 20°C (68 °F):	7			
<ul> <li>Melting point/freezing point:</li> </ul>	Not determined.			
<ul> <li>Initial boiling point and boiling range:</li> </ul>	Not determined.			
· Flash point:	Not applicable.			
· Flammability (solid, gas):	Not applicable.			
· Decomposition temperature:	Not determined.			
· Auto-ignition temperature:	Product is not self-igniting.			
<ul> <li>Danger of explosion:</li> <li>Flammability or explosive limits:</li> </ul>	Product does not present an explosion hazard.			
Lower:	Not applicable.			
Upper:	Not applicable.			
· Oxidizing properties:	none			
· Vapor Pressure:	Not determined.			
· Density at 20°C (68 °F):	1 g/cm³ (8.345 lbs/gal)			
· Relative density:	Not determined.			
· Vapor density:	Not determined.			
<ul> <li>Evaporation rate:</li> </ul>	Not determined.			

Printing date 07/13/2017

Reviewed on 07/13/2017

#### Trade name: Verification Standard 580 nm

	(Contd. of page 3)	
Fully miscible.		
rtition coefficient (n-octanol/water): Not determined.		
Not determined.		
< 1 %		
> 97 %		
< 1 %		
No further relevant information available.		
	ol/water): Not determined. Not determined. < 1 % > 97 % < 1 %	

#### 10 Stability and reactivity

· Reactivity see section "Possibility of hazardous reactions"

- · Chemical stability Stable at ambient temperature (room temperature).
- · Possibility of hazardous reactions No further relevant information available.
- · Conditions to avoid No further relevant information available.
- Incompatible materials:
- metals
- various plastics

• Hazardous decomposition products: see section 5

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · on the skin: Based on available data, the classification criteria are not met.
- · on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Other information: see section 8 / 15

- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

DMSO readily penetrates skin and may carry other dissolved chemicals into the body.

CAS 67-68-5 is skin-resorbing.

(Contd. on page 5)

US -

Printing date 07/13/2017

Reviewed on 07/13/2017

#### Trade name: Verification Standard 580 nm

(Contd. of page 4)

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

· Recommendation:

Small amounts may be diluted with plenty of water (3 to 5 times the volume) and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport information

· UN-Number · DOT, IMDG, IATA	none	
· UN proper shipping name · DOT, IMDG, IATA	none	
· Transport hazard class(es)		
· DOT, IMDG, IATA · Class	none	
· Packing group · DOT, IMDG, IATA	none	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78     and the IBC Code Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	

### 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

•	Section 355 (Extremely hazardous substances):
	None of the ingredients is listed.
•	Section 313 (Specific toxic chemical listings):
	None of the ingredients is listed.
•	TSCA (Toxic Substances Control Act):
	All ingredients are listed.
	Proposition 65
•	Chemicals known to cause cancer:
	None of the ingredients is listed.
•	Chemicals known to cause reproductive toxicity for females:
	None of the ingredients is listed.
	(Contd. on page 6)

US -

US

# Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 07/13/2017

Reviewed on 07/13/2017

#### Trade name: Verification Standard 580 nm

	(Contd. of page 5)
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
CAS: 67-68-5 dimethyl sulfoxide	
CAS: 1310-73-2 sodium hydroxide	
· New Jersey Special Hazardous Substance List:	
CAS: 67-68-5 dimethyl sulfoxide	TE, F2
CAS: 1310-73-2 sodium hydroxide	CO, R1
· Pennsylvania Right-to-Know List:	
CAS: 1310-73-2 sodium hydroxide	
· Pennsylvania Special Hazardous Substance List:	
CAS: 1310-73-2 sodium hydroxide	E
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· US-VOC content: 9.7 g/l / 0.08 lb/gl	

· Information about limitation of use: Not required.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Date of preparation / last revision 07/13/2017 / 10

#### Abbreviations and acronyms:

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH<sup>®</sup> - American Conference of Governmental Industrial Hygienists

- •A1 Confirmed human carcinogen
- A2 Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

- •A4 Not classifiable as a human carcinogen
- •A5 Not suspected as a human carcinogen
- IARC International Agency for Research on Cancer
- •Group 1 Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services
Group K - Known to be Human Carcinogens
Group R - Reasonably Anticipated to be Human Carcinogens

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

· Sources Data arise from safety data sheets, reference works and literature.