Lovibond[®] Water Testing

Tintometer® Group



Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 02/16/2021

1 Identification

- · Product identifier
- Trade name: Verification Standard 430 nm
- · Catalogue number: 424428, 215658
- · Application of the substance / the mixture: Coloured Standard Solution for calibration purposes
- Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified as hazardous.
- · Label elements
- · GHS label elements none
- · Hazard pictograms none
- · Signal word none
- · Hazard statements none
- · Other hazards No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- \cdot **Description:** aqueous solution
- · Composition and Information on Ingredients: none

4 First-aid measures

- \cdot Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink 1-2 glasses of water.
- If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- \cdot Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- The product is not combustible.

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 02/16/2021

Reviewed on 02/16/2021

Trade name: Verification Standard 430 nm

Formation of toxic gases is possible during heating or in case of fire. • Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

- · Additional information
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel: No special measures required.
- · Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course. Dilute with plenty of water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
 Absorb with liquid binding meterial (cond. distantia, universal)

Absorb with liquid-binding material (sand, diatomite, universal binders). Dispose contaminated material as waste according to item 13.

• Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

· Advice on safe handling: No special precautions are necessary if used correctly.

- · Hygiene measures:
- Do not eat, drink or smoke when using this product.

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in a cool location. Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from heat and direct sunlight. Protect from exposure to the light.
- Protect from humidity and water.
- Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- \cdot Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 02/16/2021

Reviewed on 02/16/2021

Trade name: Verification Standard 430 nm

· Breathing equipment:

Under normal use conditions according to the instruction manual no personal protective equipment is needed. If exposure limits are exceeded or health impacts are experienced use respiratory protective device against the effects of fume/ dust/aerosol.

Use respiratory protective device against the effects of fume/dust/aerosol.

Recommended filter device for short term use: Filter P3

· Protection of hands:

Wear gloves in case of breakage / leakage.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- · Penetration time of glove material
- Value for the permeation: Level \leq 1 (10 min)
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- \cdot Eye protection: Wear safety glasses in case of breakage / leakage.
- Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties		
· Appearance:		
· Form / Physical state:	Solution	
· Color:	Yellow	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value at 20°C (68°F):	3	
• Melting point/freezing point:	0°C (32°F)	
 Initial boiling point and boiling range: 	100°C (212°F) (CAS: 7732-18-5 water)	
· Flash point:	Not applicable.	
 Flammability (solid, gas): 	Not applicable.	
Ignition temperature:	Not applicable.	
 Decomposition temperature: 	Not determined.	
 Auto-ignition temperature: 	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
 Flammability or explosive limits: 		
· Lower:	Not applicable.	
· Upper:	Not applicable.	
 Oxidizing properties: 	none	
 Vapor Pressure at 20°C (68°F): 	23 hPa (17.3 mm Hg) (CAS: 7732-18-5 water)	
 Density at 20°C (68°F): 	~1 g/cm³ (~8.35 lbs/gal)	
 Relative density: 	Not determined.	
 Vapor density: 	Not determined.	
 Evaporation rate: 	Not determined.	
 Solubility(ies) 		
· Water:	Fully miscible.	
 Partition coefficient (n-octanol/water): 	Not applicable (mixture).	
· Viscosity:		
· Kinematic:	Not determined.	
 Other information 		
 Solids content: 	< 0.1 %	
· Solvent content:		
 Organic solvents: 	0.0 %	
· Water:	≥ 99.9 %	

10 Stability and reactivity

· Reactivity see section "Possibility of hazardous reactions"

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 02/16/2021

Reviewed on 02/16/2021

Trade name: Verification Standard 430 nm

- · Chemical stability Stable at ambient temperature (room temperature).
- Possibility of hazardous reactions
- Violent reactions possible with:
- The generally known reaction partners of water.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available. • Hazardous decomposition products: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:
- · Primary irritant effect:
- on the skin: Based on available data, the classification criteria are not met.
- on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 7778-50-9 potassium dichromate	1	
· NTP (National Toxicology Program)		
CAS: 7778-50-9 potassium dichromate	K	
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

• Other information: see section 8 / 15

- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability .
- · Other information:
- Mixture of inorganic compounds.
- Methods for the determination of biodegradability are not applicable to inorganic substances.
- Bioaccumulative potential No further relevant information available.
- \cdot Mobility in soil No further relevant information available.
- Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. of page 3)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 02/16/2021

Reviewed on 02/16/2021

Trade name: Verification Standard 430 nm

Disposal recommendation: as waste containing heavy metals (contains very small amounts of heavy metals)

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

JN-Number	
DOT, IMDG, IATA	none
UN proper shipping name	
DOT, IMDG, IATA	none
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	none
Packing group	
DOT, IMDG, IATA	none
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MA	RPOL73/78
and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

 Section 355 (Extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
CAS: 7778-50-9 potassium dichromate	
· Proposition 65	
Chemicals known to cause cancer:	
CAS: 7778-50-9 potassium dichromate	
· Chemicals known to cause reproductive toxicity for females:	
CAS: 7778-50-9 potassium dichromate	
· Chemicals known to cause reproductive toxicity for males:	
CAS: 7778-50-9 potassium dichromate	
· Chemicals known to cause developmental toxicity:	
CAS: 7778-50-9 potassium dichromate	
· New Jersey Right-to-Know List:	
CAS: 7778-50-9 potassium dichromate	
CAS: 7601-90-3 perchloric acid	
· New Jersey Special Hazardous Substance List:	
CAS: 7778-50-9 potassium dichromate	CA, M
CAS: 7601-90-3 perchloric acid	R3

US -

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 02/16/2021

Reviewed on 02/16/2021

Trade name: Verification Standard 430 nm

	(Contd. of page 5
· Pennsylvania Right-to-Know List:	
CAS: 7778-50-9 potassium dichromate	
CAS: 7601-90-3 perchloric acid	
· Pennsylvania Special Hazardous Substance List:	
CAS: 7778-50-9 potassium dichromate	E
· EPA (Environmental Protection Agency)	
CAS: 7778-50-9 potassium dichromate	A(inh), D(oral), K/L(inh), CBD(oral)
NIOSH-Ca (National Institute for Occupational Safety and Health)	
CAS: 7778-50-9 potassium dichromate	
Information about limitation of use: Not required.	

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 02/16/2021 / -

Abbreviations and acronyms:

STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ACGIH® - American Conference of Governmental Industrial Hygienists •A1 - Confirmed human carcinogen •A2 - Suspected human carcinogen •A3 - Confirmed animal carcinogen with unknown relevance to humans •A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer •Group 1 - Carcinogenic to humans •Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans •Group 4 - Probably not carcinogenic to humans NTP - National Toxicology Program, U.S. Department of Health and Human Services •Group K - Known to be Human Carcinogens •Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

· Sources Data arise from safety data sheets, reference works and literature.