Tintometer[®] Group Water Testing



Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.10.2023 Version number 4 (replaces version 3) Revision: 27.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Product name: T-CALplus® / T-CAL® Standard 0.3 NTU / 1.0 NTU / 5.0 NTU / 10 NTU
- · Catalog number:

424-2, $\overline{48010035}$, 48010135, 48010235, 48011112, 48011212, 48011050, 48011150, 48012250, 480111250, 48011199, 194280-10, 194281-10, 48010035-0, 48010135-0, 48010235-0, 48011112-0, 48011212-0, 48011050-0, 48011150-0, 48011199-0

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Standard Solution for calibration purposes
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR

Wiltshire SP4 7GR phone : +44 1980 664800
United Kingdom e-mail: SDS@lovibond.uk

· Informing department: e-mail: sds@lovibond.com Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains methenamine, formaldehyde. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

· 2.3 Other hazards No further relevant information available.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

GB -

Printing date 27.10.2023 Version number 4 (replaces version 3) Revision: 27.10.2023

Product name: T-CALplus® / T-CAL® Standard 0.3 NTU / 1.0 NTU / 5.0 NTU / 10 NTU

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: aqueous solution

· Dangerous components:		
CAS: 100-97-0 EINECS: 202-905-8 Index No: 612-101-00-2 Reg.nr.: 01-2119474895-20-XXXX	methenamine Flam. Sol. 2, H228; Skin Sens. 1, H317	0.1–<1%
CAS: 50-00-0 EINECS: 200-001-8 Index No: 605-001-00-5	formaldehyde Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; Carc. 1B, H350; Skin Corr. 1B, H314; Skin Sens. 1, H317 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Irrit. 2; H319: 5 % ≤ C < 25 % Skin Sens. 1; H317: C ≥ 0.2 % STOT SE 3; H335: C ≥ 5 %	<0.1%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact

Instantly rinse with water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed: allergic reactions
- · Danger risk of skin sensitization
- 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Nitrogen oxides (NOx)

NΗ₃

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Printing date 27.10.2023 Version number 4 (replaces version 3) Revision: 27.10.2023

Product name: T-CALplus® / T-CAL® Standard 0.3 NTU / 1.0 NTU / 5.0 NTU / 10 NTU

(Contd. of page 2)

Ensure adequate ventilation

· Advice for emergency responders: Protective equipment: see section 8

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

· Advice on safe handling: No special precautions necessary if used correctly.

· Hygiene measures:

The usual precautionary measures should be adhered to general rules for handling chemicals.

Avoid contact with the skin.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 5°C 25°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:			
CAS: 50-00-0 formaldehy	CAS: 50-00-0 formaldehyde		
WEL (Great Britain)	Short-term value: 2.5 mg/m³, 2 ppm Long-term value: 2.5 mg/m³, 2 ppm Carc		
BOELV (European Union)	Short-term value: 0.74 mg/m³, 0.6 ppm Long-term value: 0.37 (0.62)* mg/m³, 0.3 (0.5)* ppm Skin sens;*health/funeral/embalming till 11/7/24		

· Regulatory information

WEL (Great Britain): EH40/2020

BOELV (European Union): EU 2022/431

· DNELs

Derived No Effect Level (DNEL)

CAS:	100-97-0	methens	amine
VAU.	100-31-0	IIIGUIGII	allilic

Dermal DNEL 8.8 mg/kg (Worker / long-term /systemic effects)
Inhalative DNEL 31 mg/m³ (Worker / long-term /systemic effects)

Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· PNECs

Predicted No Effect Concentration (PNEC)

(Contd. on page 4)

Printing date 27.10.2023 Version number 4 (replaces version 3) Revision: 27.10.2023

Product name: T-CALplus® / T-CAL® Standard 0.3 NTU / 1.0 NTU / 5.0 NTU / 10 NTU

(Contd. of page 3)

CAS: 100-97-0 methenamine

PNEC 100 mg/l (Sewage treatment plant)

0.5 mg/l (Marine water)

2.4 mg/l (Fresh water sediment)

3 mg/l (Fresh water)

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Eye/face protection Safety glasses recommended during refilling.
- Hand protection

Use protective gloves when transferring the solution.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties · Physical state

· Form: Suspension · Colour: Colourless · Odour: Not distinguishable · Odour threshold: Not determined. · Melting point/Freezing point: Not determined.

 Boiling point or initial boiling point and boiling range 100°C (CAS: 7732-18-5 water) Flammability The product is not combustible. Product is not explosive.

· Explosive properties: · Lower and upper explosion limit

Lower: Not applicable. Upper: Not applicable. · Flash point: Not applicable. · Auto-ignition temperature: Not applicable.

Not determined. Decomposition temperature: pH at 20°C ~10

· Kinematic viscosity

Not determined.

· Solubility

· Water: Fully miscible

· Partition coefficient n-octanol/water (log value) Not applicable (mixture). · Vapour pressure: Not determined.

Density and/or relative density

Density at 20°C: ~1 g/cm³ Relative density: Not determined. Relative gas density Not determined. Particle characteristics Not applicable (liquid).

(Contd. on page 5)

Printing date 27.10.2023 Version number 4 (replaces version 3) Revision: 27.10.2023

Product name: T-CALplus® / T-CAL® Standard 0.3 NTU / 1.0 NTU / 5.0 NTU / 10 NTU

(Contd. of page 4)

· 9.2 Other information				
Information with regard to physical hazard classes				
· Corrosive to metals	Void			
· Other safety characteristics				
· Oxidising properties:	none			
Additional information				
· Solids content:	< 2.5 %			
· Solvent content:				
Organic solvents:	< 0.1 %			
· Water:	> 97.5 %			

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

- · 10.4 Conditions to avoid Strong heating (decomposition)
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	/LC50 values that are relevant for classification:		
CAS: 100-	: 100-97-0 methenamine		
Oral	Oral LD50 9200 mg/kg (rat) (IUCLID)		
Dermal	mal LD50. >2000 mg/kg (rat) (OECD 402)		
CAS: 50-0	00-0 formaldehyde		
Oral	LD50	100 mg/kg (rat)	
Dermal	LD50	270 mg/kg (rabbit)	
Inhalative LC50/4h 3 mg/l (vapour)			

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.

Information on components:				
CAS: 100-97-0 methenamine				
Irritation of skin	OECD 404	(rabbit: no irritation)		
Irritation of eyes	OECD 405	(rabbit: no irritation)		

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Information on components:

Contains methenamine, formaldehyde. May produce an allergic reaction.

	CAS: 100-97-0 methenamine		
ſ	Sensitisation	OECD 406	(guinea pig: positive)
		Patch test (human)	
			(IUCLID)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

Printing date 27.10.2023 Version number 4 (replaces version 3) Revision: 27.10.2023

Product name: T-CALplus® / T-CAL® Standard 0.3 NTU / 1.0 NTU / 5.0 NTU / 10 NTU

(Contd. of page 5)

CAS: 100-97-0 methenamine			
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)		
	(negative) (Mammalian Erythrocyte Micronucleus Test) (IUCLID)		

- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxic	· Aquatic toxicity:			
CAS: 100-97	CAS: 100-97-0 methenamine			
EC50	36 mg/l/48h (Daphnia magna) (IUCLID)			
EC10	5 mg/l (fish)			
LC50 (static)	41 mg/l/96h (bluegill) (US-EPA)			
CAS: 50-00-0	0 formaldehyde			
EC50	2 mg/l/48h (Daphnia magna)			
LC50	100 mg/l/96h (bluegill) IUCLID			
	24 mg/l/96h (fathhead minnow)			
· Bacterial toxicity:				

CAS: 100-97-0 methenamine

EC50 (static) >5000 mg/l (Bacterial toxicity) (DIN 38412) (Merck, Vibrio fischeri)

· 12.2 Persistence and degradability

CAS: 100-97-0 methenamine

OECD 302 C 39-47 % / 28 d (not readily biodegradable) (Modified MITI Test (II))

CAS: 50-00-0 formaldehyde

OECD 301 D 99 % / 28 d (readily biodegradable) (Closed Bottle Test) (37% solution)

· 12.3 Bioaccumulative potential

CAS: 100-97-0 methenamine

log Pow -2.84 (.) (experimental) (IUCLID)

CAS: 50-00-0 formaldehyde

log Pow 0.021 (.)

- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Printing date 27.10.2023 Version number 4 (replaces version 3) Revision: 27.10.2023

Product name: T-CALplus® / T-CAL® Standard 0.3 NTU / 1.0 NTU / 5.0 NTU / 10 NTU

(Contd. of page 6)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK

· Regulated explosives precursors	
CAS: 100-97-0 methenamine	Listed
· Regulated poisons	
None of the ingredients is listed.	
Reportable explosives precursors	

None of the ingredients is listed.

· Reportable poisons

CAS: 50-00-0 formaldehyde

5%

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

not regulated: homogeneous mixture of more than five components with c <1% (w/w) substance Annex I or II

· explosives precursors - ANNEX II

CAS: 100-97-0 methenamine

Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

(Contd. on page 8)

Printing date 27.10.2023 Version number 4 (replaces version 3) Revision: 27.10.2023

Product name: T-CALplus® / T-CAL® Standard 0.3 NTU / 1.0 NTU / 5.0 NTU / 10 NTU

(Contd. of page 7)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

· Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 72
- Information about limitation of use: Not required.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Training hints Provide adequate information, instruction and training for operators.
- Relevant phrases
- H228 Flammable solid.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H331 Toxic if inhaled.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids - Category 2

Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity - Category 2

Printing date 27.10.2023 Version number 4 (replaces version 3) Revision: 27.10.2023

Product name: T-CALplus® / T-CAL® Standard 0.3 NTU / 1.0 NTU / 5.0 NTU / 10 NTU

(Contd. of page 8)

Carc. 1B: Carcinogenicity - Category 1B

· Sources

Data arise from safety data sheets, reference works and literature. IUCLID (International Uniform Chemical Information Database) GESTIS- Stoffdatenbank (Substance Database, Germany) ECHA: European CHemicals Agency http://echa.europa.eu

·* Data compared to the previous version altered.

GB —