Tintometer[®] Group Water Testing



Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2024

Version number 48 (replaces version 47)

Revision: 01.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Product name: DPD 3 Reagent
- · Catalog number: 424444, 471030, 471031, 471036, 471030-N
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond[®]House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

- Informing department: e-mail: sds@lovibond.com Product Safety Department
- **1.4 Emergency telephone number:** +44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



0.....

- · Signal word Warning
- Hazard statements H373 May cause damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.
- · Precautionary statements
- P260 Do not breathe mist/vapours/spray.

P314 Get medical advice/attention if you feel unwell.

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone : +44 1980 664800 e-mail: SDS@lovibond.uk

Version number 48 (replaces version 47)

Revision: 01.02.2024

(Contd. of page 1)

Product name: DPD 3 Reagent

2.3 Other hazards

Printing date 01.02.2024

The main intake pathways of potassium iodide are: inhalation of dust and solution aerosols, as well as oral ingestion.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** aqueous solution

· Dangerous components:

Dangerous components.			
CAS: 7681-11-0	potassium iodide	🕹 STOT RE 1. H372	2.5–5%
EINECS: 231-659-4		✓ - , -	
Reg.nr.: 01-2119966161-40-XXXX			
· Additional information For the wo	ording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes (at least 15 min) under running water. Call a doctor immediately.

- After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.
- In case of persistent symptoms consult doctor.
- Information for doctor Sulphites are strong sensitizers.
- 4.2 Most important symptoms and effects, both acute and delayed:
- irritations
- after swallowing:
- absorption
- after absorption of large amounts:
- thirst
- sickness
- vomiting
- diarrhoea
- gastric pain
- drop in blood pressure
- cardiovascular disorders
- headache
- weakness disorder of electrolyte balance
- Danger
- Danger of impaired breathing.
- Danger of disturbed cardiac rhythm.
- 4.3 Indication of any immediate medical attention and special treatment needed:
- Absorption: in case of iodine hypersensitivity, even after relatively low doses, acute respiratory and cardiovascular disorders (possibly shock), skin and mucous membrane reactions possible. (GESTIS) Symptoms of poisoning may even occur after several hours.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- The product is not combustible.

Version number 48 (replaces version 47)

Revision: 01.02.2024

Product name: DPD 3 Reagent

Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire:
Sulphur oxides (SOx)
Hydrogen iodide (HI)
5.3 Advice for firefighters
· Protective equipment:
Wear self-contained breathing apparatus.
Wear full protective suit.
Additional information
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

• Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

· Advice for emergency responders: Protective equipment: see section 8

· 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

• 6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- Advice on safe handling: Prevent formation of aerosols.
- · Hygiene measures:
- Take off immediately all contaminated clothing.

Do not eat, drink or smoke when using this product.

Wash hands during breaks and at the end of the work.

· 7.2 Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from heat and direct sunlight.
- Protect from the effects of light.
- Protect from humidity and keep away from water.
- Recommended storage temperature: 6°C 10°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • DNELs

Derived No Effect Level (DNEL)

CAS: 768	CAS: 7681-11-0 potassium iodide		
Oral	DNEL	0.01 mg/kg /bw/d (Consumer / acute / systemic effects)	
		0.01 mg/kg /bw/d (Consumer / long-term / systemic effects)	
Dermal	DNEL	1 mg/kg /bw/d (Worker / long-term /systemic effects)	
		(Contd on page 4)	

(Contd. of page 2)

Version number 48 (replaces version 47)

Revision: 01.02.2024

Product name: DPD 3 Reagent

	(Contd. of page 3			
1 mg/kg /bw/d (Consumer / lo				
Inhalative DNEL 0.07 mg/m ³ (Worker / long-te				
0.035 mg/m³ (Consumer / lor	ng-term / systemic effects)			
• Recommended monitoring procedures: Methods for measurement of the workplace atm DIN EN 689.	nosphere have to correspond to the requirements of norms DIN EN 482 and			
PNECs Predicted No Effect Concentration (PNEC)				
· · ·				
CAS: 7681-11-0 potassium iodide PNEC 0.007 mg/l (Fresh water)				
PNEC 0.075 mg/kg (Aquatic intermittent releas				
0.007 mg/kg (Aquatic Intermittent release) 0.007 mg/kg /sediment (Fresh water sediment)				
	,			
· Additional information: The lists that were val	lid during the compilation were used as basis.			
· 8.2 Exposure controls				
• Engineering measures: Technical measures and appropriate working of See item 7.	perations should be given priority over the use of personal protective equipment.			
 Individual protection measures, such as per Protective clothing should be selected specifica substances handled. Eye/face protection 	rsonal protective equipment ally for the workplace, depending on concentration and quantity of the hazardous			
Safety glasses use against the effects of fumes / dust				
Hand protection	approved in accordance with government standards such as EN 166.			
Preventive skin protection by use of skin-protec				
After use of gloves apply skin-cleaning agents a • Material of gloves	and skin cosmetics.			
nitrile rubber, NBR				
Recommended thickness of the material: $\geq 0.1^{\circ}$	1 mm			
• Penetration time of glove material Value for the permeation: evel = 1 (< 10 min)				
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found out	it by the manufacturer of the protective gloves and has to be observed.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou • Other skin protection (body protection): Pro	t by the manufacturer of the protective gloves and has to be observed. tective work clothing.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou • Other skin protection (body protection): Pro • Breathing equipment: Use breathing protection	ut by the manufacturer of the protective gloves and has to be observed. tective work clothing. In against the effects of fumes/dust/aerosol.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou • Other skin protection (body protection): Pro • Breathing equipment: Use breathing protection • Recommended filter device for short term us	ut by the manufacturer of the protective gloves and has to be observed. Intective work clothing. In against the effects of fumes/dust/aerosol. se: Filter P2			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou • Other skin protection (body protection): Pro • Breathing equipment: Use breathing protection • Recommended filter device for short term us	ut by the manufacturer of the protective gloves and has to be observed. tective work clothing. In against the effects of fumes/dust/aerosol.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou • Other skin protection (body protection): Pro • Breathing equipment: Use breathing protection • Recommended filter device for short term us	ut by the manufacturer of the protective gloves and has to be observed. Intective work clothing. In against the effects of fumes/dust/aerosol. se: Filter P2			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou • Other skin protection (body protection): Pro • Breathing equipment: Use breathing protection • Recommended filter device for short term us	ut by the manufacturer of the protective gloves and has to be observed. Intective work clothing. In against the effects of fumes/dust/aerosol. se: Filter P2 Inter P2 Inter P2			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Pro Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical p	ut by the manufacturer of the protective gloves and has to be observed. tective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou • Other skin protection (body protection): Prof • Breathing equipment: Use breathing protectio • Recommended filter device for short term us • Environmental exposure controls Do not allo SECTION 9: Physical and chemical protection • 9.1 Information on basic physical and chemical protection	t by the manufacturer of the protective gloves and has to be observed. tective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties ical properties			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Pro Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and chemical Physical state	ut by the manufacturer of the protective gloves and has to be observed. tective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Pro Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and chemic Physical state Form: Colour:	at by the manufacturer of the protective gloves and has to be observed. Attective work clothing. In against the effects of fumes/dust/aerosol. se: Filter P2 In product to reach sewage system or water bodies. Properties Fluid			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Pro Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical p 9.1 Information on basic physical and chemic Physical state Form: Colour:	at by the manufacturer of the protective gloves and has to be observed. atective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Prof Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical protection 9.1 Information on basic physical and chemical Physical state Form: Colour: Odour: Odour threshold:	at by the manufacturer of the protective gloves and has to be observed. atective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless Not applicable.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Prof Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical protection 9.1 Information on basic physical and chemical Physical state Form: Colour: Odour: Odour threshold: Melting point/Freezing point:	at by the manufacturer of the protective gloves and has to be observed. atective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless Not applicable. Not determined.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Pro Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical p 9.1 Information on basic physical and chemic Physical state Form: Colour: Odour: Odour threshold: Melting point/Freezing point: Boiling point or initial boiling point and boili Flammability	at by the manufacturer of the protective gloves and has to be observed. atective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless Not applicable. Not determined.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Pro Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical p 9.1 Information on basic physical and chemic Physical state Form: Colour: Odour: Odour threshold: Melting point/Freezing point: Boiling point or initial boiling point and boili Flammability Explosive properties:	at by the manufacturer of the protective gloves and has to be observed. atective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless Not applicable. Not determined. ing range Not determined.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Pro Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical p 9.1 Information on basic physical and chemic Physical state Form: Colour: Odour: Odour threshold: Melting point/Freezing point: Boiling point or initial boiling point and boili Flammability Explosive properties: Lower and upper explosion limit	at by the manufacturer of the protective gloves and has to be observed. atective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless Not applicable. Not determined. ing range Not determined. Product is not combustible. Product is not explosive.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Prof Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical protection 9.1 Information on basic physical and chemical Physical state Form: Colour: Odour threshold: Melting point/Freezing point: Boiling point or initial boiling point and boilit Flammability Explosive properties: Lower and upper explosion limit Lower:	at by the manufacturer of the protective gloves and has to be observed. tective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless Not applicable. Not determined. The product is not combustible. Product is not explosive. Not applicable.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Prof Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical protection 9.1 Information on basic physical and chemical Physical state Form: Colour: Odour threshold: Melting point/Freezing point: Boiling point or initial boiling point and boili Flammability Explosive properties: Lower and upper explosion limit Lower: Upper:	at by the manufacturer of the protective gloves and has to be observed. atective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless Not applicable. Not determined. Ing range Not applicable. Product is not explosive. Not applicable.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Prof Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical protection 9.1 Information on basic physical and chemical Physical state Form: Odour: Odour: Odour threshold: Melting point/Freezing point: Boiling point or initial boiling point and boili Flammability Explosive properties: Lower and upper explosion limit Lower: Upper: Flash point:	at by the manufacturer of the protective gloves and has to be observed. tective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless Not applicable. Not determined. The product is not combustible. Product is not explosive. Not applicable.			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Prof Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical protection 9.1 Information on basic physical and chemical Physical state Form: Odour: Odour: Odour threshold: Melting point/Freezing point: Boiling point or initial boiling point and boili Flammability Explosive properties: Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	t by the manufacturer of the protective gloves and has to be observed. tective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties Fluid Solution Colourless Odourless Not applicable. Not determined. The product is not combustible. Product is not explosive. Not applicable. <			
Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found ou Other skin protection (body protection): Prof Breathing equipment: Use breathing protectio Recommended filter device for short term us Environmental exposure controls Do not allo SECTION 9: Physical and chemical protection 9.1 Information on basic physical and chemical Physical state Form: Odour: Odour: Odour threshold: Melting point/Freezing point: Boiling point or initial boiling point and boili Flammability Explosive properties: Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	t by the manufacturer of the protective gloves and has to be observed. tective work clothing. on against the effects of fumes/dust/aerosol. se: Filter P2 ow product to reach sewage system or water bodies. properties ical properties Fluid Solution Colourless Odourless Not applicable. Not determined. Ing range Not determined. Product is not combustible. Product is not explosive. Not applicable.			

Version number 48 (replaces version 47)

Revision: 01.02.2024

Product name: DPD 3 Reagent

Printing date 01.02.2024

		(Contd. of page
· Solubility		
· Water:	Fully miscible	
 Partition coefficient n-octanol/water (log value) 	Not applicable (mixture).	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density at 20°C:	1.35 g/cm³	
Relative density:	Not determined.	
Relative gas density	Not determined.	
Particle characteristics	Not applicable (liquid).	
· 9.2 Other information		
· Corrosive to metals	Void	
· Oxidising properties:	none	
Other information		
· Solids content:	~20 %	
· Solvent content:		
· Organic solvents:	0 %	
· Water:	~80 %	

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section 10.3

- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions
- Contact with acids releases toxic gases

Reacts with oxidizing agents

10.4 Conditions to avoid strong heating

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

	CAS: 7	7681-11-0	potassium	iodide
--	--------	-----------	-----------	--------

		-
		2779 mg/kg (rat)
Dermal	LD50	3160 mg/kg (rabbit)
	NOAEL	0.01 mg/kg /bw/d (human)
		organ: Thyroid

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- · Information on components: The following applies to iodides in general: Sensitation possible at predisposed persons.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

· Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 7681-11-0 potassium iodide

	•
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test)
	Mouse (lymhoma L5178Y cells)

Version number 48 (replaces version 47)

Revision: 01.02.2024

Product name: DPD 3 Reagent

STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met. STOT (specific target organ toxicity) -repeated exposure

May cause damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.

May cause damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.

· Aspiration hazard Based on available data, the classification criteria are not met.

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:

· Information on likely routes of exposure

"Main routes of exposure:

At workplaces, intake of potassium iodide (KI) is most likely to occur via the respiratory tract.

Outside the workplace, iodides are ingested with food (essential) and sometimes with medications.

Respiratory tract: KI can be inhaled as dust or aerosol from solutions. Inhalation studies were conducted with particulate aerosols containing sodium iodide using various animal species (monkey, mouse, sheep). Rapid and effective absorption via the respiratory tract was observed. This is also assumed for KI as its solubility is comparable.

Skin: From tests on volunteers who had an aqueous KI solution applied to their forearms (12.5 cm²), the amount of iodine absorbed was estimated at 0.1%. Absorption through the skin is therefore considered to be of little relevance.

Gastrointestinal tract: Soluble iodide is absorbed almost entirely via the gastrointestinal tract. This has been proven by results of studies with KI on adult volunteers." [GESTIS]

· Additional toxicological information:

lodine salts can cause deformity, illness, and death of a fetus. iodide: chronic hypothyroidism

CAS: 7681-11-0 potassium iodide

(source: GESTIS)

Main Toxic Effects:

Acute: Irritation to the eyes, skin and airways, disturbance of thyroid function, cardiovascular effects, metabolic disturbances. Chronic: Disturbance of thyroid function, systemically conditioned skin damage and inflammation of the mucous membranes.

Furter Information (GESTIS, Merck):

Small amounts of iodine are essential for the body. However, long-term overdoses of iodine lead to disturbances in the thyroid function (hypo- and/or hyperthyroidism, possibly accompanied by thyroiditis). The effects are very complex. Furthermore, symptoms of chronic iodine poisoning (iodine toxicosis, "iodism") can occur following intake of high doses of predisposed persons. They mainly consist of systemically conditioned irritation/inflammatory changes to the mucous membranes and skin.

lodide crosses the placenta and, when administered (orally) to pregnant women in very high doses, can lead to hypothyroidism and/or goiter in the fetus with deaths from tracheal compression

· 11.2 Information on other hazards

• Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

· Other information

Other dangerous properties can not be excluded.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquat	tic toxicity:	
CAS: 7	CAS: 7681-11-0 potassium iodide	
	7.5 mg/l/48h (Daphnia magna) (OECD 202) Merck	
	3780 mg/l/96h (rainbow trout) (OECD 203) Merck	
	12.2 Persistence and degradability	

Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

• 12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

(Contd. of page 5)

Version number 48 (replaces version 47)

Revision: 01.02.2024

Product name: DPD 3 Reagent

· 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

• 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

European waste catalogue

16 05 07* discarded inorganic chemicals consisting of or containing hazardous substances

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
· 14.5 Environmental hazards:	Not applicable.
• 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according to IM instruments 	O Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act UK
Regulated explosives precursors
None of the ingredients is listed.
Regulated poisons
None of the ingredients is listed.
Reportable explosives precursors
None of the ingredients is listed.
Reportable poisons
None of the ingredients is listed.

· Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated

(Contd. of page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 48 (replaces version 47)

Revision: 01.02.2024

Product name: DPD 3 Reagent

Printing date 01.02.2024

Devulation (EU) No. 040/0040 concerning the owner and import of herowdown chemicals ((Contd. of page
• Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (I	PIC)
None of the ingredients is listed.	
 Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of technology: 	of dual-use items and
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 on drug precursors	
None of the ingredients is listed.	
 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the C in drug precursors 	ommunity and third countrie
None of the ingredients is listed.	
· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:	
None of the ingredients is listed.	
· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)	
None of the ingredients is listed.	
· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)	
None of the ingredients is listed.	

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w). Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w).

· Directive 2012/18/EU (SEVESO III):

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints Provide adequate information, instruction and training for operators.

· Relevant phrases

H372 Causes damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

- STOT: specific target organ toxicity
- SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Version number 48 (replaces version 47)

Revision: 01.02.2024

Product name: DPD 3 Reagent

- · Sources Data arise from safety data sheets, reference works and literature.
- ** Data compared to the previous version altered.

(Contd. of page 8)

- GB -