Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2017 Reviewed on 12/05/2017

1 Identification

- · Product identifier
- · Trade name: Total Nitrogen Hydroxide LR / HR
- · Catalogue number: 424446, 00530359, 00530369, 530350, 530360, 4530360, 4530350, in (4)535550/60
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-641

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



GHS05

- · Signal word Warning
- · Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves / eye protection. P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P308+P311 IF exposed or concerned: Call a doctor.
P390 Absorb spillage to prevent material damage.

· Other hazards No further relevant information available.

US-

Printing date 12/05/2017 Reviewed on 12/05/2017

Trade name: Total Nitrogen Hydroxide LR / HR

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures

· Description: aqueous solution

· Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide	Met. Corr.1, H290; Skin Corr. 1A, H314	0.5-1%
Index number: 011-002-00-6			
RTECS: WB4900000			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with plenty of water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment.

- · Most important symptoms and effects, both acute and delayed irritations
- · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

neutralize with diluted sulphuric acid

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 12/05/2017 Reviewed on 12/05/2017

Trade name: Total Nitrogen Hydroxide LR / HR

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- · Advice on safe handling: No special precautions are necessary if used correctly.
- · Hygiene measures:

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from metals.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

	· Components with	limit values that	require monitoring	g at the workplace:
--	-------------------	-------------------	--------------------	---------------------

CAS: 1310-73-2 sodium hydroxide

	Long-term value: 2 mg/m³
REL (USA)	Ceiling limit value: 2 mg/m³
TLV (USA)	Ceiling limit value: 2 mg/m³ Ceiling limit value: 2 mg/m³
EL (Canada)	Ceiling limit value: 2 mg/m³
EV (Canada)	Ceiling limit value: 2 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment:
- · Breathing equipment:

Not required.

Use respiratory protective device against the effects of fumes/dust/aerosol.

- · Recommended filter device for short term use: Filter P2
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level < 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment: No further relevant information available.

Printing date 12/05/2017 Reviewed on 12/05/2017

Trade name: Total Nitrogen Hydroxide LR / HR

(Contd. of page 3)

9 Physical and chemical properties

· Information on basic physical and chemical properties		
Appearance: Form / Physical state: Color:	Fluid Colorless	
· Odor: · Odor threshold:	Odorless Not applicable.	
· pH-value at 20 °C (68 °F):	12,1	
Melting point/freezing point: Initial boiling point and boiling range:	Not determined. Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not self-igniting.	
Danger of explosion: Flammability or explosive limits:	Product does not present an explosion hazard.	
Lower: Upper:	Not applicable. Not applicable.	
· Oxidizing properties:	none	
 Vapor Pressure: Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	Not determined. 1,01 g/cm³ (8.43 lbs/gal) Not determined. Not determined. Not determined.	
· Solubility(ies) Water:	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:	Not determined.	
Solvent content: Organic solvents: Water: Solids content:	0,0 % > 99 % < 1 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- · Possibility of hazardous reactions

Corrosive action on metals.

Reacts with metals forming hydrogen (Danger of explosion!)

Corrodes aluminium and zinc.

Exothermic reaction with acids.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

metals

light metals

zinc

aluminum

NHx

· Hazardous decomposition products: see section 5

Printing date 12/05/2017 Reviewed on 12/05/2017

Trade name: Total Nitrogen Hydroxide LR / HR

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

CAS: 1310-73-2 sodium hydroxide

Oral LDLo 500 mg/kg (rabbit) (IUCLID)

- · Primary irritant effect:
- · on the skin: Causes skin irritation.
- · on the eye: Causes serious eye irritation.
- · Information on components: CAS 1310-73-2: chronic: dermatitis
- · Sensitization: Based on available data, the classification criteria are not met.
- · Information on components:

CAS: 1310-73-2 sodium hydroxide

Sensitization Patch test (human) (negative)

- · Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 1310-73-2 sodium hydroxide

LC50 40.4 mg/l/48h (Ceriodaphnia sp.) (ECHA)

· Bacterial toxicity:

CAS: 1310-73-2 sodium hydroxide

EC50 22 mg/l (Photobacterium phosphoreum) (15 min)

- Persistence and degradability .
- · Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- · Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- · Other adverse effects

Avoid transfer into the environment.

Forms corrosive mixtures with water even if diluted.

Harmful effect due to pH shift.

(Contd. on page 6)

Printing date 12/05/2017 Reviewed on 12/05/2017

Trade name: Total Nitrogen Hydroxide LR / HR

Neutralization possible in waste water treatment plants.

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

r	4 4 7			•	
	1 <i>4</i> I	ranspor	TIN	torma	tion

•	U	N-N	luml	oer
---	---	-----	------	-----

· IMDG, IATA

· DOT, IMDG, IATA

UN1824

· UN proper shipping name

· DOT

Sodium hydroxide solution mixture

SODIUM HYDROXIDE SOLUTION mixture

- · Transport hazard class(es)
- · DOT



· Class 8 Corrosive substances 8

· Label

· IMDG, IATA



· Class 8 Corrosive substances

· Label

· Packing group

· DOT, IMDG, IATA

· Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

· Danger code (Kemler): 80 F-A,S-B · EMS Number: · Segregation groups Alkalis

· Stowage Category SG35 Stow "separated from" acids. · Segregation Code

· Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

· Quantity limitations On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

 Limited quantity (LQ): 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)

Printing date 12/05/2017 Reviewed on 12/05/2017

Trade name: Total Nitrogen Hydroxide LR / HR

(Contd. of page 6)

· IMDG

· Limited quantities (LQ)

· Excepted quantities (EQ)

5L

Code: E1
Maximum net quantity per inner.

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

CAS: 1310-73-2 sodium hydroxide

· New Jersey Special Hazardous Substance List:

CAS: 1310-73-2 sodium hydroxide

CO, R1

· Pennsylvania Right-to-Know List:

CAS: 1310-73-2 sodium hydroxide

· Pennsylvania Special Hazardous Substance List:

CAS: 1310-73-2 sodium hydroxide

Е

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

- Date of preparation / last revision 12/05/2017 / 18
- · Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 12/05/2017 Reviewed on 12/05/2017

Trade name: Total Nitrogen Hydroxide LR / HR

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Data arise from safety data sheets, reference works and literature. IUCLID (International Uniform Chemical Information Database)

ECOTOX Database

· * Data compared to the previous version altered.