Lovibond[®] Water Testing

Tintometer® Group



Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 11/24/2017

1 Identification

· Product identifier

- Trade name: Vario Sodium hydroxide 1.54N
- · Catalogue number: 531530, 4531530, 424448, 531530-0
- · Application of the substance / the mixture: Reagent for water analysis

Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS). • **Hazard pictograms**



· Signal word Danger

- · Hazard-determining components of labeling:
- sodium hydroxide
- · Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection.

- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P390 Absorb spillage to prevent material damage.

· Other hazards No further relevant information available.

US -

Reviewed on 11/24/2017

Printing date 11/24/2017

Reviewed on 11/24/2017

Trade name: Vario Sodium hydroxide 1.54N

(Contd. of page 1)

* 3 Composition/information on ingredients		
 Chemical characterization: Mixtures Description: aqueous solution Composition and Information on Ingredients: Percent ranges are used due to the confidential product information. 		
CAS: 1310-73-2 sodium hydroxide EINECS: 215-185-5 Index number: 011-002-00-6 RTECS: WB4900000	♦ Met. Corr.1, H290; Skin Corr. 1A, H314	5–10%
• Additional information: For the wording of the listed hazard phrases re	fer to section 16.	
4 First-aid measures		
 General information: Immediately remove any clothing soiled by the provesoil of the inhalation: Supply fresh air. Call a doctor immediately. After skin contact: Immediately wash with polyethylene glycol 400. Immediately rinse with plenty of water. Immediate medical treatment necessary. Failure to treat burns can prevere After eye contact: Rinse opened eye for several minutes (at least 15 min) under running wat Call a doctor immediately. After swallowing: Rinse out mouth and then drink 1-2 glasses of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed burns after inhalation: coughing breathing difficulty damage to the affected mucous membranes possible after swallowing: strong caustic effect pain Indication of any immediate medical attention and special treatment If swallowed or in case of vomiting, danger of entering the lungs. Later observation for pneumonia and pulmonary edema. 	ent wounds from healing. ater.	
5 Fire-fighting measures		
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the Special hazards arising from the substance or mixture The product is not combustible. Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: 	environment.	

Wear self-contained respiratory protective device. Wear fully protective suit.

- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Ambient fire may liberate hazardous vapours.

Printing date 11/24/2017

Reviewed on 11/24/2017

Trade name: Vario Sodium hydroxide 1.54N

(Contd. of page 2)

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away. Avoid substance contact.
 - Ensure adequate ventilation
 - Use respiratory protective device against the effects of fumes/dust/aerosol.
- Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:
- Ensure adequate ventilation.
- Use neutralizing agent.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

• Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- · Advice on safe handling: No special precautions are necessary if used correctly.
- · Hygiene measures:
- Do not inhale gases / fumes / aerosols.
- Do not get in eyes, on skin, or on clothing.
- Take off immediately all contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not eat, drink or smoke when using this product.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility:
- Store away from metals.
- Do not store together with acids.
- Further information about storage conditions:
- Protect from heat and direct sunlight.
- Protect from exposure to the light.
- Protect from humidity and water.
- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 1310-73-2 sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Long-term value: 2 mg/m³ Ceiling limit value: 2 mg/m³
TLV (USA)	Ceiling limit value: 2 mg/m³
EL (Canada)	Ceiling limit value: 2 mg/m ³
EV (Canada)	Ceiling limit value: 2 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

• Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/24/2017

Reviewed on 11/24/2017

Trade name: Vario Sodium hydroxide 1.54N

· Recommended filter device fo	r short term use: Filter P2
 Protection of hands: 	
Alkaline resistant gloves	

- Preventive skin protection by use of skin-protecting agents is recommended.
- After use of gloves apply skin-cleaning agents and skin cosmetics.
- · Material of gloves
- Nitrile rubber, NBR
- Recommended thickness of the material: \geq 0.11 mm
- · Penetration time of glove material
- Value for the permeation: Level \leq 1 (10 min)
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Tightly sealed goggles
- · Body protection: Protective work clothing

• Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or any water course.

9 Physical and chemical properti	es	
· Information on basic physical and che		
Appearance:		
Form / Physical state: Color:	Fluid Colorless	
· Odor: · Odor threshold:	Odorless Not applicable.	
· pH-value at 20 °C (68 °F):	~13,5 Strongly alkaline	
 Melting point/freezing point: Initial boiling point and boiling range: 	Not determined. ~100 °C (~212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not applicable.	
· Auto-ignition temperature:	Product is not self-igniting.	
Danger of explosion: Flammability or explosive limits:	Product does not present an explosion hazard.	
Lower: Upper:	Not applicable. Not applicable.	
· Oxidizing properties:	none	
 Vapor Pressure: Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	Not determined. 1,07 g/cm³ (8.93 lbs/gal) Not determined. Not determined. Not determined.	
· Solubility(ies) Water:	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:	Not determined.	
 Solvent content: Organic solvents: Water: Solids content: 	0,0 % > 90 % < 10 %	
· Other information	No further relevant information available.	

(Contd. on page 5)

Printing date 11/24/2017

Reviewed on 11/24/2017

Trade name: Vario Sodium hydroxide 1.54N

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- Possibility of hazardous reactions
- Corrosive action on metals.
- Reacts with metals forming hydrogen (Danger of explosion!)
- Corrodes aluminium and zinc.
- Exothermic reaction with acids.
- \cdot Conditions to avoid No further relevant information available.
- Incompatible materials: metals light metals organic substances
- aluminum
- zinc
- Hazardous decomposition products: see section 5

11 Toxicological information

· Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:	
CAS: 1310-73-2 sodium hydroxide	
Oral LDLo 500 mg/kg (rabbit) (IUCLID)	
· Primary irritant effect: · on the skin: Causes severe skin burns.	
on the eye:	
Causes serious eye damage. Risk of blindness!	
• Sensitization: Based on available data, the classification criteria are not met.	
· Information on components:	
CAS: 1310-73-2 sodium hydroxide	
Sensitization Patch test (human) (negative)	
· Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· NTP (National Toxicology Program)	
None of the ingredients is listed.	

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• Other information: see section 8 / 15

· Synergistic Products: None

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met. • STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

US

Printing date 11/24/2017

Reviewed on 11/24/2017

Trade name: Vario Sodium hydroxide 1.54N

(Contd. of page 5)

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 1310-73-2 sodium hydroxide

LC50 40.4 mg/l/48h (Ceriodaphnia sp.) (ECHA)

· Bacterial toxicity:

CAS: 1310-73-2 sodium hydroxide

EC50 22 mg/l (Photobacterium phosphoreum) (15 min)

Persistence and degradability .

Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- · Bioaccumulative potential No further relevant information available.
- **Mobility in soil** No further relevant information available.

· Other adverse effects

Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

Neutralization possible in waste water treatment plants.

Avoid transfer into the environment.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1824
 UN proper shipping name DOT IMDG, IATA 	Sodium hydroxide solution SODIUM HYDROXIDE SOLUTION
· Transport hazard class(es)	
·DOT	
OORROSIVE 8	
· Class · Label	8 Corrosive substances 8
· IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
	(Contd. on pag US

Printing date 11/24/2017

Reviewed on 11/24/2017

Trade name: Vario Sodium hydroxide 1.54N

	(Contd. of page 6
· Packing group	
· DOT, IMDG, IATA	ll
· Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" acids.
· Transport in bulk according to Annex II of MA	ARPOL73/78
and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L
-	On cargo aircraft only: 30 L
· Limited quantity (LQ):	1L
 Excepted quantities (EQ) 	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
·IMDG	
Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

*15 Regulatory information

 Section 355 (Extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
CAS: 1310-73-2 sodium hydroxide	
· New Jersey Special Hazardous Substance List:	
CAS: 1310-73-2 sodium hydroxide	CO, R1
· Pennsylvania Right-to-Know List:	
CAS: 1310-73-2 sodium hydroxide	
· Pennsylvania Special Hazardous Substance List:	
CAS: 1310-73-2 sodium hydroxide	E

Printing date 11/24/2017

Reviewed on 11/24/2017

Trade name: Vario Sodium hydroxide 1.54N

(Contd. of page 7)

US

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

- H314 Causes severe skin burns and eye damage.
- · Date of preparation / last revision 11/24/2017 / 15

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ACGIH[®] - American Conference of Governmental Industrial Hygienists •A1 - Confirmed human carcinogen A2 - Suspected human carcinogen •A3 - Confirmed animal carcinogen with unknown relevance to humans •A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer •Group 1 - Carcinogenic to humans •Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans Group 4 - Probably not carcinogenic to humans NTP - National Toxicology Program, U.S. Department of Health and Human Services Group K - Known to be Human Carcinogens Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Sources

Data arise from safety data sheets, reference works and literature. IUCLID (International Uniform Chemical Information Database) ECHA: European CHemicals Agency http://echa.europa.eu

** Data compared to the previous version altered.