Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 06/07/2022 Reviewed on 06/07/2022

1 Identification

· Product identifier

· Trade name: Total Chlorine Indicator Solution

· SDS valid from Lot: YE6A0627

· Catalogue number: 540222, 540225, 424475

· Application of the substance / the mixture: Reagent for water analysis

· Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243

USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



GHS05

Signal word Danger

· Hazard-determining components of labeling:

p-toluenesulphonic acid

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection.

P234 Keep only in original container.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a doctor.

P390 Absorb spillage to prevent material damage.

· Other hazards No further relevant information available.

US -

Printing date 06/07/2022 Reviewed on 06/07/2022

Trade name: Total Chlorine Indicator Solution

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: aqueous solution

· Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 6192-52-5 p-toluenesulphonic acid 5–10% EINECS: 203-180-0 | Skin Corrosion 1B, H314; Eye Damage 1, H318; Specific Target Organ Toxicity - Single Exposure 3, H335

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with plenty of water.

Call a doctor immediately.

· After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; immediately call for medical help.

- Most important symptoms and effects, both acute and delayed Irritation and corrosion
- Danger: Risk of serious damage to eyes.
- Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs.

Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Sulphur dioxide (SO₂)

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use respiratory protective device against the effects of fume/dust/aerosol.

- Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.

(Contd. on page 3)

Printing date 06/07/2022 Reviewed on 06/07/2022

Trade name: Total Chlorine Indicator Solution

(Contd. of page 2)

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling
- · Advice on safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Hygiene measures:

Do not inhale gases / fumes / aerosols.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

· Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Keep only in original container.

- Information about storage in one common storage facility: Store away from metals.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- Recommended filter device for short term use: Filter P2
- · Protection of hands:

Acid resistant gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

Body protection: Protective work clothing

(Contd. on page 4)

Printing date 06/07/2022 Reviewed on 06/07/2022

Trade name: Total Chlorine Indicator Solution

(Contd. of page 3)

Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

Form / Physical state:
Color:
Odor:
Odorless
Odor threshold:
Not applicable.

• pH-value at 20°C (68°F): 1.3

Strongly acidic

Melting point/freezing point:
Initial boiling point and boiling range:
Not determined.
Flash point:
Not applicable.

• Flammability (solid, gas): The product is not combustible.

Ignition temperature:
 Decomposition temperature:
 Auto-ignition temperature:
 Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Flammability or explosive limits:

Lower: Not applicable.Upper: Not applicable.

· Oxidizing properties: none

Vapor Pressure:
 Density at 20°C (68°F):
 Poleting density:
 Not determined.
 1 g/cm³ (~8.35 lbs/gal)

Relative density:
 Vapor density:
 Evaporation rate:
 Not determined.
 Not determined.

· Solubility(ies)

· Water: Fully miscible.

Partition coefficient (n-octanol/water): -0.62 log POW (CAS 6192-52-5)

· Viscosity:

· Kinematic: Not determined.

· Other information

· Solids content: 5-10 %

· Solvent content:

· Organic solvents: 0 % · Water: 90-100 %

· Information with regard to physical hazard classes May be corrosive to metals.

· Corrosion Rate of Metal: acc. to "Recommendations on the Transport of Dangerous Goods,

Manual of Tests and Criteria, Fifth revised Edition"

· Corrosion rate (steel) ~29 mm/a (5-10% solution)

*10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- Possibility of hazardous reactions

Corrosive action on metals.

Reacts with acids, alkalis and oxidizing agents.

- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: metals
- · Hazardous decomposition products: see section 5

Printing date 06/07/2022 Reviewed on 06/07/2022

Trade name: Total Chlorine Indicator Solution

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

CAS: 6192-52-5 p-toluenesulphonic acid

Oral LD50 2570 mg/kg (rat) (RTECS)

- · Primary irritant effect:
- · on the skin: Causes severe skin burns.
- on the eye:

Causes serious eye damage.

Risk of blindness!

- · Sensitization: Based on available data, the classification criteria are not met.
- · Information on components:

CAS: 6192-52-5 p-toluenesulphonic acid

Sensitization OECD 406 (guinea pig: negative)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 6192-52-5 p-toluenesulphonic acid

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Other information Other dangerous properties can not be excluded.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 6192-52-5 p-toluenesulphonic acid

EC50 >500 mg/l/96h (Daphnia magna) (anhydrous substance; IUCLID)

(Contd. on page 6)

Printing date 06/07/2022 Reviewed on 06/07/2022

Trade name: Total Chlorine Indicator Solution

(Contd. of page 5)

IC50 245 mg/l/96 h (Chlorella vulgaris) (anhydrous substance; IUCLID) >500 mg/l/96h (bluegill) LC50 (anhydrous substance; IUCLID)

· Persistence and degradability

CAS: 6192-52-5 p-toluenesulphonic acid

OECD 302 B 79 % / 25 d (readily eliminated from water) (Zahn-Wellens / EMPA Test) (anhydrous substance)

Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 6192-52-5 p-toluenesulphonic acid

log Pow -0.62 (.) (calculated)

- Mobility in soil No further relevant information available.
- · Other adverse effects

Harmful effect due to pH shift.

Avoid transfer into the environment.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

٠	UN	-Nu	mber
---	----	-----	------

· DOT, IMDG, IATA UN2586

UN proper shipping name

· DOT Aryl sulfonic acids, liquid

ARYLSULPHONIC ACIDS, LIQUID · IMDG, IATA

- · Transport hazard class(es)
- · DOT



· Class 8 Corrosive substances

· Label

· IMDG, IATA



· Class 8 Corrosive substances

· Label 8

· Packing group

· DOT, IMDG, IATA Ш

· Environmental hazards: Not applicable.

Warning: Corrosive substances · Special precautions for user

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 06/07/2022 Reviewed on 06/07/2022

Trade name: Total Chlorine Indicator Solution

· Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B

Segregation groups Acids
Stowage Category B

Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

· Transport/Additional information:

DOT

• **Quantity limitations** On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

·IMDG

Limited quantities (LQ)Excepted quantities (EQ)5LCode: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS 6192-52-5 is not on the TSCA Inventory listed, because it is a hydrate.

It is listed on the CAS 104-15-4 number for the anhydrous form.

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

Printing date 06/07/2022 Reviewed on 06/07/2022

Trade name: Total Chlorine Indicator Solution

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Date of preparation / last revision 06/07/2022 / 6

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans •Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services •Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Corrosive to Metals 1: Corrosive to metals - Category 1

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B
Eye Damage 1: Serious eye damage/eye irritation – Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Data arise from safety data sheets, reference works and literature.

IUCLID (International Uniform Chemical Information Database)

RTECS (Registry of Toxic Effects of Chemical Substances)

* Data compared to the previous version altered.