Lovibond[®] Water Testing

Tintometer® Group



Reviewed on 08/03/2022

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/03/2022

1 Identification

- · Product identifier
- · Trade name: Tannin Titrant TN2
- · Catalogue number: 56Z019998, 56L019965, 56U019965, 56L019930, 56U019930, 56L0199, 56L019972, 56U019972, SDT052
- · Application of the substance / the mixture: Reagent for water analysis
- Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany
- · Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



H411 Toxic to aquatic life with long lasting effects.

· Label elements

• **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS). • **Hazard pictograms**



· Signal word Warning

Hazard statements

H361 Suspected of damaging fertility or the unborn child.

- H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
- P280 Wear protective gloves/protective clothing/eye protection.
- P273 Avoid release to the environment.
- P201 Obtain special instructions before use.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P391 Collect spillage.
- P405 Store locked up.

· Other hazards No further relevant information available.

(Contd. on page 2)

ບຣ

Printing date 08/03/2022

Trade name: Tannin Titrant TN2

Reviewed on 08/03/2022

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- · Description: aqueous solution
- · Composition and Information on Ingredients:
- Percent ranges are used due to the confidential product information.

EINECS: 231-760-3 Index number: 025-002-00-9	potassium permanganate Oxidizing Solids 2, H272; Toxic to Reproduction 2, H361; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Skin Corrosion 1C, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Acute Toxicity - Oral 4, H302			
Additional information: For the wording of the listed hazard phrases refer to section 16.				

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air.
- Get medical advice/attention.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- Seek medical treatment.
- After eye contact: Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink 1-2 glasses of water.
- Seek medical treatment.

Most important symptoms and effects, both acute and delayed irritating effect possible

after swallowing of large amounts:

sickness

vomiting

- gastric or intestinal disorders
- · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- The product is not combustible.
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- $^{\cdot}$ Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:
- Wear protective equipment. Keep unprotected persons away.
- Avoid substance contact. Ensure adequate ventilation
- Advice for emergency responders: Protective equipment: see section 8

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Printing date 08/03/2022

Reviewed on 08/03/2022

Trade name: Tannin Titrant TN2

(Contd. of page 2)
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
• Methods and material for containment and cleaning up:
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose contaminated material as waste according to item 13.
• Reference to other sections
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
* 7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: No special precautions are necessary if used correctly.
- · Hygiene measures:
- Do not get in eyes, on skin, or on clothing.
- Take off immediately all contaminated clothing.
- Store protective clothing separately.
- Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

• Further information about storage conditions:

Store locked up or with access restricted to technical experts or their assistants.

Ensure that persons do not handle until all safety precautions have been read and understood.

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

• Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7722-6	4-7 potassium permanganate
PEL (USA)	Ceiling limit value: 5 mg/m³ as Mn
REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as Mn
	Long-term value: 0.02* 0.1** mg/m³ as Mn; A4, *respirable **inhalable fraction
EL (Canada)	Long-term value: 0.2; 0.02* mg/m³ as Mn; R, *respirable

• Additional information: The lists that were valid during the creation were used as basis.

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.

• Recommended filter device for short term use: Filter P2

· Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics.

Printing date 08/03/2022

Reviewed on 08/03/2022

Trade name: Tannin Titrant TN2

(Contd. of page 3) · Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm · Penetration time of glove material Value for the permeation: Level \leq 1 (10 min) The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses use against the effects of fumes / dust Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH). · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or any water course. **9** Physical and chemical properties · Information on basic physical and chemical properties · Appearance: Form / Physical state: Solution · Color: Violet · Odor: Odorless · Odor threshold: Not applicable. · pH-value: Slightly alkaline • Melting point/freezing point: 0°C (32°F) · Initial boiling point and boiling range: 100°C (212°F) (CAS: 7732-18-5 water) · Flash point: Not applicable. · Flammability (solid, gas): The product is not combustible. Ignition temperature: Not applicable. · Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. · Flammability or explosive limits: · Lower: Not applicable. Not applicable. Upper: · Oxidizing properties: none Vapor Pressure: Not determined. · Density at 20°C (68°F): 1 g/cm3 (8.35 lbs/gal) Relative density: Not determined. · Vapor density: Not determined. · Evaporation rate: Not determined. Solubility(ies) · Water: Fully miscible. · Partition coefficient (n-octanol/water): Not applicable (mixture). · Viscosity: · Kinematic: Not determined. · Other information · Solids content: < 1 % · Solvent content: 0 % · Organic solvents: · Water: > 95 %

10 Stability and reactivity

· Reactivity see section "Possibility of hazardous reactions"

· Chemical stability

Stable at ambient temperature (room temperature). sensitivity to light

· Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

· Conditions to avoid No further relevant information available.

Printing date 08/03/2022

Trade name: Tannin Titrant TN2

- \cdot Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: see section 5

11 Toxicological information

· Information on toxicological effects

 \cdot Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:				
		7 potassium permanganate		
Oral		750 mg/kg (rat) (RTECS)		
	LDLo	100 mg/kg (human) (IUCLID)		
Dermal	LD50.	50. >2000 mg/kg (rat) (OECD 402) (ECHA; no death of animals at this concentration, limit test)		
· Primary				
· on the s	skin: Ba	ased on available data, the classification criteria are not met. sed on available data, the classification criteria are not met.		
	-	ocomponents:		
CAS: 77	722-64-	7 potassium permanganate		
Irritation	ı of skin	OECD 404 (rabbit: burns) (Merck / Burns after prolonged exposure.)		
· Sensitiz	zation:	Based on available data, the classification criteria are not met.		
		i components:		
		7 potassium permanganate		
Sensitiz	ation C	ECD 406 (guinea pig: negative)		
	-	categories		
-		ional Agency for Research on Cancer)		
None of	the ing	redients is listed.		
· NTP (Na	ational	Toxicology Program)		
None of	the ing	redients is listed.		
	-	upational Safety & Health Administration)		
	•	redients is listed.		
· Other in	nformat	ion: see section 8 / 15		
· Synergi	istic Pr	oducts: None		
The follo	owing st	arcinogenity, mutagenicity and toxicity for reproduction): atements refer to the mixture: luction 2		
· Carcino	ogenicit	agenicity Based on available data, the classification criteria are not met. In Based on available data, the classification criteria are not met. In coxicity Suspected of damaging fertility or the unborn child.		
		: target organ toxicity) -single exposure Based on available data, the classification criteria are not met. : target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.		
· Aspirat	ion haz	ard Based on available data, the classification criteria are not met.		
OECD 4 OECD 4	14: Ter 173: Mu	a components: atogenicity testing tagenicity testing I, 476, 487: Germ cell mutagenicity testing		
		7 potassium permanganate		
OECD 4	171 (ne	egative) (Bacterial Reverse Mutation Test - Ames test) cherichia col i/ Salmonella typhimurium)		
		(Contd. on page 6		

(Contd. of page 4)

Reviewed on 08/03/2022

-US-

Printing date 08/03/2022

Reviewed on 08/03/2022

Trade name: Tannin Titrant TN2

	(Contd. of page 5)
OECD 476	(negative) (In Vitro Mammalian Cell Gene Mutation Test)
OECD 474	(negative) (Mammalian Erythrocyte Micronucleus Test)
	(Merck: rat, male and female, oral, bone marrow)

12 Ecological information

· Toxicity

Aquatic toxicity:

-	•	
CAS: 772	22-64-7 potassium permanganate	
	056 mg/l/48h (Daphnia magna)	
· ·	ECOTOX)	
	41 mg/l/72h (Algeal toxicity)	
(E	ECOTOX)	
LC50 0.1	1 mg/l/96h (fish)	
(Ic	ctalurus catus / ECOTOX)	
· Other inf	formation:	
The follo	wing applies to manganese ions: toxic to water organisms.	
In flowing	g waters, depending on the mixture, moderate to high toxic effect.	
Persiste	nce and degradability	
· Other information:		
Mixture of inorganic compounds.		
Methods for the determination of biodegradability are not applicable to inorganic substances.		
· Bioaccumulative potential		
Pow = n-octanol/wasser partition coefficient		
log Pow < 1 = Does not accumulate in organisms.		
CAS: 772	22-64-7 potassium permanganate	
log Pow	-1.73 (.) (calculated)	
(Merck)		
Mobility	in soil No further relevant information available.	

• Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
DOT	none
· IMDG, IATA	UN3082
UN proper shipping name	
DOT	none
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (POTASSIUM PERMANGANATE), MARINE POLLUTAN
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (POTASSIUM PERMANGANATE)

Printing date 08/03/2022

Trade name: Tannin Titrant TN2

Reviewed on 08/03/2022

	(Contd. of page 6
· Transport hazard class(es)	
DOT	
· Class	none
· IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· Packing group	
DOT	none
· IMDG, IATA	III
· Environmental hazards:	Product contains environmentally hazardous substances:
Manina nallutanti	potassium permanganate
· Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
· Segregation groups · Stowage Category	(SGG14) Permanganates
	A
 Transport in bulk according to Annex II of MARPOI and the IBC Code 	Not applicable.
· Transport/Additional information:	
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara · Section 355 (Extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): CAS: 7722-64-7 potassium permanganate • TSCA (Toxic Substances Control Act): All components have the value ACTIVE. · Hazardous Air Pollutants CAS: 7722-64-7 potassium permanganate · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. (Contd. on page 8)

Reviewed on 08/03/2022

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 08/03/2022

Trade name: Tannin Titrant TN2

	(Contd. of page 7)
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
CAS: 7722-64-7 potassium permanganate	
· New Jersey Special Hazardous Substance List:	
None of the ingredients is listed.	
· Pennsylvania Right-to-Know List:	
CAS: 7722-64-7 potassium permanganate	
· Pennsylvania Special Hazardous Substance List:	
CAS: 7722-64-7 potassium permanganate	E
· EPA (Environmental Protection Agency)	
CAS: 7722-64-7 potassium permanganate	D
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Information about limitation of use: Observe national regulations where applicable:

Employment restrictions concerning pregnant and lactating women must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Recommended restriction of use: professional/industrial use only

· Date of preparation / last revision 08/03/2022 / 7

Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo) OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ACGIH[®] - American Conference of Governmental Industrial Hygienists •A1 - Confirmed human carcinogen •A2 - Suspected human carcinogen •A3 - Confirmed animal carcinogen with unknown relevance to humans •A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer •Group 1 - Carcinogenic to humans •Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans •Group 4 - Probably not carcinogenic to humans •Group K - Known to be Human Carcinogens
 •Group K - Known to be Human Carcinogens
 •Group K - Reasonably Anticipated to be Human Carcinogens
 IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

Printing date 08/03/2022

Reviewed on 08/03/2022

Trade name: Tannin Titrant TN2

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Oxidizing Solids 2: Oxidizing solids – Category 2 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Corrosion 1C: Skin corrosion/Irritation – Category 1C Toxic to Reproduction 2: Reproductive toxicity – Category 2 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • **Sources** Data arise from safety data sheets, reference works and literature. IUCLID (International Uniform Chemical Information Database)

RTECS (Registry of Toxic Effects of Chemical Substances) ECOTOX Database

ECHA: European CHemicals Agency http://echa.europa.eu

** Data compared to the previous version altered.

(Contd. of page 8)

US -