Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 12/06/2018 Reviewed on 12/06/2018

1 Identification

· **Product identifier**

· **Trade name: KS272 - Acetic Acid 20%**

· **Catalogue number:** 56Z027298, 56L027265, 56U027265, 56L027230, 56L027272, 56L027297, 56L027298

· **Application of the substance / the mixture:** Reagent for water analysis

· **Manufacturer/Supplier:**
Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
USA
phone: (941) 756-6410
fax: (941) 727-9654
www.lovibond.us
Made in Germany

· **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

· **Classification of the substance or mixture**

GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.

· **Label elements**
· **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
· **Hazard pictograms**

GHS07

· **Signal word** Warning
· **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
· **Precautionary statements**
P280 Wear protective gloves / eye protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.

· **Other hazards** No further relevant information available.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** aqueous solution

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 12/06/2018 Reviewed on 12/06/2018

Trade name: KS272 - Acetic Acid 20%

(Contd. of page 1)

· **Composition and Information on Ingredients:**
Percent ranges are used due to the confidential product information.

CAS: 64-19-7 EINECS: 200-580-7 Index number: 607-002-00-6 RTECS: AF 1225000	acetic acid	Flam. Liq. 3, H226; Skin Corr. 1A, H314	10–20%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**
· **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:**
Immediately rinse with plenty of water.
If skin irritation continues, consult a doctor.
· **After eye contact:** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
· **After swallowing:**
Rinse out mouth and then drink 1-2 glasses of water.
Seek immediate medical advice.
· **Most important symptoms and effects, both acute and delayed** coughing
· **Danger:** Danger of pneumonia.
· **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
· **Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
acetic acid vapours
Carbon monoxide (CO) and carbon dioxide (CO_2)
· **Advice for firefighters**
· **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
· **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
· **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
· **Advice for emergency responders:** Protective equipment: see section 8
· **Environmental precautions:** Do not allow product to reach sewage system or any water course.
· **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose contaminated material as waste according to item 13.
· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 12/06/2018 Reviewed on 12/06/2018

Trade name: KS272 - Acetic Acid 20%

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**
· **Advice on safe handling:**
Open and handle receptacle with care.
Prevent formation of aerosols.
· **Hygiene measures:**
Avoid contact with the skin.
Avoid contact with the eyes.
Take off immediately all contaminated clothing.
Wash hands before breaks and at the end of work.
Do not eat, drink or smoke when using this product.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** Store in a cool location.
· **Information about storage in one common storage facility:** Store away from metals.
· **Further information about storage conditions:**
Protect from heat and direct sunlight.
Protect from exposure to the light.
Protect from humidity and water.
· **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)
· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
CAS: 64-19-7 acetic acid	
PEL (USA)	Long-term value: 25 mg/m³, 10 ppm
REL (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
TLV (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
EL (Canada)	Short-term value: 15 ppm Long-term value: 10 ppm
EV (Canada)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.

· **Personal protective equipment:**
· **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.
· **Recommended filter device for short term use:** Filter B
· **Protection of hands:**
Protective gloves
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
· **Material of gloves**
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
· **Penetration time of glove material**
Value for the permeation: Level ≤ 1 (10 min)
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:** Safety glasses
· **Body protection:** Protective work clothing

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 12/06/2018 Reviewed on 12/06/2018

Trade name: KS272 - Acetic Acid 20%

(Contd. of page 3)

· **Limitation and supervision of exposure into the environment:**
Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**	
· **Appearance:**	
Form / Physical state:	Fluid
Color:	Colorless
· **Odor:**	Characteristic
· **Odor threshold:**	Not determined.
· **pH-value at 20°C (68°F):**	3
· **Melting point/freezing point:**	Not applicable.
· **Initial boiling point and boiling range:**	100°C (212°F)
· **Flash point:**	Not applicable.
· **Flammability (solid, gas):**	Not applicable.
· **Ignition temperature:**	463°C (865.4°F) Not applicable.
· **Decomposition temperature:**	Not determined.
· **Auto-ignition temperature:**	Product is not self-igniting.
· **Danger of explosion:**	Product does not present an explosion hazard.
· **Flammability or explosive limits:**	
Lower:	4.0 Vol % Not applicable.
Upper:	17.0 Vol % Not applicable.
· **Oxidizing properties:**	none
· **Vapor Pressure:**	Not determined.
· **Density at 20°C (68°F):**	1.01 g/cm³ (8.43 lbs/gal)
· **Relative density:**	Not determined.
· **Vapor density:**	Not determined.
· **Evaporation rate:**	Not determined.
· **Solubility(ies)**	
Water:	Fully miscible.
· **Partition coefficient (n-octanol/water):**	Not determined.
· **Viscosity:**	Not determined.
· **Dynamic:**	Not determined.
· **Kinematic:**	Not determined.
· **Solvent content:**	
Organic solvents:	20.0 %
Water:	80.0 %
· **Other information**	No further relevant information available.

10 Stability and reactivity

· **Reactivity** see section "Possibility of hazardous reactions"
· **Chemical stability** Stable at ambient temperature (room temperature).
· **Possibility of hazardous reactions** Reacts with metals forming hydrogen (Danger of explosion!)
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** metals
· **Hazardous decomposition products:**
hydrogen

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 12/06/2018 Reviewed on 12/06/2018

Trade name: KS272 - Acetic Acid 20%

(Contd. of page 4)

see section 5

* 11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**		
CAS: 64-19-7 acetic acid		
Oral	LD50.	3310 mg/kg (rat) (RTECS)
Dermal	LD50.	1130 mg/kg (rabbit) (GESTIS)
Inhalative	LC50.	39.95 mg/l/4h (rat) (RTECS)

· **Primary irritant effect:**
· **on the skin:**
Irritant to skin and mucous membranes.
Causes skin irritation.
· **on the eye:** Causes serious eye irritation.

· **Sensitization:** No sensitizing effects known.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**
None of the ingredients is listed.

· **NTP (National Toxicology Program)**
None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

· **Other information:** see section 8 / 15

· **Synergistic Products:** None

· **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Information on components:**
CAS 64-19-7: Did not show teratogenic effects in animal experients (IUCLID).

CAS: 64-19-7 acetic acid	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test) (Salmonella typhimurium)
OECD 473	(negative) (Mammalian Chrimosomal Aberration Test)

· **Additional toxicological information:**
· **Experience with humans:** CAS 64-19-7: Can cause kidney damages.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**	
CAS: 64-19-7 acetic acid	
EC50	47 mg/l/24h (Daphnia magna)
LC50	75 mg/l/96h (bluegill)

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 12/06/2018 Reviewed on 12/06/2018

Trade name: KS272 - Acetic Acid 20%

(Contd. of page 5)

	>300.8 mg/l/96h (rainbow trout) (OECD 203) (Registrant, ECHA: based on the effect of the acetate ion)

· **Persistence and degradability**

.

CAS: 64-19-7 acetic acid	
OECD 301 D	99 % / 30 d (readily biodegradable) (Closed Bottle Test)
OECD 302 B	95 % / 5 d (readily eliminated from water) (Zahn-Wellens / EMPA Test)

· **Other information:** Quantitative data on the ecological effect of this mixture are not available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Other adverse effects**
Harmful effect due to pH shift.
Avoid transfer into the environment.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to hazardous waste disposers.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

* 14 Transport information

· **UN-Number**	
· **DOT, IMDG, IATA**	UN2790
· **UN proper shipping name**	
· **DOT**	Acetic acid solution
· **IMDG, IATA**	ACETIC ACID SOLUTION
· **Transport hazard class(es)**	
· **DOT**	
· **Class**	8 Corrosive substances
· **Label**	8
· **IMDG, IATA**	
· **Class**	8 Corrosive substances
· **Label**	8
· **Packing group**	
· **DOT, IMDG, IATA**	III
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Special precautions for user**	Warning: Corrosive substances
· **Danger code (Kemler):**	80
· **EMS Number:**	F-A,S-B
· **Segregation groups**	Acids

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 12/06/2018 Reviewed on 12/06/2018

Trade name: KS272 - Acetic Acid 20%

(Contd. of page 6)

· **Stowage Category**	A
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **Transport/Additional information:**	
· **DOT**	
· **Quantity limitations**	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· **IMDG**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (Extremely hazardous substances):**
None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**
None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**
All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**
None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

CAS: 64-19-7	acetic acid

· **New Jersey Special Hazardous Substance List:**

CAS: 64-19-7	acetic acid	CO, F2

· **Pennsylvania Right-to-Know List:**

CAS: 64-19-7	acetic acid

· **Pennsylvania Special Hazardous Substance List:**

CAS: 64-19-7	acetic acid	E

· **EPA (Environmental Protection Agency)**
None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**
None of the ingredients is listed.

· **Information about limitation of use:** Employment restrictions concerning young persons must be observed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 12/06/2018 Reviewed on 12/06/2018

Trade name: KS272 - Acetic Acid 20%

(Contd. of page 7)

· **Relevant phrases**
H226 Flammable liquid and vapor.
H314 Causes severe skin burns and eye damage.
· **Date of preparation / last revision** 12/06/2018 / 3

· **Abbreviations and acronyms:**
EC50: effective concentration, 50 percent (in vivo)
OECD: Organisation for Economic Co-operation and Development
STOT: specific target organ toxicity
SE: single exposure
RE: repeated exposure
EC50: half maximal effective concentration
IC50: hallf maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration
ACGIH® - American Conference of Governmental Industrial Hygienists
•A1 - Confirmed human carcinogen
•A2 - Suspected human carcinogen
•A3 - Confirmed animal carcinogen with unknown relevance to humans
•A4 - Not classifiable as a human carcinogen
•A5 - Not suspected as a human carcinogen
IARC - International Agency for Research on Cancer
•Group 1 - Carcinogenic to humans
•Group 2A - Probably carcinogenic to humans
•Group 2B - Possibly carcinogenic to humans
•Group 3 - Not classifiable as to carcinogenicity to humans
•Group 4 - Probably not carcinogenic to humans
NTP - National Toxicology Program, U.S. Department of Health and Human Services
•Group K - Known to be Human Carcinogens
•Group R - Reasonably Anticipated to be Human Carcinogens
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 3: Flammable liquids – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

· **Sources** Data arise from safety data sheets, reference works and literature.

· *** Data compared to the previous version altered.**