# Tintometer<sup>®</sup> Group **Water Testing**



Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2023 Version number 3 (replaces version 2) Revision: 15.11.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Product name: KS493 0.04N Silver Nitrate N/25
- · Catalog number: 56Z049398, 56L049397, 56U049397, AS-K26115-KW, AS-K28651-KW, 56L049398, 56U049398, TF-K26118
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

phone: +44 1980 664800 e-mail: SDS@lovibond.uk

Informing department: e-mail: sds@lovibond.com **Product Safety Department** 

1.4 Emergency telephone number:

+44 1235 239670 Languages: English

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1

H290 May be corrosive to metals.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS05 GHS09

· Signal word Warning

Printing date 15.11.2023 Version number 3 (replaces version 2) Revision: 15.11.2023

Product name: KS493 - 0.04N Silver Nitrate N/25

(Contd. of page 1)

· Hazard statements

H290 May be corrosive to metals.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P273 Avoid release to the environment.

P234 Keep only in original packaging.

P390 Absorb spillage to prevent material damage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards No further relevant information available.
- · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: aqueous solution

	Dana	orous	comp	ononte
•	Dania	erous	COIIID	onents:

CAS: 7761-88-8 silver nitrate 0.25-<1% Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=100); Acute Tox. 4, H302 Reg.nr.: 01-2119513705-43-XXXX

Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eve for several minutes under running water (at least 15 min), If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed:

after absorption:

gastric or intestinal trouble

cardiovascular disorders

· 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

nitrous gases

- · 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Printing date 15.11.2023 Version number 3 (replaces version 2) Revision: 15.11.2023

Product name: KS493 - 0.04N Silver Nitrate N/25

Ambient fire may liberate hazardous vapours.

(Contd. of page 2)

#### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· Advice for emergency responders: Protective equipment: see section 8

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

Dilute with much water.

#### 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling
- · Advice on safe handling: No special precautions necessary if used correctly.
- · Hygiene measures:

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and containers:

Store in cool location.

Store only in the original container.

Information about storage in one common storage facility:

Store away from metals.

see chapter 10

Further information about storage conditions:

Protect from heat and direct sunlight.

Store in the dark.

Protect from the effects of light.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

## Components with limit values that require monitoring at the workplace:

#### CAS: 7761-88-8 silver nitrate

WEL (Great Britain) Long-term value: 0.01 mg/m³

as Ag

IOELV (European Union) Long-term value: 0.01 mg/m³

as Ag

### Regulatory information

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

· DNELs

Derived No Effect Level (DNEL)

(Contd. on page 4)

Printing date 15.11.2023 Version number 3 (replaces version 2) Revision: 15.11.2023

Product name: KS493 - 0.04N Silver Nitrate N/25

(Contd. of page 3)

#### CAS: 7761-88-8 silver nitrate

Inhalative DNEL 0.016 mg/m³ (Worker / long-term /systemic effects)

## Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls

#### · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

### · Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

## · Eye/face protection

Safety glasses

use against the effects of fumes / dust

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

#### · Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

### Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

#### Penetration time of glove material

Value for the permeation: Level = 1 ( < 10 min )

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter ABEK

## · Environmental exposure controls

Avoid release to the environment.

Do not allow product to reach sewage system or water bodies.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties
 Physical state

Fluid

Form:
Colour:
Colour:
Odour:
Odourless
Odour threshold:
Not applicable.

· Melting point/Freezing point: 0°C

• Boiling point or initial boiling point and boiling range 100°C (CAS: 7732-18-5 water)
• Flammability The product is not combustible.
• Explosive properties: Product is not explosive.

Explosive properties:

Lower and upper explosion limit

Lower: Not applicable.
Upper: Not applicable.
Flash point: Not applicable.
Auto-ignition temperature: Not applicable.
Decomposition temperature: Not determined.

pH at 20°C ~6

Kinematic viscosity Not determined.

Solubility

• Water: Fully miscible

Partition coefficient n-octanol/water (log value) Not applicable (mixture).

· Vapour pressure at 20°C: 23 hPa

Density and/or relative density

Density at 20°C: 1.02 g/cm³
Relative density: Not determined.

(Contd. on page 5)

(Contd. of page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2023 Version number 3 (replaces version 2) Revision: 15.11.2023

Product name: KS493 - 0.04N Silver Nitrate N/25

Relative gas densityParticle characteristicsNot determined.Not applicable (liquid).

· 9.2 Other information

· Information with regard to physical hazard classes

• Corrosive to metals May be corrosive to metals.

Other safety characteristics

· Oxidising properties: none · Additional information · Solids content: < 1 %

· Solvent content: · Water: > 99 %

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions

Corrosive action on metals

Violent reactions possible with:

The generally known reaction partners of water.

- · 10.4 Conditions to avoid Exposure to light
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: see section 5

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

CAS: 7761-88-8 silver nitrate

Oral LD50 1173 mg/kg (rat) (RTECS)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### · Additional toxicological information:

#### CAS: 7761-88-8 silver nitrate

. (source: GESTIS)
Main toxic effects:

Acute: Irritant to caustic effect on mucous membranes and skin.

After ingestion of high doses: gastrointestinal complaints, disorders of the cardiovascular system and disorders of the central nervous system.

chronic: silver deposits in the tissues (argyria)

Further information:

Depending on the concentration, dust and solutions have an irritating to highly caustic effect on mucous membranes and skin. 5-50% solutions caused severe eye damage, in some cases permanent corneal opacity.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)

Printing date 15.11.2023 Version number 3 (replaces version 2) Revision: 15.11.2023

Product name: KS493 - 0.04N Silver Nitrate N/25

(Contd. of page 5)

#### Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquatic toxicity: CAS: 7761-88-8 silver nitrate				
EC10	0.0021 mg/l (Daphnia magna) (21) (Registrant, ECHA)			
NOEC	0.00037 mg/l (fathhead minnow) (OECD 210) (Merck)			
LC50	0.0012 mg/l/96h (fathhead minnow) (US-EPA) (Merck, Ag-lon)			

- 12.2 Persistence and degradability
- · Other information:

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

## · European waste catalogue

16 05 07\* discarded inorganic chemicals consisting of or containing hazardous substances

- **Uncleaned packagings:**
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

1361	1/1	ransr	nort	ınt	ormat	IOD
						41416

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1760
· 14.2 UN proper shipping name · ADR	1760 CORROSIVE LIQUID, N.O.S. (SILVER NITRATE), ENVIRONMENTALLY HAZARDOUS
· IMDG · IATA	CORROSIVE LIQUID, N.O.S. (SILVER NITRATE), MARINE POLLUTANT CORROSIVE LIQUID, N.O.S. (SILVER NITRATE)

(Contd. on page 7)

Printing date 15.11.2023 Version number 3 (replaces version 2) Revision: 15.11.2023

Product name: KS493 - 0.04N Silver Nitrate N/25

(Contd. of page 6)

· 14.3 Transport hazard class(es)

· ADR





· Class 8 (C9) Corrosive substances.

· Label 8

· IMDG





· Class 8 Corrosive substances.

· Label

· IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards:

Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Corrosive substances.

Kemler Number: 80 EMS Number: F-A,S-B

· **Segregation groups** (SGG7) Heavy metals and their salts (including their organometallic

compounds)

· Stowage Category A

• Stowage Code SW2 Clear of living quarters.

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 5L · Excepted quantities (EQ) Code

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category 3
· Tunnel restriction code E

· IMDG

Limited quantities (LQ)Excepted quantities (EQ)5LCode: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

GB —

Printing date 15.11.2023 Version number 3 (replaces version 2) Revision: 15.11.2023

Product name: KS493 - 0.04N Silver Nitrate N/25

(Contd. of page 7)

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act UK
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- · Substances of very high concern (SVHC) according to REACH, Article 57
- This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
- Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · Directive 2012/18/EU (SEVESO III):
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Information about limitation of use: Not required.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- · Training hints Provide adequate information, instruction and training for operators.
- Relevant phrases

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

Printing date 15.11.2023 Version number 3 (replaces version 2) Revision: 15.11.2023

Product name: KS493 - 0.04N Silver Nitrate N/25

(Contd. of page 8)

H410 Very toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Ox. Sol. 2: Oxidizing solids – Category 2 Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

GESTIS- Stoffdatenbank (Substance Database, Germany)

GisChem (Hazardous Substance Information System Chemicals of BG RCI and BGHM)

\* Data compared to the previous version altered.