# Lovibond<sup>®</sup> Water Testing

# **Tintometer® Group**



# Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 06/20/2022

#### **1** Identification

- · Product identifier
- Trade name: Reference Standard AOCS 0.4R 2.0Y
- · Catalogue number: 56Z067998, 56L0679, 134240
- · Application of the substance / the mixture: Coloured Standard Solution for calibration purposes
- Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany
- · Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

#### 2 Hazard(s) identification

- · Classification of the substance or mixture
  - GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H290 May be corrosive to metals.
- · Precautionary statements
- P234 Keep only in original container. P390 Absorb spillage to prevent material damage.
- · Other hazards No further relevant information available.

### **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- · **Description:** aqueous solution
- · Composition and Information on Ingredients:
- Percent ranges are used due to the confidential product information.

The percent content of the cobalt compound mentioned below refers to the amount of the pure cobalt therein.

(Contd. on page 2)

Reviewed on 06/20/2022

Printing date 06/20/2022

Reviewed on 06/20/2022

#### Trade name: Reference Standard AOCS 0.4R 2.0Y

		(Contd. of page 1)	
CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-01-X RTECS: MW 9620000	hydrochloric acid Corrosive to Metals 1, H290; Skin Corrosion 1B, H314;	0.1–<1%	
CAS: 7791-13-1 EINECS: 231-589-4 Index number: 027-004-00-5 RTECS: GG0200000	cobalt dichloride hexahydrate Sensitization - Respiratory 1, H334; Germ Cell Mutagenicity 2, H341; Carcinogenicity 1B, H350; Toxic to Reproduction 1B, H360; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Acute Toxicity - Oral 4, H302; Sensitization - Skin 1, H317	0.001-<0.01%	
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

#### 4 First-aid measures

#### · Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor.
- After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

- If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed slight irritations possible
- · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

- Hydrogen chloride (HCI)
- Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Ambient fire may liberate hazardous vapours.

### 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures
 Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
 Advice for emergency responders: Protective equipment: see section 8
 Environmental precautions: Do not allow product to reach sewage system or any water course. Dilute with plenty of water.
 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, universal binders). Dispose contaminated material as waste according to item 13.
 Reference to other sections

See Section 8 for information on personal protection equipment.

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 06/20/2022

Reviewed on 06/20/2022

#### Trade name: Reference Standard AOCS 0.4R 2.0Y

See Section 13 for disposal information.

#### 7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Hygiene measures:
- Take off immediately all contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not eat, drink or smoke when using this product.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:
- Store in a cool location.
- Keep only in original container.
- · Information about storage in one common storage facility: Store away from metals.
- · Further information about storage conditions:
- Protect from heat and direct sunlight.
- Protect from exposure to the light.
- Protect from humidity and water.
- Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- · Recommended filter device for short term use: Filter P1
- · Protection of hands:
- Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves
- Nitrile rubber, NBR
- Recommended thickness of the material:  $\geq 0.11$  mm
- · Penetration time of glove material
- Value for the permeation: Level  $\leq$  1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

use against the effects of fumes / dust

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

(Contd. on page 4)

US

Printing date 06/20/2022

Reviewed on 06/20/2022

#### Trade name: Reference Standard AOCS 0.4R 2.0Y

(Contd. of page 3)

9 Physical and chemical properties					
· Information on basic physical and chemical	properties				
· Appearance:	properties				
· Form / Physical state:	Fluid				
· Color:	Light yellow				
· Odor:	Odorless				
· Odor threshold:	Not applicable.				
· pH-value:	Acidic				
· Melting point/freezing point:	0°C (32°F)				
· Initial boiling point and boiling range:	100°C (212°F) (CAS: 7732-18-5 water)				
· Flash point:	Not applicable.				
· Flammability (solid, gas):	Not applicable.				
· Ignition temperature:	Not applicable.				
Decomposition temperature:	Not determined.				
Auto-ignition temperature:	Product is not self-igniting.				
• Danger of explosion:	Product does not present an explosion hazard.				
Flammability or explosive limits:	······································				
Lower:	Not applicable.				
· Upper:	Not applicable.				
Oxidizing properties:	none				
· Vapor Pressure at 20°C (68°F):	23 hPa (17.3 mm Hg) (CAS: 7732-18-5 water)				
Density at 20°C (68°F):	~1 g/cm <sup>3</sup> (~8.35 lbs/gal)				
· Relative density:	Not determined.				
· Vapor density:	Not determined.				
Evaporation rate:	Not determined.				
Solubility(ies)					
Water:	Fully miscible.				
<ul> <li>Partition coefficient (n-octanol/water):</li> </ul>	Not applicable (mixture).				
Viscosity:	Not determined.				
Kinematic:	Not determined.				
· Other information					
· Solids content:	< 0.1 %				
· Solvent content:					
· Organic solvents:	0 %				
· Water:	> 99.0 %				
· Information with regard to physical hazard c	· Information with regard to physical hazard classes May be corrosive to metals.				

### 10 Stability and reactivity

· Reactivity see section "Possibility of hazardous reactions"

- · Chemical stability Stable at ambient temperature (room temperature).
- Possibility of hazardous reactions
- Corrosive action on metals.
- Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!) Violent reactions possible with:
- The generally known reaction partners of water.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: metals
- · Hazardous decomposition products: see section 5

#### 11 Toxicological information

#### · Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

#### CAS: 7647-01-0 hydrochloric acid

#### Inhalative LC50 3124 ppm / 1h (rat) (RTECS,V, pure)

(Contd. on page 5)

US -

Printing date 06/20/2022

Reviewed on 06/20/2022

#### Trade name: Reference Standard AOCS 0.4R 2.0Y

	(Contd. of page 4
CAS: 7791-13-1 cobalt dichloride hexahydrate	
Oral LD50 766 mg/kg (rat) (RTECS)	
Dermal LD50. >2000 mg/kg (rat) (RTECS CAS 1308-06-1 tricobalt tetraoxide)	
· Primary irritant effect:	
<ul> <li>• on the skin: Based on available data, the classification criteria are not met.</li> <li>• on the eye: Based on available data, the classification criteria are not met.</li> </ul>	
· Information on components:	
CAS: 7647-01-0 hydrochloric acid	
Irritation of skin OECD 404 (rabbit: burns)	
Irritation of eyes OECD 405 (rabbit: burns)	
· Sensitization: Based on available data, the classification criteria are not met.	
· Information on components:	
CAS: 7647-01-0 hydrochloric acid	
Sensitization OECD 406 (negative) (EPA OPP 81-6: Guinea pig maximisation test)	
· Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
CAS: 7647-01-0 hydrochloric acid	3
CAS: 7791-13-1 cobalt dichloride hexahydrate	2B
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Other information: see section 8 / 15	
· Synergistic Products: None	
· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the	- mixturo:

clink energy (carcinogenity, indiagenicity and toxicity for reproduction). The following statements refer to

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.

STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

#### **12 Ecological information**

#### · Toxicity

· Aquat	· Aquatic toxicity:		
CAS:	7647-01-0 hydrochloric acid		
EC50	20.5 mg/l/96h (bluegill) (OECD 203) (Merck)		
CAS:	7791-13-1 cobalt dichloride hexahydrate		
EC50	1.1–1.6 mg/l/48h (Daphnia magna)		
EC50	0.5 mg/l/96h (Chlorella vulgaris)		
IC50	0.33 mg/l/96 h (carp)		
	information:		
	for fish:		
	25 mg/l		
	stence and degradability .		
	information:		
	e of inorganic compounds.		
Metho	ds for the determination of biodegradability are not applicable to inorganic substances.		

US

Printing date 06/20/2022

Reviewed on 06/20/2022

#### Trade name: Reference Standard AOCS 0.4R 2.0Y

- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- $\cdot$  Other adverse effects Avoid transfer into the environment.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

I1789 drochloric acid solution DROCHLORIC ACID mixture
DROCHLORIC ACID mixture
Corrective autotanace
conosive substances
t applicable.
arning: Corrosive substances A,S-B ids
t applicable.
passenger aircraft/rail: 5 L cargo aircraft only: 60 L

#### (Contd. of page 5)

Printing date 06/20/2022

Reviewed on 06/20/2022

(Contd. of page 6)

#### Trade name: Reference Standard AOCS 0.4R 2.0Y

· Excepted quantities (EQ)

Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

#### 15 Regulatory information

$^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara	
· Section 355 (Extremely hazardous substances):	
CAS: 7647-01-0 hydrochloric acid	
· Section 313 (Specific toxic chemical listings):	
CAS: 7647-01-0 hydrochloric acid	
<ul> <li>TSCA (Toxic Substances Control Act):</li> <li>CAS 7647-01-0 is not on the TSCA Inventory listed, because it is a hydrate.</li> <li>It is listed on the CAS 7646-79-9 number for the anhydrous form.</li> </ul>	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
CAS: 7647-01-0 hydrochloric acid	
CAS: 7791-13-1 cobalt dichloride hexahydrate	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· New Jersey Right-to-Know List:	
CAS: 7647-01-0 hydrochloric acid	
· New Jersey Special Hazardous Substance List:	
CAS: 7647-01-0 hydrochloric acid	CO, R1
· Pennsylvania Right-to-Know List:	
CAS: 7647-01-0 hydrochloric acid	
· Pennsylvania Special Hazardous Substance List:	
CAS: 7647-01-0 hydrochloric acid	E
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Information about limitation of use: Not required.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Printing date 06/20/2022

Reviewed on 06/20/2022

#### Trade name: Reference Standard AOCS 0.4R 2.0Y

	(Contd. of page 7)
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335 May cause respiratory irritation.	
H341 Suspected of causing genetic defects.	
H350 May cause cancer.	
H360 May damage fertility or the unborn child.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	
· Date of preparation / last revision 06/20/2022 / 4	
· Abbreviations and acronyms:	
OECD: Organisation for Economic Co-operation and Development	
STOT: specific target organ toxicity	
SE: single exposure	
RE: repeated exposure	
EC50: half maximal effective concentration	
IC50: hallf maximal inhibitory concentration	
NOEL or NOEC: No Observed Effect Level or Concentration ACGIH <sup>®</sup> - American Conference of Governmental Industrial Hygienists	
•A1 - Confirmed human carcinogen	
•A2 - Suspected human carcinogen	
A3 - Confirmed animal carcinogen with unknown relevance to humans	
•A4 - Not classifiable as a human carcinogen	
•A5 - Not suspected as a human carcinogen	
IARC - International Agency for Research on Cancer	
•Group 1 - Carcinogenic to humans	
Group 2A - Probably carcinogenic to humans	
•Group 2B - Possibly carcinogenic to humans	
•Group 3 - Not classifiable as to carcinogenicity to humans	
•Group 4 - Probably not carcinogenic to humans	
NTP - National Toxicology Program, U.S. Department of Health and Human Services	
•Group K - Known to be Human Carcinogens	
•Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit Corrosive to Metals 1: Corrosive to metals – Category 1	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Sensitization - Respiratory 1: Respiratory sensitisation – Category 1	
Sensitization - Skin 1: Skin sensitisation - Category 1	
Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2	
Carcinogenicity 1B: Carcinogenicity – Category 1B	
Toxic to Reproduction 1B: Reproductive toxicity – Category 1B	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Sources	
Data arise from safety data sheets, reference works and literature.	

Data arise from safety data sheets, reference works and literature. RTECS (Registry of Toxic Effects of Chemical Substances )  $\,$ 

 $\cdot$  \* Data compared to the previous version altered.