Lovibond[®] Water Testing

Tintometer® Group



Reviewed on 04/26/2022

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 04/26/2022

1 Identification

- · Product identifier
- · Trade name: KS703 Alkalinity P Indicator
- · Catalogue number: 56Z0703, 56L0703, 56L070365, 56U070365
- · Application of the substance / the mixture: Reagent for water analysis

Manufacturer/Supplier: Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified as hazardous.
- · Label elements
- · GHS label elements none
- · Hazard pictograms none
- · Signal word none
- · Hazard statements none
- · Other hazards No further relevant information available.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- · **Description:** aqueous solution
- · Composition and Information on Ingredients:
- Percent ranges are used due to the confidential product information.

CAS: 25322-68-3	Polyethylene glycol	40–50%	
NLP: 500-038-2			
RTECS: TQ3500000			
Additional information: For the wording of the listed hazard phrases refer to section 16.			

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor. After swallowing:
- Rinse out mouth and then drink 1-2 glasses of water.
- If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: KS703 - Alkalinity P Indicator

(Contd. of page 1)

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- mixture with combustible ingredients
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- Additional information
- Collect contaminated fire fighting water separately. It must not enter the sewage system.
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
- Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel: No special measures required.
- Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Dilute with plenty of water.
- · Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders). Dispose contaminated material as waste according to item 13.

Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling
- · Advice on safe handling: Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). Hygiene measures:
- The usual precautionary measures for handling chemicals should be followed.
- Do not eat, drink or smoke when using this product.
- Wash hands before breaks and at the end of work.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from heat and direct sunlight.
- Protect from exposure to the light.
- Protect from humidity and water.
- Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 25322-68-3 Polyethylene glycol

WEEL (USA) Long-term value: 10 mg/m³

(H); MW>200

· Additional information: The lists that were valid during the creation were used as basis.

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: KS703 - Alkalinity P Indicator

(Contd. of page 2)

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Breathing equipment:

Under normal use conditions according to the instruction manual no personal protective equipment is needed.

If exposure limits are exceeded or health impacts are experienced use respiratory protective device against the effects of fume/ dust/aerosol.

- · Recommended filter device for short term use: Filter P1
- Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- · Material of gloves
- Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- · Penetration time of glove material
- Value for the permeation: Level \leq 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:
- Safety glasses

use against the effects of fumes / dust

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and cho	emical properties
Appearance:	
Form / Physical state:	Solution
· Color:	Dark orange color
· Odor:	Odorless
· Odor threshold:	Not applicable.
· pH-value at 20°C (68°F):	6.54
 Melting point/freezing point: 	Not determined.
 Initial boiling point and boiling range: 	Not determined.
· Flash point:	220°C (428°F) (CAS: 25322-68-3 Polyethylene glycol)
[·] Flammability (solid, gas):	mixture with combustible ingredients
Ignition temperature:	Not applicable.
Decomposition temperature:	>220°C (>428°F) (CAS 25322-68-3)
Auto-ignition temperature:	Product is not self-igniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are
	possible.
· Flammability or explosive limits:	
· Lower:	Not determined.
· Upper:	Not determined.
• Oxidizing properties:	none
· Vapor Pressure:	Not determined.
Density at 20°C (68°F):	~1.08 g/cm³ (~9.01 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
Solubility(ies)	
Water:	Fully miscible.
Partition coefficient (n-octanol/water)	5
· Viscosity:	11 (/-
· Kinematic:	Not determined.

Printing date 04/26/2022

Trade name: KS703 - Alkalinity P Indicator

	(Contd. of page 3)
≤ 0.1 %	
40-50 %	
50-60 %	
	40-50 %

10 Stability and reactivity

- · Reactivity Fumes can combine with air to form an explosive mixture.
- · Chemical stability Stable at ambient temperature (room temperature).
- · Possibility of hazardous reactions No further relevant information available.
- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: see section 5

11 Toxicological information

Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values that are relevant for classification:		
CAS: 2	CAS: 25322-68-3 Polyethylene glycol		
Oral	LD50	>10000 mg/kg (rat) (ECHA)	
Dermal	LD50	>20000 mg/kg (rabbit) (ECHA)	
Primary irritant effect:			
	 on the skin: Based on available data, the classification criteria are not met. on the eye: Based on available data, the classification criteria are not met. 		
· Informa	ation o	n components:	

ľ	CAS: 25322-68-3 Polyethylene glycol				
ſ	Irritation of skin	OECD 404	(rabbit: no irritation)		
	Irritation of eyes	OECD 405	(rabbit: no irritation)		

· Sensitization: Based on available data, the classification criteria are not met.

· Information on components:

CAS: 25322-68-3 Polyethylene glycol

Sensitization OECD 406 (guinea pig: negative)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• Other information: see section 8 / 15

· Synergistic Products: None

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: KS703 - Alkalinity P Indicator

• Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Other information No further relevant information available.

12 Ecological information

· Toxicity

· I OXICITY			
· Aquatic toxicit	· Aquatic toxicity:		
CAS: 25322-68-3 Polyethylene glycol			
EC50 >100 mg/l/48h (Daphnia magna) (OECD 202)			
LC50 >100 mg	LC50 >100 mg/l/96h (carp) (OECD 203)		
· Persistence and degradability			
CAS: 25322-68-3 Polyethylene glycol			
OECD 301 E >90 % / 28d (readily biodegradable)			
g	92 % (readily eliminated from water)		

Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 25322-68-3 Polyethylene glycol

log Pow <-1 (.)

• Mobility in soil No further relevant information available.

· Other adverse effects Avoid transfer into the environment.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Disposal recommendation: as waste containing heavy metals (contains very small amounts of heavy metals)

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	none	
UN proper shipping name DOT, IMDG, IATA	2020	
	none	
Transport hazard class(es)		
DOT, IMDG, IATA		
Class	none	
Packing group		
DOT, IMDG, IATA	none	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of I	MARPOL73/78	
and the IBC Code	Not applicable.	

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: KS703 - Alkalinity P Indicator

· Transport/Additional information:

Not dangerous according to the above specifications.

15 Regulatory information

· Section 355 (Ext	remely hazardous substances):	
None of the ingred	lients is listed.	
· Section 313 (Spe	cific toxic chemical listings):	
None of the ingred	lients is listed.	
· TSCA (Toxic Sub	estances Control Act):	
CAS: 7732-18-5	water	ACTIVE
CAS: 25322-68-3	Polyethylene glycol	25322-68-3
CAS: 62625-31-4	m-Cresol purple, sodium salt	ACTIVE
CAS: 7487-94-7	mercury dichloride	ACTIVE
· Hazardous Air Po	ollutants	
CAS: 7487-94-7 I	mercury dichloride	
· Proposition 65		
Chemicals know	n to cause cancer:	
None of the ingree	lients is listed.	
· Chemicals know	n to cause reproductive toxicity for females:	
None of the ingrea	dients is listed.	
· Chemicals know	n to cause reproductive toxicity for males:	
None of the ingred	dients is listed.	
· Chemicals know	n to cause developmental toxicity:	
	mercury dichloride	
· New Jersey Righ		
CAS 7487-94-7: c		
CAS: 7487-94-7 I	mercury dichloride	
	cial Hazardous Substance List:	
	mercury dichloride	CA, MU, R1
• Pennsylvania Rig CAS 7487-94-7: c		
	mercury dichloride	
	ecial Hazardous Substance List:	
CAS: 7487-94-7		E
	ntal Protection Agency)	
None of the ingred		
	nal Institute for Occupational Safety and Health)	

· Information about limitation of use: Not required.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 04/26/2022 / -

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity

SE: single exposure

Printing date 04/26/2022

Reviewed on 04/26/2022

Trade name: KS703 - Alkalinity P Indicator

EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ACGIH[®] - American Conference of Governmental Industrial Hygienists •A1 - Confirmed human carcinogen •A2 - Suspected human carcinogen •A3 - Confirmed animal carcinogen with unknown relevance to humans •A4 - Not classifiable as a human carcinogen •A5 - Not suspected as a human carcinogen IARC - International Agency for Research on Cancer •Group 1 - Carcinogenic to humans •Group 2A - Probably carcinogenic to humans •Group 2B - Possibly carcinogenic to humans •Group 3 - Not classifiable as to carcinogenicity to humans •Group 4 - Probably not carcinogenic to humans •MTP - National Toxicology Program, U.S. Department of Health and Human Services •Group K - Known to be Human Carcinogens •Group R - Reasonably Anticipated to be Human Carcinogens IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

· Sources

Data arise from safety data sheets, reference works and literature. ECHA: European CHemicals Agency http://echa.europa.eu (Contd. of page 6)

US -