Tintometer[®] Group Water Testing



Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.10.2023

Version number 4 (replaces version 3)

Revision: 27.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Product name: KS6756 5N Sulphuric Acid
- · Catalog number: 56Z675698, 56L675665, 56U675665, 56U675698, 56L675698
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond[®]House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

- Informing department: e-mail: sds@lovibond.com Product Safety Department
- **1.4 Emergency telephone number:** +44 1235 239670 Languages: English

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling:
- sulphuric acid 22 %
- Hazard statements
- H290 May be corrosive to metals.

phone: +49 (0)231 94510-0 e-mail: sales@lovibond.com

phone : +44 1980 664800 e-mail: SDS@lovibond.uk

Version number 4 (replaces version 3)

Revision: 27.10.2023

(Contd. of page 1)

Product name: KS6756 - 5N Sulphuric Acid

Printing date 27.10.2023

 Precautionary = P280 P301+P330+P3 	Wear protective 31 IF SWALLOWE	nd eye damage. e gloves/protective clothing/eye protection/face protection. D: Rinse mouth. Do NOT induce vomiting. hair): Take off immediately all contaminated clothing. Rinse skin with water or s	shower.
	38 IF IN EYES: Rir do. Continue rir	nse cautiously with water for several minutes. Remove contact lenses, if presen nsing.	
P308+P310 P405	IF exposed or c Store locked up	oncerned: Immediately call a POISON CENTER/doctor.	
· 2.3 Other hazaı	'ds Acid burns hav	e to treated immediately, as it may otherwise cause badly curing wounds.	
This mixture doe persistent and v • Determination	ery bioaccumulativ of endocrine-disr	substances that are assessed to be persistent, bioaccumulative and toxic (PBT e (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1	
SECTION 3:	Composition/i	nformation on ingredients	
· 3.2 Mixtures · Description: su	lfuric acid solution		
· Dangerous cor			
CAS: 7664-93-9 EINECS: 231-63		sulphuric acid Met. Corr.1, H290; Skin Corr. 1A, H314	20–30%
Index No: 016-0	20-00-8	Specific concentration limits: Skin Corr. 1A; H314: $C \ge 15 \%$	
Reg.nr.: 01-211	9458838-20-XXXX	Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Dam. 1; H318: C ≥ 15 %	
		Eye Dani. 1, H318. C ≥ 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	
· Additional info	rmation For the wo	ording of the listed hazard phrases refer to section 16.	
SECTION 4:	First aid meas	ures	
. 4.1 Decorintion	of first aid meas		
General inform			
	tion for the First Aid		
Instantly remove • After inhalatior	any clothing soile	d by the product.	
Supply fresh air.			
Oxygen supply			
Call a doctor im • After skin cont			
	ith polyethylene gl	ycol 400.	
Instantly rinse w			
· After eye conta		ssary. Failure to treat burns can prevent wounds from healing.	
Rinse opened e	ye for several minu	ites (at least 15 min) under running water.	
Call a doctor im			
 After swallowing Rinse out mouth 	9 and then drink 1-2	2 glasses of water.	
Do not induce ve	omiting; instantly ca	all for medical help.	
 • 4.2 Most impor burns 	tant symptoms ar	nd effects, both acute and delayed:	
after swallowing	:		
strong caustic e			
pain vomiting			
diarrhoea			
after inhalation:	ffe at a dimension of the		
breathing difficu		embranes possible	
coughing	2		(0, 1)
			(Contd. on page 3)

Version number 4 (replaces version 3)

Revision: 27.10.2023

Product name: KS6756 - 5N Sulphuric Acid

· Danger

Printing date 27.10.2023

Danger of system failure.

Danger of gastric perforation.

Danger of pulmonary oedema.

4.3 Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture
- The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Sulphur oxides (SOx)

Carbon monoxide (CO)

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

· Advice for emergency responders: Protective equipment: see section 8

- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Use neutralising agent.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Advice on safe handling:
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Hygiene measures:

Do not inhale gases / fumes / aerosols.

Do not get in eyes, on skin, or on clothing

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

• 7.2 Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and containers: Store in cool location.

(Contd. of page 2)

Version number 4 (replaces version 3)

Product name: KS6756 - 5N Sulphuric Acid

	(2) (1) (2)
· Information about storage in one common storage facility:	(Contd. of page 3)
Store away from metals.	
Do not store together with alkalis (caustic solutions).	
Store away from flammable substances. see chapter 10	
· Further information about storage conditions:	
Store in a locked cabinet or with access restricted to technical experts or their assistants.	
Store in cool, dry conditions in well sealed containers.	
Protect from heat and direct sunlight.	
Protect from the effects of light.	
Protect from humidity and keep away from water.	
This product is hygroscopic. Store under dry conditions.	
· Recommended storage temperature: 20°C +/- 5°C	
7.3 Specific end use(s) No further relevant information available.	
SECTION 8: Exposure controls/personal protection	
 8.1 Control parameters Components with limit values that require monitoring at the workplace: 	
CAS: 7664-93-9 sulphuric acid	
WEL (Great Britain) Long-term value: 0.05* mg/m ³	
*mist: defined as thoracic fraction	
IOELV (European Union) Long-term value: 0.05 mg/m³	
· Regulatory information	
WEL (Great Britain): EH40/2020	
IOELѶ (European Únion): (EU) 2019/1831	
• Additional information: IOELV = Indicative Occupational Exposure Limit	
· DNELs Derived No Effect Level (DNEL)	
CAS: 7664-93-9 sulphuric acid	
Inhalative DNEL 0.1 mg/m ³ (Worker / acute / local effects)	
0.05 mg/m ³ (Worker / acute / systemic effects)	
· Recommended monitoring procedures:	
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN	1 482 and
DIN EN 689.	
PNECs	
Predicted No Effect Concentration (PNEC)	
CAS: 7664-93-9 sulphuric acid	
PNEC 8.8 mg/l (Sewage treatment plant)	
0.00025 mg/l (Marine water)	
0.0025 mg/l (Fresh water)	
PNEC 0.002 mg/kg (Marine sediment)	
0.002 mg/kg (Fresh water sediment)	
· Additional information: The lists that were valid during the compilation were used as basis.	
· 8.2 Exposure controls	
· Engineering measures:	
Technical measures and appropriate working operations should be given priority over the use of personal protecti	ve equipment.
See item 7.	
· Individual protection measures, such as personal protective equipment	
Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of t	he hazardous
substances handled.	
· Eye/face protection	
Tightly sealed safety glasses. Face protection	
· Hand protection	

· Hand protection

Acid resistant gloves

Revision: 27.10.2023

Printing date 27.10.2023

Safety data sheet

Version number 4 (replaces version 3)

Product name: KS6756 - 5N Sulphuric Acid

Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves
- nitrile rubber, NBR

Printing date 27.10.2023

Recommended thickness of the material: ≥ 0.35 mm

- Penetration time of glove material
- Value for the permeation: Level = 1 (< 10 min)
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Other skin protection (body protection): Acid resistant protective clothing
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Combination filter E-P2

· Environmental exposure controls

Avoid release to the environment.

Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

SECTION 9. Physical and chemical proper	
• 9.1 Information on basic physical and chemical prop	perties
Physical state	Fluid
· Form:	Liquid
· Colour:	Colourless
· Odour:	Odourless
Odour threshold:	Not determined.
Melting point/Freezing point:	Not determined.
Boiling point or initial boiling point and boiling rang	e Not determined.
· Flammability	The product is not combustible.
· Explosive properties:	Product is not explosive.
Lower and upper explosion limit	·
Lower:	Not applicable.
Upper:	Not applicable.
Flash point:	Not applicable.
Auto-ignition temperature:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20°C	<1
Kinematic viscosity	Not determined.
Solubility	
Water:	Fully miscible
 Partition coefficient n-octanol/water (log value) 	Not applicable (mixture).
· Vapour pressure:	Not determined.
Density and/or relative density	
· Density at 20°C:	1.19 g/cm ³
Relative density:	Not determined.
Relative gas density	Not determined.
 Particle characteristics 	Not applicable (liquid).
· 9.2 Other information	
Information with regard to physical hazard classes	
· Corrosive to metals	May be corrosive to metals.
	e Information on incompatible materials can be found in Sections 7 and
•	10.
 Other safety characteristics 	
· Oxidising properties:	none
Additional information	
· Solids content:	0 %
· Solvent content:	
· Organic solvents:	0.0 %
· Water:	> 70 %

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section 10.3

Revision: 27.10.2023

(Contd. of page 4)

according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3)

Product name: KS6756 - 5N Sulphuric Acid

• 10.2 Chemical stability Stable at ambient temperature (room temperature).

- 10.3 Possibility of hazardous reactions
- Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!) Corrosive action on metals When diluting, always add acid to water, never vice versa

Diluting or dissolving in water always causes rapid heating

- Reacts with peroxides
- Reacts with reducing agents
- Reacts with halogenated compounds
- Reacts with oxidizing agents
- Reacts with acids and alkali (lyes). Reacts with ammonia (NH₃).
- · 10.4 Conditions to avoid strong heating · 10.5 Incompatible materials:
- metals

Г

- combustible substances
- organic solvents

· 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:
--

CAS: 7664-93-9 sulphuric acid		
Oral		2140 mg/kg (rat) (IUCLID)
Inhalative		510 mg/m³/2h (rat) IUCLID

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

Risk of blindness!

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.

• STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· Information on likely routes of exposure

The intake of sulfuric acid is mainly to be expected via the inhalative pathway in the form of aerosols. No studies on absorbability are available.

Generally, local reactions cause the main effects.

Following impact to the skin strong local effects are the main issue. There is no indication of absorption of relevant amounts of S. via the intact skin.

Absorbability via the gastrointestinal tract is assumed. However, no studies on the kinetics of uptake are available. [GESTIS]

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. The aerosol is corrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema.

CAS: 7664-93-9 sulphuric acid

(source: GESTIS) Main toxic effects

Acute: Irritation up to chemical burns to the mucous membranes and skin, danger of serious damage to the eyes and lungs Chronic: Irritation to the eyes and airways, erosion of the teeth, damage to the skin

Further Information:

Concentrated S. differs considerably from dilute Sulfuric acid with regard to chemical properties and effects. With increased dilution Sulfuric acid acts less aggressively.

Revision: 27.10.2023

Version number 4 (replaces version 3)

Revision: 27.10.2023

Product name: KS6756 - 5N Sulphuric Acid

- · 11.2 Information on other hazards
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

- CAS: 7664-93-9 sulphuric acid
- EC50 >100 mg/l/48h (Daphnia magna) (OECD 202) (ECHA)
- LC50 16–29 mg/l/96h (bluegill)
- (Merck)

Bacterial toxicity: sulphates toxic > 2.5 g/l

- Other information:
- Toxic for fish:
- Sulphates > 7 g/l
- 12.2 Persistence and degradability .
- Other information:
- Mixture of inorganic compounds.
- Methods for the determination of biodegradability are not applicable to inorganic substances.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

- Avoid transfer into the environment.
- · Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 07* discarded inorganic chemicals consisting of or containing hazardous substances


· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	on	
 14.1 UN number or ID number 		
· ADR, IMDG, IATA	UN2796	
• 14.2 UN proper shipping name		
· ADR	2796 SULPHURIC ACID	
· IMDG, IATA	SULPHURIC ACID	
		(Contd. on page 8)





Version number 4 (replaces version 3)

Revision: 27.10.2023

Product name: KS6756 - 5N Sulphuric Acid

Printing date 27.10.2023

	(Contd. of pa
· 14.3 Transport hazard class(es)	
· ADR	
8	
Class	8 (C1) Corrosive substances.
· Label	8`´
· IMDG, IATA	
8	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR, IMDG, IATA	
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Kemler Number: 	Warning: Corrosive substances. 80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	В
 14.7 Maritime transport in bulk according instruments 	
	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	Ē
·IMDG	
 Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act UK

· Regulated explosives precursors

The substance falls under regulated explosive precursors due to the fact that the concentration is greater than/equal ($c \ge x\%$) the stated mass percentage:

CAS: 7664-93-9 sulphuric acid	15%
· Regulated poisons	
None of the ingredients is listed.	
· Reportable explosives precursors	
None of the ingredients is listed.	
· Reportable poisons	
None of the ingredients is listed.	
(Contd. or	ı page 9)

Version number 4 (replaces version 3)

Revision: 27.10.2023

Product name: KS6756 - 5N Sulphuric Acid

Printing date 27.10.2023

(Contd. c	of page 8)
 Regulation (EU) 2019/1148 on the marketing and use of explosives precursors Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/114 All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact p Please see https://ec.europa.eu 	
· explosives precursors - ANNEX I	
CAS: 7664-93-9 sulphuric acid	*
· Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)	
None of the ingredients is listed.	
 Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology: 	
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 on drug precursors	
CAS: 7664-93-9 sulphuric acid	3
 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third cou in drug precursors 	ntries
CAS: 7664-93-9 sulphuric acid	3
· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:	
None of the ingredients is listed.	
· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)	
None of the ingredients is listed.	
· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)	
None of the ingredients is listed.	

· Substances of very high concern (SVHC) according to REACH, Article 57 This product does not contain any substances of very high concern above the legal concentration limit of $\ge 0.1\%$ (w / w). Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w). · Directive 2012/18/EU (SEVESO III):

· Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Training hints Provide adequate information, instruction and training for operators.

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Abbreviations and acronyms:

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LD50: Lethal dose, 50 percent

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

Version number 4 (replaces version 3)

Revision: 27.10.2023

Product name: KS6756 - 5N Sulphuric Acid

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· Sources

Data arise from safety data sheets, reference works and literature. ECHA: European CHemicals Agency http://echa.europa.eu GESTIS- Stoffdatenbank (Substance Database, Germany)

• * Data compared to the previous version altered.

(Contd. of page 9)

GB —

Printing date 27.10.2023