### **Lovibond® Water Testing**

### Tintometer® Group



### Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 06/22/2022 Reviewed on 06/22/2022

### 1 Identification

- · Product identifier
- · Trade name: Anionic / Polyamine Indicator P2/3
- · Catalogue number: 56Z718198, 56L7181, 56L718130, 56L718165, 56U718130, 56U718165, SDT084.
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

### 2 Hazard(s) identification

· Classification of the substance or mixture



**GHS05 Corrosion** 

Corrosive to Metals 1 H290 May be corrosive to metals.



Skin Irritiation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Flammable Liquids 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Hazard Communication Standard (HCS).
- · Hazard pictograms



GHS05

- · Signal word Warning
- · Hazard statements

H227 Combustible liquid.

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves / eye protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P302+P352 If on skin: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P390 Absorb spillage to prevent material damage.

(Contd. on page 2)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: Anionic / Polyamine Indicator P2/3

(Contd. of page 1)

Other hazards At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

### 3 Composition/information on ingredients

- Chemical characterization: Mixtures
   Description: sulfuric acid solution
- Composition and Information on Ingredients:

Cancer Status IARC: Strong inorganic acid mists containing sulphuric acid can cause cancer.

Percent ranges are used due to the confidential product information.

CAS: 7664-93-9 EINECS: 231-639-5 Index number: 016-020-00-8 RTECS: WS5600000	sulphuric acid	♦ Corrosive to Metals 1, H290; Skin Corrosion 1A, H314	5–10%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000	ethanol	♦ Flammable Liquids 2, H225; ♦ Eye Irritation 2A, H319	≤2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with plenty of water.

If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed

irritations

Drying-out effect resulting in rough and chapped skin.

after inhalation:

mucosal irritations, cough, breathing difficulty

after swallowing:

sickness

diarrhoea

CNS disorders

- · Danger: Danger of circulatory collapse.
- · Indication of any immediate medical attention and special treatment needed: No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

mixture with combustible ingredients

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Sulfur oxides (SOx)

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Printing date 06/22/2022 Reviewed on 06/22/2022

### Trade name: Anionic / Polyamine Indicator P2/3

Ambient fire may liberate hazardous vapours.

(Contd. of page 2)

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Use neutralizing agent.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- Precautions for safe handling
- · Advice on safe handling:

Ensure good ventilation/exhaustion at the workplace.

Keep ignition sources away - Do not smoke.

Hygiene measures:

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Keep only in original container.

Information about storage in one common storage facility:

Store away from metals.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:			
CAS: 7664-9	CAS: 7664-93-9 sulphuric acid		
PEL (USA)	Long-term value: 1 mg/m³		
REL (USA)	Long-term value: 1 mg/m³		
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction, A2		
	Long-term value: 0.2 mg/m³ thoracic, ACGIH A2; IARC 1		
EV (Canada)	Long-term value: 0.2 mg/m³		

(Contd. on page 4)

Printing date 06/22/2022 Reviewed on 06/22/2022

### Trade name: Anionic / Polyamine Indicator P2/3

(Contd. of page 3)

 CAS: 64-17-5 ethanol

 PEL (USA)
 Long-term value: 1900 mg/m³, 1000 ppm

 REL (USA)
 Long-term value: 1900 mg/m³, 1000 ppm

 TLV (USA)
 Short-term value: 1000 ppm

 A3
 Short-term value: 1000 ppm

 EV (Canada)
 Long-term value: 1,900 mg/m³, 1,000 ppm

· Additional information: The lists that were valid during the creation were used as basis.

### · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

#### · Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- · Recommended filter device for short term use: Combination filter A-P2
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.11$  mm

Penetration time of glove material

Value for the permeation: Level  $\leq$  1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

Form / Physical state:
Color:
Odor:
Odor:
Like alcohol
Odor threshold:
PH-value:
Strongly acidic
Melting point/freezing point:
Not determined.
Initial boiling point and boiling range:
Not determined.

• Flash point: > 60°C (> 140°F) (Lit: 5%, CAS: 64-17-5 ethanol)

Flammability (solid, gas): mixture with combustible ingredients

• **Ignition temperature:**• **Decomposition temperature:**Not determined.
Not determined.

· **Auto-ignition temperature:** Product is not self-igniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Flammability or explosive limits:

Lower: Not applicable.Upper: Not applicable.Oxidizing properties: none

· Vapor Pressure: Not determined.

Density at 20°C (68°F):
Relative density:
Vapor density:
Not determined.
Evaporation rate:
Not determined.
Not determined.

Solubility(ies)

· Water: Fully miscible.

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: Anionic / Polyamine Indicator P2/3

(Contd. of page 4)

· Partition coefficient (n-octanol/water): Not applicable (mixture).

Viscosity: Not determined.Kinematic: Not determined.

· Other information

Solids content: ≤ 0.1 %
Solvent content:

Organic solvents: < 2.5 %</li>
 ⋅ Water: > 90 %

### 10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions"
- · Chemical stability Stable at ambient temperature (room temperature).
- · Possibility of hazardous reactions

Corrosive action on metals.

Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!)

Heating occurs when water is added.

Reacts with reducing agents.

Reacts with acids and alkali (lyes).

Reacts with ammonia (NH<sub>3</sub>).

- · Conditions to avoid Strong heating (decomposition)
- · Incompatible materials:

metals

combustible materials

organic solvents

· Hazardous decomposition products: see section 5

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 v	LD/LC50 values that are relevant for classification:		
	CAS: 7664-93-9 sulphuric acid		
Oral		2140 mg/kg (rat) (IUCLID)	
Inhalative		510 mg/m³/2h (rat) IUCLID	
CAS: 64-1	CAS: 64-17-5 ethanol		
Oral	LD50	10470 mg/kg (rat) OECD 401	
Dermal	LD50	>20000 mg/kg (rabbit)	

### · Primary irritant effect:

- · on the skin: Causes skin irritation.
- on the eye: Causes serious eye irritation.
- Information on components:

Skin irritation testing performed on 10% sulfuric acid showed slight to no irritation effects (GESTIS).

CAS 7664-93-9: chronic: dermatitis

CAS: 64-17-5 ethanol		
Irritation of skin		(rabbit: no irritation) (ECHA, registrant)
Irritation of eyes		(rabbit: irritation) (ECHA, registrant)

· Sensitization: Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 06/22/2022 Reviewed on 06/22/2022

### Trade name: Anionic / Polyamine Indicator P2/3

(Contd. of page 5)

	(Contd. of	t page 5)
· Information on compone	nts:	
CAS: 64-17-5 ethanol		
Sensitization OECD 406	(guinea pig: negative)	
	(read across CAS 67-56-1)	

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS 64-17-5: Carcinogen classification of IARC, NTP, California Prp. 65 for Ethanol apply to beverage use only. This solution is not intended for this use.

CAS: 7664-93-9	sulphuric acid	1
CAS: 64-17-5	ethanol	1
CAS: 129-17-9	hydrogen [4-[4-(diethylamino)-2',4'-disulphonatobenzhydrylidene]cyclohexa-2,5-dien-1-ylidene] diethylammonium, sodium salt	3
· NTP (National 1	oxicology Program)	
CAS: 7664-93-9 sulphuric acid K		
· OSHA-Ca (Occupational Safety & Health Administration)		

#### · Other information:

see section 8 / 15

Ethyl alcohol:

A4 (not classifiable for humans or animals) by ACGIH

Cancer Status of Sulfuric acid: The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions.

A2 (Suspected for humans) by ACGIH

· Synergistic Products: None

None of the ingredients is listed.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# Information on components: CAS: 64-17-5 ethanol OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test) (Salmonella typhimurium)

### · Additional toxicological information:

Mists may be irritant to the mucous membranes and upper respiratory tract.

### CAS: 7664-93-9 sulphuric acid

(source: GESTIS)

Main toxic effects

Acute: Irritation up to chemical burns to the mucous membranes and skin, danger of serious damage to the eyes and lungs Chronic: Irritation to the eyes and airways, erosion of the teeth, damage to the skin

Further Information:

Concentrated S. differs considerably from dilute Sulfuric acid with regard to chemical properties and effects. With increased dilution Sulfuric acid acts less aggressively.

US -

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: Anionic / Polyamine Indicator P2/3

(Contd. of page 6)

### 12 Ecological information

· Toxicity

· Aquati	· Aquatic toxicity:		
CAS: 7	CAS: 7664-93-9 sulphuric acid		
EC50	>100 mg/l/48h (Daphnia magna) (OECD 202) (ECHA)		
LC50	16–29 mg/l/96h (bluegill) (Merck)		
CAS: 6	CAS: 64-17-5 ethanol		
LC50	8140 mg/l/48h (gold orfe) (IUCLID)		
EC50	9268–14221 mg/l/48h (Daphnia magna) (IUCLID)		
NOEC	9.6 mg/l (Daphnia magna) (9d) (ECHA)		

### Bacterial toxicity:

sulfates toxic > 2.5 g/l

### CAS: 64-17-5 ethanol

EC5 6500 mg/l (Pseudomonas putida) (16h)

### Other information:

Toxic for fish: sulfates > 7 g/l

### · Persistence and degradability

CAS: 64-17-5 ethanol

OECD 301 E 94 % (readily biodegradable) (Modified OECD Screening Test)

#### · Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

### CAS: 64-17-5 ethanol

log Pow -0.32 (.)

- · Mobility in soil No further relevant information available.
- · Other adverse effects Avoid transfer into the environment.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 4 -					
7 / 1	ranc	nort	I n Tr	ormai	non
	Iano			лпа	1011

<u> </u>	
· UN-Number · DOT, IMDG, IATA	UN1760
· UN proper shipping name · DOT · IMDG, IATA	Corrosive liquids, n.o.s. (Sulfuric acid) CORROSIVE LIQUID, N.O.S. (SULPHURIC ACID)

(Contd. on page 8)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: Anionic / Polyamine Indicator P2/3

(Contd. of page 7)

· Transport hazard class(es)

· DOT



• Class 8 Corrosive substances • Label 8

· IMDG, IATA



· Class 8 Corrosive substances

· Label

Packing group

· DOT, IMDG, IATA

· Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

Hazard identification number (Kemler code):EMS Number:F-A,S-B

Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

· Transport/Additional information:

· DOI

• **Quantity limitations** On passenger aircraft/rail: 1 L

On cargo aircraft only: 30 L

·IMDG

· Limited quantities (LQ) 1L

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (Extremely hazardous substances):

CAS: 7664-93-9 sulphuric acid

· Section 313 (Specific toxic chemical listings):

CAS: 7664-93-9 sulphuric acid

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

CAS: 67-56-1 methanol

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 9)

Printing date 06/22/2022 Reviewed on 06/22/2022

### Trade name: Anionic / Polyamine Indicator P2/3

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for	males:
--	--------

None of the ingredients is listed.

### Chemicals known to cause developmental toxicity:

CAS: 64-17-5 ethanol CAS: 67-56-1 methanol

### New Jersey Right-to-Know List:

CAS 67-56-1: c < 0.1%

CAS: 7664-93-9	sulphuric acid
CAS: 64-17-5	ethanol
CAS: 67-56-1	methanol

### · New Jersey Special Hazardous Substance List:

CAS: 7664-93-9	sulphuric acid	CA, CO, R2
CAS: 64-17-5	ethanol	CA, MU, TE, F3
CAS: 67-56-1	methanol	TE, F3

### · Pennsylvania Right-to-Know List:

CAS: 7664-93-9 sulphuric acid CAS: 64-17-5 ethanol

### Pennsylvania Special Hazardous Substance List:

CAS: 7664-93-9 sulphuric acid

Ε

### EPA (Environmental Protection Agency)

None of the ingredients is listed

### NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Information about limitation of use: Not required.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H225 Highly flammable liquid and vapor.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

· Date of preparation / last revision 06/22/2022 / -

### Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

c.c.: closed cup

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans
 Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

Printing date 06/22/2022 Reviewed on 06/22/2022

### Trade name: Anionic / Polyamine Indicator P2/3

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LOSO: Lethal dose, 50 percent
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable Liquids 2: Flammable liquids — Category 2
Flammable Liquids 4: Flammable liquids — Category 4
Corrosive to Metals 1: Corrosive to metals — Category 1
Skin Corrosion 1A: Skin corrosion/irritation — Category 1A
Skin Irrititation 2: Skin corrosion/irritation — Category 2

Fine Irrititation 2: Scripus over demand over irritation.

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

#### · Sources

Data arise from safety data sheets, reference works and literature. ACGIH®: American Conference of Governmental Industrial Hygienists (Contd. of page 9)

US-