Printing date 24.01.2019 Version number 41 Revision: 24.01.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Product name: Ammonia No.2

- · Catalog number: 00512591, 512590BT, 4512590BT, 512591BT, 4512591BT, 00512599BT
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer India Private Limited Door No. 7-2-C-14, 2nd, 3rd & 4th Floor Sanath Nagar Industrial Estate, Hyderabad TG 500018 INDIA

- · Informing department: indiaoffice@tintometer.com
- · 1.4 Emergency telephone number:

040-23883300, Toll Free Number: 1800 599 3891 (sales)

Languages: Hindi & English

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

lithium hydroxide monohydrate

sodium dichloroisocyanurate, dihydrate

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Printing date 24.01.2019 Version number 41 Revision: 24.01.2019

Product name: Ammonia No.2

(Contd. of page 1)

· 2.3 Other hazards Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of organic and inorganic compounds

· Dangerous components:		
CAS: 1310-66-3	lithium hydroxide monohydrate	30–40%
EINECS: 215-183-4	♦ Skin Corr. 1A, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	
CAS: 51580-86-0	sodium dichloroisocyanurate, dihydrate	0.25-<2.5%
EINECS: 220-767-7	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Acute Tox. 4, H302; Eye Irrit. 2,	
Index No: 613-030-01-7	H319; STOT SE 3, H335	

· Additional information For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Instantly rinse with water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

· 4.2 Most important symptoms and effects, both acute and delayed:

burns

after inhalation:

coughing

breathing difficulty

damage to the affected mucous membranes

after swallowing:

strong caustic effect.

absorption

after absorption of large amounts:

sickness

vomiting

cardiovascular disorders

CNS disorders

ataxia (impaired locomotor coordination)

cramps

Danger

Danger of system failure.

Danger of gastric perforation.

Danger of disturbed cardiac rhythm.

· 4.3 Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Hydrogen chloride (HCI)

(Contd. on page 3)

Printing date 24.01.2019 Version number 41 Revision: 24.01.2019

Product name: Ammonia No.2

(Contd. of page 2)

Dipotassium oxide

LiOx

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling
- · Advice on safe handling: No special precautions necessary if used correctly.
- · Hygiene measures:

Do not inhale dust / smoke / mist.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidising agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

- IN -

Printing date 24.01.2019 Version number 41 Revision: 24.01.2019

Product name: Ammonia No.2

(Contd. of page 3)

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Protection of hands:

Alkaline resistant gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 ( < 10 min )

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed safety glasses.
- · Body protection: Alkaline resistant protective clothing
- · Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or water bodies.

#### **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · Appearance: Form / Physical state: **Tablets** White Colour: Chlorine-like · Odour: · Odour threshold: Not determined. · pH-value (11.2 g/l) at 20°C: 12.9 · Melting point/Freezing point: Not determined · Initial boiling point and boiling range: Not determined · Flash point: Not applicable · Flammability (solid, gas): The product is not combustible. · Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not self-igniting. · Explosive properties: Product is not explosive. · Flammability or explosive limits: Lower: Not applicable Upper: Not applicable · Oxidising properties: none · Vapour pressure: Not applicable. · Density: Not determined · Relative density: Not determined. · Vapour density: Not applicable. · Evaporation rate: Not applicable. · Solubility(ies): Water: Soluble · Partition coefficient: n-octanol/water: Not applicable. · Viscosity: Not applicable.

(Contd. on page 5)

Printing date 24.01.2019 Version number 41 Revision: 24.01.2019

Product name: Ammonia No.2

(Contd. of page 4)

· Solvent content:

Organic solvents: 0.0 % Solids content: 100.0 %

• **9.2 Other information** No further relevant information available.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions

Aqueous solution reacts alkaline.

Aqueous solution reacts with metals.

Corrodes aluminium

Reacts with acids

Reacts with oxidizing agents

--> forms heat

Reacts with light alloys to form hydrogen

- · 10.4 Conditions to avoid Exposure to moisture.
- · 10.5 Incompatible materials:

organic substances

aluminium

zinc

· 10.6 Hazardous decomposition products:

Chlorine compounds

In case of fire: see section 5.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Classification according to calculation procedure:

Harmful if swallowed.

Harmful if swallowed.

## · Acute toxicity estimate (ATE<sub>(MIX)</sub>) - Calculation method:

Oral CLP ATE<sub>(MIX)</sub> 908 mg/kg (.)

 $\cdot$  LD/LC50 values that are relevant for classification:

CAS: 1310-66-3 lithium hydroxide monohydrate

Oral LD50 368 mg/kg (rat)

LC50. >6.15 mg/l/4h (rat)

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

Oral LD50 1671 mg/kg (rat) (EPA OPP 81-1)
Dermal LD50 >5000 mg/kg (rat) (EPA OPP 81-2)

· Primary irritant effect:

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

Risk of blindness!

#### · Information on components:

#### CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

Irritation of eyes OECD 405 (rabbit: burns)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Information on components:

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

Sensitisation OECD 406 (guinea pig: negative) (Magnusson / Klingman)

(Contd. on page 6)

Printing date 24.01.2019 Version number 41 Revision: 24.01.2019

Product name: Ammonia No.2

(Contd. of page 5)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

### CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)

#### · Additional toxicological information:

The following applies to lithium compounds in general:

after absorption: CNS disorders, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

## · Aquatic toxicity:

#### CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

EC50 0.28 mg/l/48h (Daphnia magna)

EC50 >5000 mg/l/96h (Algeal toxicity) (OECD 201)

NOEC 2600 mg/l (Daphnia magna) (OECD 2011, 21d)

756 mg/l (fish) (28d)

1000 mg/l (rainbow trout) (OECD 2015, 28d)

LC50 0.25 mg/l/96h (rainbow trout)

#### · Other information:

The following applies for lithium compounds in general:

fish toxic from 100 mg/l, Daphnia toxic from 16 mg/l, plants toxic from 0,2 mg/l

#### · 12.2 Persistence and degradability

#### CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

OECD 306 4 (.) (Biodegradation Test – Seawater)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.6 Other adverse effects

Harmful effect due to pH shift.

Avoid transfer into the environment.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

Printing date 24.01.2019 Version number 41 Revision: 24.01.2019

Product name: Ammonia No.2

(Contd. of page 6)

# **SECTION 14: Transport information**

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN2680

· 14.2 UN proper shipping name

2680 LITHIUM HYDROXIDE mixture · ADR · IMDG, IATA LITHIUM HYDROXIDE mixture

· 14.3 Transport hazard class(es)

· ADR



· Class 8 (C6) Corrosive substances.

· Label

· IMDG, IATA



8 Corrosive substances. · Class

· Label

· 14.4 Packing group

· ADR, IMDG, IATA Ш

· 14.5 Environmental hazards: Not applicable.

· 14.6 Special precautions for user Warning: Corrosive substances.

· Kemler Number: F-A,S-B · EMS Number: Alkalis · Segregation groups · Stowage Category

· Segregation Code SG35 Stow "separated from" acids.

· 14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code Not applicable.

· Transport/Additional information:

· Limited quantities (LQ) 1 kg

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

· Transport category 2 Ε

· Tunnel restriction code

· IMDG · Limited quantities (LQ) 1 kg

· Excepted quantities (EQ) Code: E2

> Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 24.01.2019 Version number 41 Revision: 24.01.2019

Product name: Ammonia No.2

(Contd. of page 7)

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

**ECOTOX Database** 

· \* Data compared to the previous version altered.

IN