


Lovibond® Water Testing

Tintometer® Group



Water Treatment Engineers Test Kit (visual)

Monitoring water treatment for professionals with visual methods



The Lovibond® Visual Engineers Test Kit is designed for the water treatment professional to be used on all types of industrial water systems such as cooling towers, closed water systems and steam raising boilers.

The Kit uses visual methods on a comparator. It includes drop tests and pocket meters for electrochemistry parameters.

Each test has been chosen specifically for these applications to ensure accurate repeatable results.

Includes the following parameters: Conductivity, pH, glycol, aluminium, bromine, chlorine, copper, iron, molybdate, phosphate.

- Mobile laboratory for water treatment monitoring
- Works with visual tests & further methods
- Ensure system performance & operating costs
- Most efficient monitoring of industrial water samples

Referencia No: 56K701300

Industria

Energía | Gas y petróleo | Industria alimentaria | Industria farmacéutica | Industria naval | Industria química | Municipios | Otras industrias

Aplicaciones

Agua de caldera | Agua de refrigeración | Control de desinfección | Otros | Tratamiento de aguas residuales

Water Treatment Engineers Test Kit (visual)

You need safe, fast and reliable test results?

Take everything you need for chemical analysis of industrial water quality in one hand

This comprehensive Test Kit combines everything water professionals need for on-site analysis with visual test methods and more.

Rango de medición

Test Name	Rango de medición	Método químico
Alcalinidad (P, M, OH)	50 - 2400 mg/L CaCO ₃	
Aluminio T	0 - 0.3 mg/L Al	Eriocromcianina R
Bromo T	0 - 5 mg/L Br ₂	DPD
Chloride	20 - 12000 mg/L Cl ⁻	
Cloro MR T	0 - 2 mg/L Cl ₂	DPD
Cobre HR T	0 - 5 mg/L Cu	Biquinolina
Conductivity	0 - 20 mS/cm	
Dureza, total	5 - 600 mg/L CaCO ₃	
Dureza (Sí/No)	8 - 20 mg/L CaCO ₃	
Fosfato HR T	0 - 80 mg/L PO ₄	Vanadomolibdato
Fosfonato	0 - 20 mg/L HEDP	
Glicol	% PEG/MEG	
Hardness Calcium	5 - 600 mg/L CaCO ₃	
Hierro LR T	0.05 - 1 mg/L Fe	PPST
Hydrogen Peroxide	15 - 500 mg/L H ₂ O ₂	
Molibdato HR T	50 - 500 mg/L MoO ₄	Tioglicolato
Nitrito	10 - 2000 mg/L NaNO ₂	
pH	0 - 14	
Sulfito	25 - 150 mg/L Na ₂ SO ₃	
Tanino	50 - 300 mg/L Tannin	

Volumen de suministroo

- Plastic case
- SD40 Multi Pocket Tester
- Checkit Comparator
- 0 - 5 mg/L Bromine Checkit® Disc
- 0 - 4 mg/L Chlorine DPD Checkit® Disc
- 0 - 1.0 mg/L Iron LR Checkit® Disc
- 50 - 500 mg/L Molybdate HR Checkit® Disc
- 0 - 0.3 mg/L Aluminium Checkit® Disc
- 0 - 5.0 mg/L Copper HR Free & Total Checkit® Disc
- 0 - 80 mg/L Phosphate HR Checkit® Disc
- 1 - 10 mg/L Iron HR Checkit® Disc
- 2 Plastic vials 10 mL with lid
- DPD No.1 Rapid tablets BT
- DPD No.3 Rapid tablets
- Molybdate No.1 tablets
- Molybdate No.2 tablets
- Aluminium No.1 tablets
- Aluminium No.2 tablets
- Copper No.1 Test tablets
- Copper No.2 Test tablets
- Phosphate HR Comp. tablets
- Hardness Yes/No tablets
- pH Buffer 4 solution
- pH Buffer 7 solution
- pH Buffer 10 solution
- 1413uS Standard Conductivity solution
- Iron Reagent FE5
- Iron Reagent FE6
- Chloride LR Titrant CC2
- Chloride HR Titrant BC2
- Alkalinity 4.5 Indicator TA4
- Alkalinity LR Titrant TA3
- Alkalinity HR Titrant PA2/TA2
- Acidity / Alkalinity P Indicator PA1
- Alkalinity OH Reagent
- Hardness Total Indicator TH1P
- Hardness LR Titrant TH3
- Hardness HR Titrant TH4
- Tannin Indicator TN1
- Hydrogen Peroxide HR Titrant HP2
- Acetic acid 20%
- Nitrite Titrant N2
- QAC Buffer QA2
- Phosphonate Indicator P4L
- Nitrite Indicator N1
- Tannin Titrant TN2
- Iron Reagent FE8
- Phosphonate pH Adjuster P3
- Chloride Indicator CC1

Accesorios

Título	Referencia No
Comparator CHECKIT®	145000
Jeringuilla, plástico, 20 mL	56A006501
Recipiente de valoración con tapa, plástico, 60 mL	56A006701
Jeringuilla de plástico, 5 mL	56A008501
Jeringuilla de plástico 1 ml	56A013501
Tubo de ensayo 5/10 mL + tapa	56A600401
Refractómetro glicol	56M000401

Tintometer GmbH

Lovibond® Water Testing
Schleefstraße 8-12
44287 Dortmund
Tel.: +49 (0)231/94510-0
sales@lovibond.com
www.lovibond.com
Alemania

The Tintometer Limited

Lovibond House
Sun Rise Way
Amesbury, SP4 7GR
Tel.: +44 (0)1980 664800
Fax: +44 (0)1980 625412
sales@lovibond.uk
www.lovibond.com
Reino Unido

Tintometer China

9F, SOHO II C.
No.9 Guanghualu,
Chaoyang District,
Beijing, 100020
Customer Care China Tel.: 4009021628
Tel.: +86 10 85251111 Ext. 330
Fax: +86 10 85251001
chinaoffice@tintometer.com
www.lovibond.com
China

Tintometer South East Asia

Unit B-3-12, BBT One Boulevard,
Lebuh Nilam 2, Bandar Bukit Tinggi,
Klang, 41200, Selangor D.E
Tel.: +60 (0)3 3325 2285/6
Fax: +60 (0)3 3325 2287
lovibond.asia@tintometer.com
www.lovibond.com
Malasia

Tintometer Brazil

Caixa Postal: 271
CEP: 13201-970
Jundiaí – SP
Tel.: +55 (11) 3230-6410
sales@lovibond.us
www.lovibond.com.br
Brasil

Tintometer Inc.

6456 Parkland Drive
Sarasota, FL 34243
Tel: 941.756.6410
Fax: 941.727.9654
sales@lovibond.us
www.lovibond.us
Estados Unidos de América

Tintometer India Pvt. Ltd.

Door No: 7-2-C-14, 2nd, 3rd & 4th Floor
Sanathnagar Industrial Estate,
Hyderabad, 500018
Telangana
Tel: +91 (0) 40 23883300
Toll Free: 1 800 599 3891/ 3892
indiaoffice@lovibond.in
www.lovibondwater.in
India

Tintometer Spain

Postbox: 24047
08080 Barcelona
Tel.: +34 661 606 770
sales@tintometer.es
www.lovibond.com
España

Nos reservamos el derecho de cambios técnicos

Printed in Germany

Lovibond® and Tintometer® are Trademarks of the Tintometer Group of Companies